
NeutralPosture

**2020**May



# **TABLE OF CONTENTS**

GENERAL INFORMATION         4           Panels         4           Power         4           Raceway         4           Environmental Impact         4           Storage         4           Legacy Customers         4
SUSTAINABLE DESIGN5Manufacturing Process.5Shipping Initiatives.5
TERMS AND CONDITIONS         6           Ordering         6           Pricing         6           Taxes         6           Lead Time         6           Storage Fee         6           Shipping         6           Accessorial Charges         6           Freight Damage         7           Returns         7           Warranty Claims         7           Customer's Own Material         7           Delay/Force Majeure         7           Compliance with Law         7           Warranty         8           General Information         8           Key Alike Program         9           GSA Contract Overview         10           GSA Contract Details         11           Wall Mounting Suggestions         12           Wall Mounting Details         13
FINISHES.         14           Fabrics         14           Laminates         14           Edge Bands         14           Paints         15           Plexiglass         15           Glass         15           Designer Glass         15           Corian         15           Textured Corian         15           CUSTOM FINISHES PROGRAM         16           Customer's Own Fabrics         16           Customer's Own Laminates         16
Custom RAL Paint Finishes 16  LEGACY FINISHES 17  Legacy – Laminates 17  Legacy – Edge Bands 17  Legacy – Painted & Plastics 17

PANELS	18
Features	18
Construction	18
Surface Materials	
Fabric Panels	
Insert Panels	
Perforated Aluminum Insert Panels	
Tequity Panels	
Post Assemblies	
End Kits	
Wall Starter/Wall Mounted Channel	
Posts (Multi-height).	
Connectors/Shrouds	
STACK-ON PANELS	26
Components	
Stack-on Panel Connectors	
Specifying Stack-on	
Stack-on Diagram	
Stack-on Configurations	
Fabric with slots	
Fabric without slots	
Insert with slots	44
Insert without slots	46
Perforated Aluminum Insert w slots	
Perforated Aluminum Insert w/o slots	
Stack-on Posts	
Panel Accessories	
Frameless Glass.	
Frameless Glass ConnectorsAdd-on Screens	
Slat Rail	
Slat Rail Accessories	
side Hair Accessories	
ELECTRICAL	58
How to Order	
Infeeds	
Technical Data	
Ceiling Infeeds	62
Base Infeeds	
Components	64
Knock-out Replacement Cover	
Jumper	
Dedicated Neutral System Components	
Dedicated Neutral Jumpers	
Charge Spot (Wireless Charger)	
Desktop Data & Power	68

WORKSURFACES	
Features	
Wiring & Cabling	
Edge Detail	
Surface Materials	. 70
General Info	. 72
Support Information	. 73
Grain Direction	. 74
Straights	. 76
Corners	. 78
Split Corner	. 78
Extended Corners	. 79
Corner Peninsulas	. 80
Peninsulas	
Half Round & Linking	. 82
Blended Double Corner	. 83
135° Curved Corner	
Supports	
Legs	
Panel Supported Height Adjustable	
Electric Height Adjustable Base	
120° Planning	
120°	
Transition Tops	
'	
CASCADE WORKSURFACES	. 95
Cascade Edge	. 95
Straights	
Corners & Extended Corners	. 97
Corner Peninsulas	. 98
Waves	. 99
Rounds	100
Accessories	101
Personal Drawer	101
COUNTER CAPS	102
Straights	
Corners	103
PANEL SUPPORTED STORAGE	104
Open Shelves	
Overheads	
Shared Storage	
Tackboards	
Wall Mounted Channel	111
Whiteboards	
Willeboalds	111
LICUTING	112
LIGHTING	
LIGHTING Task Lights Freestanding Lights	114

TABLES	118
Features	. 118
Construction	. 118
Surface Materials	. 118
OCCASIONAL	. 120
Round	. 120
Square	. 121
CONFERENCE	. 122
Oval	. 122
Rectangle	. 123
Electric Height Adjustable	. 124
Pneumatic Height Adjustable	. 125
Privacy/Modesty Panels	. 126
Desktop Screens.	. 128
Mobile Privacy Screens	. 129

STORAGE 13 Accessories Availability 13 Accessories 13	34
PEDESTALS         13           Features         13           Construction         13           Surface Materials         13           Pedestals         13	36 36 36
FILE CENTERS14Features14Construction14Surface Materials14File Centers14	40 40 40
LATERALS         14           Features         14           Construction         14           Surface Materials         14           Laterals         14           Lateral – BF         14           Lateral – Worksurface Supporting         14           Lateral – Lateral/Open Shelves         14           Lateral – 6B, BBF & BBFF         14           Lateral – Common Tops         14           Lateral – Cushions         14	44 44 46 47 47 48
TOWERS         15           Features         15           Construction         15           Surface Materials         15           24" Wide         15           24" Wide – Side Access         15           15" Wide         15           15" Wide – Side Access         15	50 50 50 52 53
CREDENZAS         1.1           Features         1.2           Construction         1.5           Surface Materials         1.5           Credenzas         1.5           Accessories         1.5           Credenza – Drawers         1.5           Credenza – Shelves         1.5           Credenza – Common Tops         1.5	56 56 58 58 59
CABINETS         16           Features         16           Construction         16           Surface Materials         16           Cabinets         16	60 60 60
LOCKERS         16           Features         16           Construction         16           Surface Materials         16           Lockers         16           Lockers – Double         16           Lockers – Quad         16           Lockers – Cubby         16	64 64 66 67 67
BOOKCASES16Features16Construction16Surface Materials16Bookcases17	68 68 68

WORKPLACE ACCESSORIES	172
Keyboard Trays	174
Keyboard Arms	174
Easy Combos	175
Monitor Arms	176
Monitor Arm Attachments	176
CPU Holders	176
Forearm Supports	177
Anti-fatigue Floor Mats	177
Tablet Holder	177
StandUp	178
StandUp A1	178
StandUp X1	170
Standop X1	179
GRADED IN FABRICS	180
	<b>180</b>
GRADED IN FABRICS Carnegie C.F. Stinson	<b>180</b> 180
GRADED IN FABRICS Carnegie	<b>180</b> 180 180 181
GRADED IN FABRICS Carnegie C.F. Stinson Designtex KnollTextiles	<b>180</b> 180 181 181
GRADED IN FABRICS Carnegie C.F. Stinson Designtex	180 180 181 181
GRADED IN FABRICS Carnegie C.F. Stinson Designtex KnollTextiles Guilford of Maine	180 180 180 181 181 181 182
GRADED IN FABRICS Carnegie C.F. Stinson Designtex KnollTextiles Guilford of Maine Luna Maharam	180 180 180 181 181 181 182 182
GRADED IN FABRICS Carnegie C.F. Stinson Designtex KnollTextiles Guilford of Maine Luna	180 180 180 181 181 181 182 182

# **General Information**

#### **PANELS**

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

#### **FABRIC PANELS**

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

#### **INSERT PANELS**

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, perforated aluminum or as an open frame for complete accessibility through the panel.

#### **STACK-ON PANELS**

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and can also be load bearing.

#### **PANEL CONNECTORS**

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

#### **POWER**

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

#### **RACEWAY**

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

#### **CABLE CAPACITY**

ELECTRICAL	WITH		WITH	IOUT
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

#### **STORAGE**

All storage components come standard locking.

Master key and key alike are available upon request.

#### **LEGACY PRODUCTS**

Neutral Posture offers legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502.

#### **ENVIRONMENTAL IMPACT**

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- · ISO 9001:2015

#### **GREEN MANUFACTURING PROCESS**

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. The company has also established a 100% solid waste diversion goal for its manufacturing process and is very close to reaching it. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

#### **PLASTIC**

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 & #7 plastics and can be recycled in many areas.

#### **STEEL & ALUMINUM**

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

#### **FABRIC**

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

#### PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

#### WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

#### **GREEN SHIPPING INITIATIVES**

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

#### PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

#### A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used furniture and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainable design, visit NeutralPosture.com/sustainability.

#### TERMS AND CONDITIONS

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

#### **ORDERING**

All orders must be in writing; faxed, e-mailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to: Neutral Posture, Inc. 3904 N Texas Avenue Bryan, TX 77803 979.778.0502 (Option 2) 800.446.3746 979.778.0408 FAX E-mail: orderentry@neutralposture.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the customer's acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellations, customer will be liable for reasonable cancellation charges established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

A minimum of 3% of net expedite fee will be charged for orders requiring less than standard lead times.

#### **PRICES**

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

#### **TAXES**

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

#### **LEAD TIME**

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

#### **CUSTOMER'S OWN MATERIAL**

A customer who requests a fabric or other surface material not standard to NP's line of products (COM), must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

#### STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

#### **COMPLIANCE WITH LAW**

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

#### **TERMS AND CONDITIONS**

#### **SHIPPING**

Most NP products include shipping. For Equity, only orders that are over \$2,000 (Net) include shipping. In accordance with the aforementioned conditions, all standard discount orders are F.O.B destination delivered by way of parcel or freight carrier service dock to dock within the forty-eight (48) contiguous United States, and the District of Columbia. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States, and the District of Columbia, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Any order requiring special delivery service, other than normal dock to dock delivery, will incur additional charges. These services include, but are not limited to residential delivery, limited access delivery, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests or congestion fees. These charges will be quoted at customer request.

Conditions beyond the control of NP, including weather, available facilities and traffic conditions, may affect exact time of delivery. NP shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between customer and NP prior to shipment.

#### **Accessorial Charges (Net)**

Delivery Apointment Required Inside Delivery/Pick Up Items Over 96 Inches Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip

Contact Customer Service at customerservice@neutralposture.com or 979.778.0502 for pricing.

#### **DELAY/FORCE MAJEURE**

Neutral Posture shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Neutral Posture may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

#### **FREIGHT DAMAGE**

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

#### **RETURNS**

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

#### **WARRANTY CLAIMS**

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the fortyeight (48) contiguous states, and the District of Columbia, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

# **Selling Policy**

#### WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its option, the affected part or parts.

#### PRODUCT AND PERIOD OF WARRANTY

#### Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage, modesty/privacy screens

#### 10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, sliding doors, desktop and storage accessories (unless otherwise specified)

#### 5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift

#### 3 Years

Electric height adjustable bases (including motor), fabric

#### 1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

#### **CERTIFICATIONS & STANDARDS**

#### ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

#### SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

#### DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at the discretion of NP.

#### **WOMEN'S BUSINESS ENTERPRISE (WBE)**

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

#### WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

#### HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

# BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 2 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

#### **GENERAL INFORMATION**

Neutral Posture pedestals, overheads, and storage cabinets ship with lock cores. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### **KEYS**

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts for master key model # and pricing.

#### INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key model number and pricing.

#### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for change and master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### STEP 1

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

3 workstations with 4 locks per station 2 overhead w/laminate fronts

2 workstations with 5 locks per station

5 workstations with 2 locks per station

#### STEP 3

For the first group (3 sets of 4 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

#### STEP 4

Then enter the model number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/kevs	N/C	N/C

#### STEP 4b

If the station has overheads w/laminate fronts add a suffix for the number of locks needed for the overheads w/laminate fronts for that group (i.e., for 2 overhead laminate front locks per station, add the suffix "OL2").

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 4 cores/keys, 2 for overheads w/laminate fronts	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 3 cores/keys	N/C	N/C
2	NSPEC5	Set of 5 cores/keys	N/C	N/C
5	NSPEC2	Set of 2 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

# **GSA Contract Overview**

#### **GSA CONTRACT**

We have had a contract with GSA for over 20 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of OUTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

#### WOMEN-OWNED SMALL BUSINESS (WOSB)/ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

#### **GSA OVERVIEW**

GSA Contract# GS-27F-0014Y

Schedule MAS - Furniture

SIN 337121H	Household, Dormitory & Quarters Furniture
SIN 337127	Institutional Furniture
SIN 33721	Office Furniture
SIN 33721P	Packaged Office Furniture
SIN 541614CF	Comprehensive Furniture Management Services

SIN OLM Order Level Materials

#### **NAICS CODES**

337127	Institutional Furniture Manufacturing
337211	Wood Office Furniture Manufacturing
337214	Office Furniture (except wood) Manufacturing
423210	Furniture Merchant Wholesalers
541614	Process, Physical Distribution and
	Logistics Consulting Services

NP products may be found on GSA Advantage.

# **GSA Contract Details**

#### TERM DATE 6/26/2012 - 6/26/2022

#### 1a. Special Item Numbers Awarded

SIN 337121H Household, Dormitory & Quarters Furniture

SIN 337127 Institutional Furniture
SIN 33721 Office Furniture
SIN 33721P Packaged Office Furniture

SIN 541614CF Comprehensive Furniture Management Services

SIN OLM Order Level Materials

#### 1b. Lowest Priced Item

SIN 337121H Contact Corporate Office SIN 337127 Contact Corporate Office

SIN 33721 SPTRY Pencil Tray \$5.95

SIN 33721P Contact Corporate Office

SIN 541614CF Not applicable

#### 1c. Installation Rate — SIN 33721

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

#### Project Management Fee — SIN 541614CF

Senior Project Manager \$75 per hour (inclusive IFF)
Project Manager \$55.58 per hour (inclusive IFF)
Project Coordinator \$50 per hour (inclusive IFF)

#### Design/Layout Fee - 541614CF

\$65 per hour (inclusive IFF)

\$85 per hour CADD service (inclusive IFF)

#### Maximum Order

SIN 337121H\$1,000,000
SIN 337127\$250,000
SIN 33721 \$250,000
SIN 33721P\$5,000,000
SIN 541614CF \$250,000
SIN OLM

#### 3. Minimum Order

All SINs .....\$50

#### 4. Geographic Coverage

**CONUS & OCONUS** 

#### 5. Point of Production

3904 N. Texas Avenue, Bryan, Brazos County, Texas, USA

#### 6. Discount from List Price

#### Seating/Workplace Accessories

SIN 33721 — Discount 58%

#### Systems

t — Discount 70%

#### 7. Quantity Discounts

No discount tiers have been negotiated.

#### Prompt Payment Terms

Net 30 Days

#### 9. Government Purchase Cards Accepted

Visa/Master Card

#### 10. Foreign Item

None

## 11a. Time of Delivery

5 – 90 days after receipt of order

#### 11b. Expedited Delivery

Expedited delivery available. Contact NP Customer Service.

#### 11c. Overnight and 2-day Delivery

Available with an upcharge. Contact NP Customer Service.

#### 12. F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

#### 13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/\* or dealer

3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408

orderentry@neutralposture.com

\* Authorized Dealers should be cited on order

#### 14. Payment Address

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

#### 15. Warranty Provision

Neutral Posture's commercial warranty applies.

#### 16. Export Packing Charges

Contact NP Customer Service for quote.

#### 17. Terms and Conditions of Government Purchase Card

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

# 18. Terms and Conditions Of Rental, Maintenance, and Repair

Not applicable

#### 19. Terms and Conditions of Installation

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

#### 20. Terms and Conditions of Repair Parts

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

#### 20a. Terms and Conditions for Any Other Services

GSA has accepted all of our standard terms and conditions as noted on page 6–8.

#### 21. List of Service and Distribution Points

Not applicable

#### 22. List of Dealers

Please contact NP, or visit NeutralPosture.com for the name of your nearest authorized Dealer.

#### 23. Preventive Maintenance

Not offered or applicable

#### 24. Environmental Attributes

Not applicable

#### 25. Other Information

Tax Identification Number (TIN): 74-2983577
DUNS: 61-0339723
Cage Code: 0UTL8
NAICS: 337214

#### 26. SAM

NP is registered in System For Award Management (SAM).

**NOTE:** It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

# **Wall Mounting**

#### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

# **New Construction**

# **Existing Construction**

'	'	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 6".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud,	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud,
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud.  #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

# **Finishes**

FABRICS			LAMINATES		EDGE BANDS	
A			L1			
Cross Check	Mayer	F299	Casual Linen	SS-CLN	Asian Sand	EB-ASD
Forte	Mayer	F298	Grey Mesh	SP-GRM	Astro Strandz	EB-AST
Quattro	Mayer	F300	Linen	SS-LN	Beige	EB-BEI
Strata	Mayer	F164	Mangalore Mango	SW-MGM	Biltmore Cherry	EB-BCH
			Mission Maple	SW-MNM	Casual Linen	EB-CLN
<u>B</u>			Nickle Ev	SS-NEV	Cosmic Strandz	EB-CST
Cape Cod	Guilford of Maine	F3073	Organic Cotton	SS-OC	Custom Laminate	EB-COL
Grasscloth	Mayer	F137	Soft Gold Mesh	SP-SGM	Empire Mahogany	EB-EMH
Luminary	Mayer	F100	Sterling Ash	SW-STA	Fashion Grey	EB-FGR
Metallation	Guilford of Maine	F5118			Fired Steel	EB-FIS
Metro	Guilford of Maine	F3077	<u>L2</u>		. Forged Steel	EB-FOR
Pact	Momentum	F0911	Asian Sand	PW-ASD	Grey	EB-GRY
Sprite	Guilford of Maine	F2671	Astro Strandz	PP-AST	Grey Mesh	EB-GRM
Tweed	Guilford of Maine	F2737	Biltmore Cherry	PW-BCH	Khaki Brown	EB-BRN
c			Cosmic Strandz	PP-CST	Linen	EB-LN
C			Empire Mahogany	PW-EMH	Mangalore Mango	EB-MGM
Infinity C-Zero	Momentum	F0914A	Fired Steel	PP-FIS	Mission Maple	EB-MNM
Marathon C-Zero	Momentum	F0914B	Forged Steel	PP-FOS	Nickle Ev	EB-NEV
Millennium C-Zero	Momentum	F0914C	Shaker Cherry	PW-SCH	Organic Cotton	EB-OC
Odyssey C-Zero	Momentum	F0914D	Silver Alchemy	PW-SAL	Pepperdust	EB-PPR
Rattan	Guilford of Maine		Studio Teak	PW-STK	Platinum	EB-PLT
Reverb	Mayer	F421	Vapor Strandz	PP-VST	Sand	EB-SND
Tradition C-Zero	Momentum	F0914E			Shadow	EB-SHD
Verse	Momentum	F0910			Shaker Cherry	EB-SCH
D					Silver Alchemy	EB-SAL
		F200			Slate Grey	EB-SGR
Echo	Mayer	F388			Soft Gold Mesh	EB-SGM
					Sterling Ash	EB-STA
					Studio Teak	EB-STK

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

Vapor Strandz

Virtual Design Laminate

EB-VST

EB-VL

PAINTS	
P1	
Cream	201T
Designer Beige	202T
Grey	203T
Jet Black	204T
Sky White	200T
P2	
Brass	303
Champagne	301
Platinum	302

PLEXIGLASS					
Clear	CL				
Ice	IC				
Smoked	SM				
Translucent	TR				
NOT AVAILABLE ON INSE	RT PANELS				
Frost	LF				

GLASS	
Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

# **DESIGNER GLASS**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

CORIAN		TEXTURED CORIAN		
Glacier White	CR001	Glacier White	CR001T	
Pearl Grey	CR002	Pearl Grey	CR002T	
Corian Clay	CR003	Corian Clay	CR003T	
Silver Grey	CR004	Silver Grey	CR004T	
Corian Grey	CR005	Corian Grey	CR005T	

# **Custom Finishes Program**

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

#### **CUSTOMER'S OWN FABRIC**

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any supplier in the industry. Please contact your sales representative or Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOMER'S OWN LAMINATE**

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for premium laminates and L3 for custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact your sales representative or Customer Service for more information.

We can also grade-in any laminate from any other supplier. Please contact your sales representative or Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOM RAL PAINT FINISHES**

Whether it is an 8 person or 1,000 person project, use any RAL powder coat color on your metal products. If you have any questions, please contact your sales representative or Customer Service for more information.

#### **HOW TO PRICE**

For Each Order

Setup fee per RAL color \$1,100 (NET) Each item using an RAL color P3 Pricing

# Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES L1		LEGACY – EDGE BANDS		LEGACY – PAINTS & PLASTICS P1	
olkstone Grey (was LA)	114	Dark Grey (was Y3)	113	Brown	112
oft Grey (was M42)	117	Folkstone Grey (was LA)	114	Dark Grey (was Y3)	113
Bright White	118	Medium Grey (was Y2)	115	Folkstone Grey (was LA)	114
umice (was LF)	119	Soft Grey (was E)	117	Med. Grey (was Y2)	115
Aicro Grey	121	Bright White	118	Sandstone	116
Brushed Sand	122	Pumice (was LF)	119	Soft Grey (was E)	117
Brushed Grey	123	Medium Cherry	124	Dark Neutral	D
Medium Cherry	124	Natural Maple	125	Taupe	R
latural Maple	125	Natural Cherry	126	D2	
latural Cherry	126	Walnut	127	P2	
Valnut	127	Fog	128	Beige Mist Metallic	611
og	128	Dark Neutral	D	Medium Metallic Grey	612
Aicro Sand	129	Taupe	R	Beige Metallic	Н
Caramel Maple	MC	Sand	SD	Light Tan Metallic	W
Clear Maple	CM	Caramel Maple	MC	P3	
Deep Mahogany	MP58	Clear Maple	CM	Bright White	118
Grey Granite	M95			Silver	613
ight Oak	MP70			Silvei	013
Pearwood	PA				
Rose Granite	M96				
and	SD			NOTE: EP1 and EP2 panels and	components
Med. Grey (Slate)	M89			are not available in the followi	ng:
aupe	M80			Bright White	118
Varm Cherry	WM			Brown	112
Vhite Essence	ES7			Jet Black	111

# **Panels**

**General Info** 

#### Step 1 - Model #

	Top Cap	Panel Type	w	Н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP	N	FA	36	29	К

Step 2	2 – Si	urface	Finish
--------	--------	--------	--------

Step 3 - Trim Finish

Fabric	Paint
F298 Forte	301 Champagne
:	
:	
F298	301

## **FEATURES**

#### **HEIGHTS**

29" H

36" H

41" H

49" H 54" H

61" H

66" H

81" H

#### **WIDTHS**

12" W

18" W

24" W 30" W

36" W

42" W

48" W

60" W

#### **THICKNESS**

1 ½"

#### **TOP CAP**





3 – Beveled

N – Flat

#### RACEWAY

(K) with knockouts (N) without knockouts

## PANEL RATINGS

NRC	.75
STC	15

#### **CONSTRUCTION**

#### **FABRIC PANEL FRAME**

Galvaneal roll formed steel frame

#### **FABRIC PANEL CORE**

Mineral wool Fiberglass backer

#### **INSERT PANEL FRAME**

Extruded aluminum

#### **INSERT PANEL CORE**

1/4" Laminate

1/4" Perforated aluminum

1/4" Plexiglass

Open Frame

#### TOP CAP, SLOTTED STANDARD

Cold rolled roll formed steel

#### **TOP CAP CLIP**

Spring steel

# RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled roll formed steel

#### **RACEWAY STANCHIONS**

Pressed & folded steel

## PANEL HOOKS

Steel

#### **POSTS**

Steel tube

#### **POST CONNECTORS**

Diecast aluminum

#### **SHROUDS**

Pressed & folded steel

#### **SURFACE MATERIALS**

#### **ALL PANELS**

Trim – paint

#### **FABRIC PANELS (FA)**

Fabric

#### **INSERT PANELS**

Plexiglass (PG)	)

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

#### Glass (GL)

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

#### **Designer Glass (DG)**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

#### Laminate (LM)

Laminate

#### Perforated Aluminum (PA)

Paint


# Open Frame (OF)


Paint

#### **POSTS, CONNECTORS & SHROUDS**

Paint

# **PANELS**





29"	H	FABRIC									PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3	
12"	EP(3/N)FA1229(K/N)	\$430	\$460	\$500	\$550	\$610	\$680	\$760	\$850	+ \$25	+ \$50	
18"	EP(3/N)FA1829(K/N)	\$480	\$510	\$550	\$600	\$660	\$730	\$810	\$900	+ \$25	+ \$50	
24"	EP(3/N)FA2429(K/N)	\$530	\$560	\$600	\$650	\$710	\$780	\$860	\$950	+ \$25	+ \$50	
30"	EP(3/N)FA3029(K/N)	\$580	\$610	\$650	\$700	\$760	\$830	\$910	\$1,000	+ \$25	+ \$50	
36"	EP(3/N)FA3629(K/N)	\$650	\$710	\$790	\$890	\$1,010	\$1,150	\$1,310	\$1,490	+ \$25	+ \$50	
42"	EP(3/N)FA4229(K/N)	\$690	\$750	\$830	\$930	\$1,050	\$1,190	\$1,350	\$1,530	+ \$25	+ \$50	
48"	EP(3/N)FA4829(K/N)	\$730	\$790	\$870	\$970	\$1,090	\$1,230	\$1,390	\$1,570	+ \$25	+ \$50	
60"	EP(3/N)FA6029(K/N)	\$770	\$830	\$910	\$1,010	\$1,130	\$1,270	\$1,430	\$1,610	+ \$25	+ \$50	

## 41" H

12"	EP(3/N)FA1241(K/N)	\$480	\$520	\$570	\$630	\$710	\$800	\$910	\$1,040	+ \$25	+ \$50
18"	EP(3/N)FA1841(K/N)	\$530	\$570	\$620	\$680	\$760	\$850	\$960	\$1,090	+ \$25	+ \$50
24"	EP(3/N)FA2441(K/N)	\$580	\$620	\$670	\$730	\$810	\$900	\$1,010	\$1,140	+ \$25	+ \$50
30"	EP(3/N)FA3041(K/N)	\$630	\$670	\$720	\$780	\$860	\$950	\$1,060	\$1,190	+ \$25	+ \$50
36"	EP(3/N)FA3641(K/N)	\$700	\$780	\$880	\$1,000	\$1,160	\$1,350	\$1,590	\$1,880	+ \$25	+ \$50
42"	EP(3/N)FA4241(K/N)	\$750	\$830	\$930	\$1,050	\$1,210	\$1,400	\$1,640	\$1,930	+ \$25	+ \$50
48"	EP(3/N)FA4841(K/N)	\$800	\$880	\$980	\$1,100	\$1,260	\$1,450	\$1,690	\$1,980	+ \$25	+ \$50
60"	EP(3/N)FA6041(K/N)	\$850	\$930	\$1,030	\$1,150	\$1,310	\$1,500	\$1,740	\$2,030	+ \$25	+ \$50

# 49" H

12"	EP(3/N)FA1249(K/N)	\$540	\$580	\$630	\$690	\$770	\$870	\$990	\$1,140	+ \$25	+ \$50
18"	EP(3/N)FA1849(K/N)	\$590	\$630	\$680	\$740	\$820	\$920	\$1,040	\$1,190	+ \$25	+ \$50
24"	EP(3/N)FA2449(K/N)	\$640	\$680	\$730	\$790	\$870	\$970	\$1,090	\$1,240	+ \$25	+ \$50
30"	EP(3/N)FA3049(K/N)	\$690	\$730	\$780	\$840	\$920	\$1,020	\$1,140	\$1,290	+ \$25	+ \$50
36"	EP(3/N)FA3649(K/N)	\$760	\$840	\$940	\$1,060	\$1,230	\$1,440	\$1,710	\$2,030	+ \$25	+ \$50
42"	EP(3/N)FA4249(K/N)	\$810	\$890	\$990	\$1,110	\$1,280	\$1,490	\$1,760	\$2,080	+ \$25	+ \$50
48"	EP(3/N)FA4849(K/N)	\$860	\$940	\$1,040	\$1,160	\$1,330	\$1,540	\$1,810	\$2,130	+ \$25	+ \$50
60"	EP(3/N)FA6049(K/N)	\$930	\$1,010	\$1,110	\$1,230	\$1,400	\$1,610	\$1,880	\$2,200	+ \$25	+ \$50

54"	H	FABRIC							PAINT		
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP(3/N)FA1254(K/N)	\$590	\$630	\$680	\$750	\$850	\$960	\$1,090	\$1,250	+ \$25	+ \$50
18"	EP(3/N)FA1854(K/N)	\$640	\$680	\$730	\$800	\$900	\$1,010	\$1,140	\$1,300	+ \$25	+ \$50
24"	EP(3/N)FA2454(K/N)	\$690	\$730	\$780	\$850	\$950	\$1,060	\$1,190	\$1,350	+ \$25	+ \$50
30"	EP(3/N)FA3054(K/N)	\$740	\$780	\$830	\$900	\$1,000	\$1,110	\$1,240	\$1,400	+ \$25	+ \$50
36"	EP(3/N)FA3654(K/N)	\$820	\$910	\$1,010	\$1,150	\$1,360	\$1,590	\$1,860	\$2,190	+ \$25	+ \$50
42"	EP(3/N)FA4254(K/N)	\$870	\$960	\$1,060	\$1,200	\$1,410	\$1,640	\$1,910	\$2,240	+ \$25	+ \$50
48"	EP(3/N)FA4854(K/N)	\$920	\$1,010	\$1,110	\$1,250	\$1,460	\$1,690	\$1,960	\$2,290	+ \$25	+ \$50

#### Specify

- 1. Model #
- 2. Fabric
- 3. Paint

# **Application Notes**

The panel is fabric covered. If two different fabrics are used on one panel, the price will reflect the cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


# Top Cap Styles

3 – Beveled

N – Flat







54"	Н				FAB	RIC				PAII	NT
W	MODEL#	A	В	С	D	E	F	G	Н	P2	P3
60"	EP(3/N)FA6054(K/N)	\$990	\$1,080	\$1,180	\$1,320	\$1,530	\$1,760	\$2,030	\$2,360	+ \$25	+ \$50
<b>61</b> "	Н										
12"	EP(3/N)FA1261(K/N)	\$640	\$690	\$750	\$830	\$940	\$1,060	\$1,200	\$1,370	+ \$25	+ \$50
18"	EP(3/N)FA1861(K/N)	\$690	\$740	\$800	\$880	\$990	\$1,110	\$1,250	\$1,420	+ \$25	+ \$50
24"	EP(3/N)FA2461(K/N)	\$740	\$790	\$850	\$930	\$1,040	\$1,160	\$1,300	\$1,470	+ \$25	+ \$50
30"	EP(3/N)FA3061(K/N)	\$790	\$840	\$900	\$980	\$1,090	\$1,210	\$1,350	\$1,520	+ \$25	+ \$50
36"	EP(3/N)FA3661(K/N)	\$860	\$960	\$1,080	\$1,240	\$1,470	\$1,720	\$2,000	\$2,340	+ \$25	+ \$50
42"	EP(3/N)FA4261(K/N)	\$910	\$1,010	\$1,130	\$1,290	\$1,520	\$1,770	\$2,050	\$2,390	+ \$25	+ \$50
48"	EP(3/N)FA4861(K/N)	\$960	\$1,060	\$1,180	\$1,340	\$1,570	\$1,820	\$2,100	\$2,440	+ \$25	+ \$50
60"	EP(3/N)FA6061(K/N)	\$1,050	\$1,150	\$1,270	\$1,430	\$1,660	\$1,910	\$2,190	\$2,530	+ \$25	+ \$50
66"		•							-		
12"	EP(3/N)FA1266(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	\$1,430	+ \$25	+ \$50
18"	EP(3/N)FA1866(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	\$1,480	+ \$25	+ \$50
24"	EP(3/N)FA2466(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	\$1,530	+ \$25	+ \$50
30"	EP(3/N)FA3066(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	\$1,580	+ \$25	+ \$50
36"	EP(3/N)FA3666(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	\$2,530	+ \$25	+ \$50
42"	EP(3/N)FA4266(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	\$2,580	+ \$25	+ \$50
48"	EP(3/N)FA4866(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	\$2,630	+ \$25	+ \$50
60"	EP(3/N)FA6066(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	\$2,720	+ \$25	+ \$50
81"	Н										
12"	EP(3/N)FA1281(K/N)	\$710	\$770	\$830	\$920	\$1,070	\$1,240	\$1,430	\$1,650	+ \$25	+ \$50
18"	EP(3/N)FA1881(K/N)	\$760	\$820	\$880	\$970	\$1,120	\$1,290	\$1,480	\$1,700	+ \$25	+ \$50
24"	EP(3/N)FA2481(K/N)	\$810	\$870	\$930	\$1,020	\$1,170	\$1,340	\$1,530	\$1,750	+ \$25	+ \$50
30"	EP(3/N)FA3081(K/N)	\$860	\$920	\$980	\$1,070	\$1,220	\$1,390	\$1,580	\$1,800	+ \$25	+ \$50
36"	EP(3/N)FA3681(K/N)	\$1,040	\$1,160	\$1,280	\$1,470	\$1,800	\$2,170	\$2,580	\$3,040	+ \$25	+ \$50
42"	EP(3/N)FA4281(K/N)	\$1,160	\$1,280	\$1,400	\$1,590	\$1,920	\$2,290	\$2,700	\$3,160	+ \$25	+ \$50

\$1,250 \$1,370 \$1,490 \$1,680 \$2,010 \$2,380 \$2,790

\$1,340 \$1,460 \$1,580 \$1,770 \$2,100 \$2,470

\$3,250

\$3,340

\$2,880

+ \$25

+ \$25

+ \$50

+ \$50

#### UPCHARGE (NET) Guardian® Panel Option BULLET RESISTANT PANEL HEIGHT 29" 41" 49" 61" 66" 81" 30" \$218 \$315 \$368 \$405 \$458 \$495 \$607 • NIJ Level IIIA compliant WIDTH \$261 Protection against handguns up to .44 Magnum 36" \$378 \$441 \$486 \$549 \$594 \$729 42" \$305 \$441 \$693 \$515 \$567 \$641 \$850 • Inconspicuous – looks like a regular panel 48" \$348 \$504 \$588 \$648 \$732 \$792 \$972


NOTE: To specify a Guardian Panel add a "G" to the end of the panels model number.

EP(3/N)FA4881(K/N)

EP(3/N)FA6081(K/N)

48"

60"



29" H		GLASS INSERT			LAMINATE INSERT			PAINT		
W	MODEL#	OF	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP(3/N)()1229(K/N)	\$697	\$1,097	\$937	\$847	\$897	\$987	\$1,076	+ \$25	+ \$50
18"	EP(3/N)()1829(K/N)	\$707	\$1,197	\$967	\$867	\$947	\$1,042	\$1,136	+ \$25	+ \$50
24"	EP(3/N)()2429(K/N)	\$717	\$1,297	\$997	\$887	\$977	\$1,075	\$1,172	+ \$25	+ \$50
30"	EP(3/N)()3029(K/N)	\$737	\$1,397	\$1,037	\$917	\$1,007	\$1,108	\$1,208	+ \$25	+ \$50
36"	EP(3/N)()3629(K/N)	\$757	\$1,487	\$1,087	\$957	\$1,057	\$1,163	\$1,268	+ \$25	+ \$50
42"	EP(3/N)()4229(K/N)	\$777	\$1,587	\$1,137	\$1,007	\$1,107	\$1,218	\$1,328	+ \$25	+ \$50
48"	EP(3/N)()4829(K/N)	\$797	\$1,697	\$1,197	\$1,067	\$1,167	\$1,284	\$1,400	+ \$25	+ \$50
60"	EP(3/N)()6029(K/N)	\$837	\$1,867	\$1,267	\$1,137	\$1,237	\$1,361	\$1,484	+ \$25	+ \$50

44	"	
41		н
71		

71 11										
12"	EP(3/N)()1241(K/N)	\$737	\$1,237	\$1,057	\$947	\$947	\$1,042	\$1,136	+ \$25	+ \$50
18"	EP(3/N)()1841(K/N)	\$747	\$1,327	\$1,077	\$967	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
24"	EP(3/N)()2441(K/N)	\$757	\$1,437	\$1,117	\$997	\$1,087	\$1,196	\$1,304	+ \$25	+ \$50
30"	EP(3/N)()3041(K/N)	\$777	\$1,567	\$1,167	\$1,037	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50
36"	EP(3/N)()3641(K/N)	\$797	\$1,667	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
42"	EP(3/N)()4241(K/N)	\$817	\$1,777	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
48"	EP(3/N)()4841(K/N)	\$837	\$1,957	\$1,357	\$1,217	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50
60"	EP(3/N)()6041(K/N)	\$877	\$2,247	\$1,447	\$1,297	\$1,417	\$1,559	\$1,700	+ \$25	+ \$50

# 49" H

.,										
12"	EP(3/N)()1249(K/N)	\$747	\$1,257	\$1,077	\$967	\$997	\$1,097	\$1,196	+ \$25	+ \$50
18"	EP(3/N)()1849(K/N)	\$757	\$1,357	\$1,107	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50
24"	EP(3/N)()2449(K/N)	\$767	\$1,477	\$1,157	\$1,037	\$1,127	\$1,240	\$1,352	+ \$25	+ \$50
30"	EP(3/N)()3049(K/N)	\$787	\$1,637	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
36"	EP(3/N)()3649(K/N)	\$807	\$1,797	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
42"	EP(3/N)()4249(K/N)	\$827	\$1,967	\$1,347	\$1,217	\$1,317	\$1,449	\$1,580	+ \$25	+ \$50
48"	EP(3/N)()4849(K/N)	\$847	\$2,147	\$1,427	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50
60"	EP(3/N)()6049(K/N)	\$887	\$2,377	\$1,557	\$1,407	\$1,527	\$1,680	\$1,832	+ \$25	+ \$50

#### Specify

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint

**NOTE: Power duplexes cannot** be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

# Plexiglass Finishes

CL ..Clear

**IC** . . . lce

SM..Smoked

 ${\bf TR}$  . . Translucent

#### **Glass Finishes**

**CL** . . Clear **GR** . . Grey

SM..Smoked TR .. Translucent

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with multiple insert options, or as an open frame for complete accessibility through the panel.

# Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### **Top Cap Styles**

3 - Beveled

N – Flat







30"

36"

42"

48"

60"

EP(3/N)()3081(K/N)

EP(3/N)()3681(K/N)

EP(3/N)()4281(K/N)

EP(3/N)()4881(K/N)

EP(3/N)()6081(K/N)

54" H			G	ILASS INSERT	·	LA	MINATE INSE	RT	PAII	NT
W	MODEL#	OF	DG	GL	PG	L1	L2	L3	P2	P
12"	EP(3/N)()1254(K/N)	\$777	\$1,267	\$1,087	\$977	\$1,047	\$1,152	\$1,256	+ \$25	+ \$5
18"	EP(3/N)()1854(K/N)	\$787	\$1,377	\$1,127	\$1,017	\$1,097	\$1,207	\$1,316	+ \$25	+ \$5
24"	EP(3/N)()2454(K/N)	\$797	\$1,507	\$1,187	\$1,067	\$1,157	\$1,273	\$1,388	+ \$25	+ \$5
30"	EP(3/N)()3054(K/N)	\$817	\$1,677	\$1,257	\$1,127	\$1,227	\$1,350	\$1,472	+ \$25	+ \$5
36"	EP(3/N)()3654(K/N)	\$837	\$1,847	\$1,327	\$1,197	\$1,297	\$1,427	\$1,556	+ \$25	+ \$5
42"	EP(3/N)()4254(K/N)	\$857	\$2,027	\$1,407	\$1,277	\$1,377	\$1,515	\$1,652	+ \$25	+ \$
48"	EP(3/N)()4854(K/N)	\$877	\$2,227	\$1,507	\$1,367	\$1,477	\$1,625	\$1,772	+ \$25	+ \$
60"	EP(3/N)()6054(K/N)	\$917	\$2,447	\$1,627	\$1,477	\$1,597	\$1,757	\$1,916	+ \$25	+\$
1" H										
12"	EP(3/N)()1261(K/N)	\$787	\$1,307	\$1,107	\$987	\$1,067	\$1,174	\$1,280	+ \$25	+ \$
18"	EP(3/N)()1861(K/N)	\$797	\$1,407	\$1,157	\$1,037	\$1,117	\$1,229	\$1,340	+ \$25	+\$
24"	EP(3/N)()2461(K/N)	\$807	\$1,557	\$1,227	\$1,097	\$1,187	\$1,306	\$1,424	+ \$25	+\$
30"	EP(3/N)()3061(K/N)	\$827	\$1,737	\$1,307	\$1,167	\$1,267	\$1,394	\$1,520	+ \$25	+\$
36"	EP(3/N)()3661(K/N)	\$847	\$1,917	\$1,387	\$1,247	\$1,347	\$1,482	\$1,616	+ \$25	+\$
42"	EP(3/N)()4261(K/N)	\$867	\$2,117	\$1,487	\$1,337	\$1,447	\$1,592	\$1,736	+ \$25	+\$
48"	EP(3/N)()4861(K/N)	\$887	\$2,327	\$1,597	\$1,437	\$1,557	\$1,713	\$1,868	+ \$25	+\$
60"	EP(3/N)()6061(K/N)	\$937	\$2,657	\$1,717	\$1,547	\$1,677	\$1,845	\$2,012	+ \$25	+\$
6" H										
12"	EP(3/N)()1266(K/N)	\$797	\$1,317	\$1,117	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+\$
18"	EP(3/N)()1866(K/N)	\$807	\$1,447	\$1,177	\$1,057	\$1,137	\$1,251	\$1,364	+ \$25	+\$
24"	EP(3/N)()2466(K/N)	\$817	\$1,607	\$1,257	\$1,127	\$1,217	\$1,339	\$1,460	+ \$25	+\$
30"	EP(3/N)()3066(K/N)	\$837	\$1,797	\$1,347	\$1,207	\$1,307	\$1,438	\$1,568	+ \$25	+\$
36"	EP(3/N)()3666(K/N)	\$857	\$1,987	\$1,437	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+\$
42"	EP(3/N)()4266(K/N)	\$877	\$2,197	\$1,547	\$1,397	\$1,507	\$1,658	\$1,808	+ \$25	+\$
48"	EP(3/N)()4866(K/N)	\$897	\$2,417	\$1,667	\$1,507	\$1,627	\$1,790	\$1,952	+ \$25	+\$
60"	EP(3/N)()6066(K/N)	\$947	\$2,737	\$1,787	\$1,627	\$1,747	\$1,922	\$2,096	+ \$25	+\$
1" H										
12"	EP(3/N)()1281(K/N)	\$857	\$1,547	\$1,327	\$1,187	\$1,287	\$1,416	\$1,544	+ \$25	+\$
18"	EP(3/N)()1881(K/N)	\$867	\$1,727	\$1,427	\$1,287	\$1,387	\$1,526	\$1,664	+ \$25	+\$
24"	EP(3/N)()2481(K/N)	\$877	\$1,927	\$1,527	\$1,387	\$1,487	\$1,636	\$1,784	+ \$25	+\$

	Top Cap	Panel Type	w	Н	Raceway
EP Equity panel	3 Beveled <b>N Flat</b>	OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	29	K With knockouts  N Without knockouts
EP	N	PG	36	29	K

\$2,127

\$2,327

\$2,527

\$2,747

\$1,627

\$1,727

\$1,827

\$1,947

\$2,097

\$897

\$937

\$1,027 \$3,347

\$917

\$957

\$1,487 \$1,587

\$1,957 \$2,057

\$1,687

\$1,787

\$1,907

\$1,587

\$1,687

\$1,807

\$1,904

\$2,024

\$2,144

\$2,288

\$2,468

+ \$25

+ \$25

+ \$25

+ \$25

+ \$25

+ \$50

+ \$50

+ \$50

+ \$50

+ \$50

\$1,746

\$1,856


\$1,966

\$2,098

\$2,263

# **Insert Panels**

**Perforated Aluminum** 



29" H			I	NSERT PAINT		PAII	NT
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP(3/N)PA1229(K/N)	\$797	\$847	\$857	\$867	+ \$25	+ \$50
18"	EP(3/N)PA1829(K/N)	\$807	\$867	\$887	\$907	+ \$25	+ \$50
24"	EP(3/N)PA2429(K/N)	\$827	\$887	\$917	\$947	+ \$25	+ \$50
30"	EP(3/N)PA3029(K/N)	\$857	\$917	\$947	\$987	+ \$25	+ \$50
36"	EP(3/N)PA3629(K/N)	\$897	\$957	\$987	\$1,027	+ \$25	+ \$50
42"	EP(3/N)PA4229(K/N)	\$937	\$1,007	\$1,047	\$1,087	+ \$25	+ \$50
48"	EP(3/N)PA4829(K/N)	\$997	\$1,067	\$1,117	\$1,167	+ \$25	+ \$50
60"	EP(3/N)PA6029(K/N)	\$1,067	\$1,137	\$1,197	\$1,257	+ \$25	+ \$50

## 41" H

12"	EP(3/N)PA1241(K/N)	\$877	\$947	\$967	\$987	+ \$25	+ \$50
18"	EP(3/N)PA1841(K/N)	\$897	\$967	\$987	\$1,017	+ \$25	+ \$50
24"	EP(3/N)PA2441(K/N)	\$927	\$997	\$1,027	\$1,067	+ \$25	+ \$50
30"	EP(3/N)PA3041(K/N)	\$967	\$1,037	\$1,077	\$1,127	+ \$25	+ \$50
36"	EP(3/N)PA3641(K/N)	\$1,017	\$1,087	\$1,137	\$1,197	+ \$25	+ \$50
42"	EP(3/N)PA4241(K/N)	\$1,067	\$1,147	\$1,207	\$1,277	+ \$25	+ \$50
48"	EP(3/N)PA4841(K/N)	\$1,137	\$1,217	\$1,297	\$1,367	+ \$25	+ \$50
60"	EP(3/N)PA6041(K/N)	\$1,217	\$1,297	\$1,397	\$1,487	+ \$25	+ \$50

# 49" H

12"	EP(3/N)PA1249(K/N)	\$897	\$967	\$987	\$1,007	+ \$25	+ \$50
18"	EP(3/N)PA1849(K/N)	\$927	\$997	\$1,027	\$1,057	+ \$25	+ \$50
24"	EP(3/N)PA2449(K/N)	\$967	\$1,037	\$1,087	\$1,127	+ \$25	+ \$50
30"	EP(3/N)PA3049(K/N)	\$1,017	\$1,087	\$1,147	\$1,197	+ \$25	+ \$50
36"	EP(3/N)PA3649(K/N)	\$1,067	\$1,147	\$1,217	\$1,287	+ \$25	+ \$50
42"	EP(3/N)PA4249(K/N)	\$1,137	\$1,217	\$1,297	\$1,387	+ \$25	+ \$50
48"	EP(3/N)PA4849(K/N)	\$1,217	\$1,297	\$1,397	\$1,497	+ \$25	+ \$50
60"	EP(3/N)PA6049(K/N)	\$1,327	\$1,407	\$1,527	\$1,637	+ \$25	+ \$50

#### Specify

- 1. Model#
- 2. Insert paint
- 3. Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered multiple insert options, or as an open frame for complete accessibility through the panel.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### **Top Cap Styles**

3 - Beveled

N – Flat







42"

48"

60"

EP(3/N)PA4281(K/N)

EP(3/N)PA4881(K/N)

EP(3/N)PA6081(K/N)

54" H			I	NSERT PAINT		PAIN	NT.
W	MODEL#	PA	P1	P2	P3	P2	P.
12"	EP(3/N)PA1254(K/N)	\$907	\$977	\$997	\$1,017	+ \$25	+ \$50
18"	EP(3/N)PA1854(K/N)	\$947	\$1,017	\$1,047	\$1,077	+ \$25	+ \$5
24"	EP(3/N)PA2454(K/N)	\$997	\$1,067	\$1,117	\$1,167	+ \$25	+ \$5
30"	EP(3/N)PA3054(K/N)	\$1,047	\$1,127	\$1,187	\$1,247	+ \$25	+ \$5
36"	EP(3/N)PA3654(K/N)	\$1,117	\$1,197	\$1,277	\$1,357	+ \$25	+ \$5
42"	EP(3/N)PA4254(K/N)	\$1,197	\$1,277	\$1,367	\$1,457	+ \$25	+ \$5
48"	EP(3/N)PA4854(K/N)	\$1,287	\$1,367	\$1,467	\$1,567	+ \$25	+ \$5
60"	EP(3/N)PA6054(K/N)	\$1,397	\$1,477	\$1,607	\$1,737	+ \$25	+ \$5
61" H							
12"	EP(3/N)PA1261(K/N)	\$917	\$987	\$1,007	\$1,037	+ \$25	+ \$5
18"	EP(3/N)PA1861(K/N)	\$967	\$1,037	\$1,077	\$1,117	+ \$25	+ \$5
24"	EP(3/N)PA2461(K/N)	\$1,017	\$1,097	\$1,147	\$1,197	+ \$25	+ \$5
30"	EP(3/N)PA3061(K/N)	\$1,087	\$1,167	\$1,227	\$1,297	+ \$25	+ \$5
36"	EP(3/N)PA3661(K/N)	\$1,167	\$1,247	\$1,327	\$1,407	+ \$25	+ \$5
42"	EP(3/N)PA4261(K/N)	\$1,257	\$1,337	\$1,427	\$1,527	+ \$25	+ \$5
48"	EP(3/N)PA4861(K/N)	\$1,357	\$1,437	\$1,537	\$1,657	+ \$25	+ \$5
60"	EP(3/N)PA6061(K/N)	\$1,687	\$1,747	\$1,867	\$2,007	+ \$25	+ \$5
56" H							
12"	EP(3/N)PA1266(K/N)	\$927	\$997	\$1,027	\$1,057	+ \$25	+ \$5
18"	EP(3/N)PA1866(K/N)	\$987	\$1,057	\$1,097	\$1,147	+ \$25	+ \$5
24"	EP(3/N)PA2466(K/N)	\$1,047	\$1,127	\$1,177	\$1,237	+ \$25	+ \$5
30"	EP(3/N)PA3066(K/N)	\$1,127	\$1,207	\$1,277	\$1,347	+ \$25	+ \$5
36"	EP(3/N)PA3666(K/N)	\$1,217	\$1,297	\$1,387	\$1,477	+ \$25	+ \$5
42"	EP(3/N)PA4266(K/N)	\$1,307	\$1,397	\$1,497	\$1,597	+ \$25	+ \$5
48"	EP(3/N)PA4866(K/N)	\$1,397	\$1,507	\$1,627	\$1,747	+ \$25	+ \$5
60"	EP(3/N)PA6066(K/N)	\$1,707	\$1,877	\$2,007	\$2,157	+ \$25	+ \$5
31" H							
12"	EP(3/N)PA1281(K/N)	\$1,087	\$1,187	\$1,227	\$1,277	+ \$25	+ \$5
18"	EP(3/N)PA1881(K/N)	\$1,187	\$1,287	\$1,347	\$1,427	+ \$25	+ \$5
24"	EP(3/N)PA2481(K/N)	\$1,287	\$1,387	\$1,467	\$1,567	+ \$25	+ \$5
30"	EP(3/N)PA3081(K/N)	\$1,487	\$1,587	\$1,687	\$1,807	+ \$25	+ \$
36"	EP(3/N)PA3681(K/N)	\$1,587	\$1,687	\$1,807	\$1,947	+ \$25	+ \$5
	(	\$1,567	7.,007	4.,007	7.12.17	. 425	. 4

	Тор Сар	Panel Type	W	Н	Raceway
EP Equity panel	3 Beveled <b>N Flat</b>	PA Perforated Aluminum	36	29	K With knockouts  N Without knockouts
EP	N	PA	36	29	К

\$1,647

\$1,697

\$2,197 \$2,397

\$1,747

\$1,797

\$1,907

\$2,007

\$2,647

\$2,057

\$2,167

\$2,847

+ \$25

+ \$25


+ \$25

+ \$50

+ \$50

+ \$50

# **Tequity™ Panels**



29" H			PAINT	
W	MODEL#	P1	P2	P3
12"	EP(3/N)TQ1229	\$330	\$380	\$405
18"	EP(3/N)TQ1829	\$380	\$430	\$455
24"	EP(3/N)TQ2429	\$430	\$480	\$505
30"	EP(3/N)TQ3029	\$480	\$530	\$555
36"	EP(3/N)TQ3629	\$550	\$600	\$625
42"	EP(3/N)TQ4229	\$590	\$640	\$665
48"	EP(3/N)TQ4829	\$630	\$680	\$705
60"	EP(3/N)TQ6029	\$670	\$720	\$745

4	41" H				
	12"	EP(3/N)TQ1241	\$380	\$430	\$455
	18"	EP(3/N)TQ1841	\$430	\$480	\$505
	24"	EP(3/N)TQ2441	\$480	\$530	\$555
	30"	EP(3/N)TQ3041	\$530	\$580	\$605
	36"	EP(3/N)TQ3641	\$600	\$650	\$675
	42"	EP(3/N)TQ4241	\$650	\$700	\$725
	48"	EP(3/N)TQ4841	\$700	\$750	\$775
	60"	EP(3/N)TQ6041	\$750	\$800	\$825

49" H				
12"	EP(3/N)TQ1249	\$440	\$490	\$515
18"	EP(3/N)TQ1849	\$490	\$540	\$565
24"	EP(3/N)TQ2449	\$540	\$590	\$615
30"	EP(3/N)TQ3049	\$590	\$640	\$665
36"	EP(3/N)TQ3649	\$660	\$710	\$735
42"	EP(3/N)TQ4249	\$710	\$760	\$785
48"	EP(3/N)TQ4849	\$760	\$810	\$835
60"	EP(3/N)TQ6049	\$830	\$880	\$905

_		
5	ne	city

1. Model #

2. Paint

## **Application Notes**

Tequity panels are constructed with a 16 gauge welded steel frame.

# Worksurface Support w/Tequity Panels

When specifying worksurfaces use panel to worksurface brackets to support each corner.

#### Assembly

# Included • Panel

• Top cap

# Ordered Separately

Posts

Panel connectors

#### Top Cap Styles


3 – Beveled

N – Flat





# **Tequity™ Panels**



4" H			PAINT	
W	MODEL#	P1	P2	P.
12"	EP(3/N)TQ1254	\$490	\$540	\$565
18"	EP(3/N)TQ1854	\$540	\$590	\$61
24"	EP(3/N)TQ2454	\$590	\$640	\$66
30"	EP(3/N)TQ3054	\$640	\$690	\$71
36"	EP(3/N)TQ3654	\$720	\$770	\$79
42"	EP(3/N)TQ4254	\$770	\$820	\$84
48"	EP(3/N)TQ4854	\$820	\$870	\$89
60"	EP(3/N)TQ6054	\$890	\$940	\$96
61" H				
12"	EP(3/N)TQ1261	\$540	\$590	\$61.
18"	EP(3/N)TQ1861	\$590	\$640	\$66
24"	EP(3/N)TQ2461	\$640	\$690	\$71
30"	EP(3/N)TQ3061	\$690	\$740	\$76
36"	EP(3/N)TQ3661	\$760	\$810	\$83
42"	EP(3/N)TQ4261	\$810	\$860	\$88
48"	EP(3/N)TQ4861	\$860	\$910	\$93
60"	EP(3/N)TQ6061	\$950	\$1,000	\$1,02
66" H				
12"	EP(3/N)TQ1266	\$560	\$610	\$63
18"	EP(3/N)TQ1866	\$610	\$660	\$68
24"	EP(3/N)TQ2466	\$660	\$710	\$73
30"	EP(3/N)TQ3066	\$710	\$760	\$78
36"	EP(3/N)TQ3666	\$790	\$840	\$86
42"	EP(3/N)TQ4266	\$840	\$890	\$91
48"	EP(3/N)TQ4866	\$890	\$940	\$96
60"	EP(3/N)TQ6066	\$980	\$1,030	\$1,05
81" H				
12"	EP(3/N)TQ1281	\$560	\$610	\$63
18"	EP(3/N)TQ1881	\$610	\$660	\$68
24"	EP(3/N)TQ1001 EP(3/N)TQ2481	\$660	\$710	\$73
30"	EP(3/N)TQ3081	\$710	\$760	\$73 \$78
36"	EP(3/N)TQ3681	\$710	\$840	\$86
42"	EP(3/N)TQ3081 EP(3/N)TQ4281	\$790 \$840	\$840	\$80
42	EF(5/N)1Q4201	\$840	9090	391

	Тор Сар	Panel Type	W	н
EP Equity panel	3 Beveled <b>N Flat</b>	TQ Tequity	36	29
EP	N	TQ	36	29

EP(3/N)TQ4881

EP(3/N)TQ6081

48"

60"

\$965

\$1,055

\$890

\$980

\$940

\$1,030

# **Sliding Doors**



49" H			INSER	T TYPE	LA	MINATE INSE	RT	PAI	NT
OPENING	ACTUAL OPENING	MODEL#	CR	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR( )3649(L/R)B	\$2,207	\$1,577	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
54" H									
36"	34.5"	EDR( )3654(L/R)B	\$2,407	\$1,657	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50
61" H									
36"	34.5"	EDR( )3661(L/R)B	\$2,707	\$1,727	\$1,757	\$1,933	\$2,108	+ \$25	+ \$50

Specify	Application Notes	Insert Type	Plexiglass Finishes	Corian Finishes
1. Model #	Sliding doors can mount	CR Corian	CL Clear	Glacier White CR001
<ol><li>Insert type</li></ol>	on an end or corner post	<b>PG</b> Plexiglass	<b>IC</b> lce	Pearl Grey CR002
3. Insert color	and require a straight,	<b>LM</b> Laminate	<b>SM</b> Smoked	Corian Clay
4. Paint	unobstructed panel run of		TR Translucent	Silver GreyCR004
	at least 42" for their open position. Left/Right refers to opening direction.		<b>LF</b> Frost	Corian Grey CR001
	to opening direction.			Assembly
				Included
				• Door
				Hardware



66" H			INSER	ГТҮРЕ	LA	MINATE INSE	RT	PAII	NT
OPENING	ACTUAL OPENING	MODEL#	CR	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR( )3666(L/R)B	\$2,907	\$1,827	\$1,877	\$2,065	\$2,252	+ \$25	+ \$50
81" H	— includes a heade	r across the opening							
36"	34.5"	EDR( )3681(L/R)B	\$3,307	\$1,877	\$2,157	\$2,373	\$2,588	+ \$25	+ \$50

						For 81" Wide Only
	Insert Type	W	н	Door Open	<b>Door Handle</b>	Anchor Panel Width
EDR Equity door	CR Corian	36	61	L	B Bar	42
	PG Plexiglass		:	R		48
	LM Laminate					60
			:			
					•	
EDR	LM	36	61	L	В	42

# **Post Assemblies**



		•••••	<b>.</b>	. <b>.</b>
Stra	ight		PAINT	
Н	MODEL#		P1 P2	Р3
29"	EP(3/N)P29S	\$1-	48 \$155	\$162
41"	EP(3/N)P41S	\$1.	50 \$157	\$164
49"	EP(3/N)P49S	\$1.	52 \$159	\$166
54"	EP(3/N)P54S	\$1.	54 \$161	\$168
61"	EP(3/N)P61S	\$1.	56 \$163	\$170
66"	EP(3/N)P66S	\$1.	58 \$165	\$172
81"	EP(3/N)P81S	\$1	75 \$182	\$189



		***************************************		••••••
2-wa	ay L		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29L	\$148	\$155	\$162
41"	EP(3/N)P41L	\$150	\$157	\$164
49"	EP(3/N)P49L	\$153	\$160	\$167
54"	EP(3/N)P54L	\$157	\$164	\$171
61"	EP(3/N)P61L	\$165	\$172	\$179
66"	EP(3/N)P66L	\$172	\$179	\$186
81"	EP(3/N)P81L	\$185	\$192	\$199



## 2-way 120

4	_ VV C	19 120			
	29"	EP(3/N)P29120	\$159	\$166	\$173
	41"	EP(3/N)P41120	\$167	\$174	\$181
	49"	EP(3/N)P49120	\$171	\$178	\$185
	54"	EP(3/N)P54120	\$175	\$182	\$189
	61"	EP(3/N)P61120	\$183	\$190	\$197
	66"	EP(3/N)P66120	\$190	\$197	\$204
	81"	EP(3/N)P81120	\$202	\$209	\$216

_					
3	a	e	c	ī	v
_	r	_	-	۰	,

- 1. Model#
- 2. Paint

#### **Application Notes**

Used to connect panels of the same height.

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

#### Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

#### **Top Cap Styles**

3 – Beveled

N – Flat







B-wa	ay T		PAINT	
Н	MODEL#	P1	P2	Р3
29"	EP(3/N)P29T	\$148	\$155	\$162
41"	EP(3/N)P41T	\$150	\$157	\$164
49"	EP(3/N)P49T	\$152	\$159	\$166
54"	EP(3/N)P54T	\$154	\$161	\$168
61"	EP(3/N)P61T	\$157	\$164	\$171
66"	EP(3/N)P66T	\$164	\$171	\$178
81"	EP(3/N)P81T	\$176	\$183	\$190



		;··········	••••••••••	
4-wa	ay X		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29X	\$148	\$155	\$162
41"	EP(3/N)P41X	\$150	\$157	\$164
49"	EP(3/N)P49X	\$152	\$159	\$166
54"	EP(3/N)P54X	\$154	\$161	\$168
61"	EP(3/N)P61X	\$156	\$163	\$170
66"	EP(3/N)P66X	\$158	\$165	\$172
81"	EP(3/N)P81X	\$171	\$178	\$185



# 3-way 120

J-446	19 120			
29"	EP(3/N)P29Y	\$179	\$188	\$197
41"	EP(3/N)P41Y	\$181	\$190	\$199
49"	EP(3/N)P49Y	\$183	\$192	\$201
54"	EP(3/N)P54Y	\$185	\$194	\$203
61"	EP(3/N)P61Y	\$187	\$196	\$205
66"	EP(3/N)P66Y	\$193	\$202	\$211
81"	EP(3/N)P81Y	\$206	\$215	\$224



# **Carpet Gripper**

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	FP1CG12	\$38

	Тор Сар		н		Connection Type		Options Shroud
EP Equity panel	3 Beveled <b>N Flat</b>	P Post	29	L T <b>S</b> X	2-way 120 End w/post 2-way L 3-way T <b>Straight</b> 4-way 3-way 120	NS	No Shroud
EP	N	Р	29	S			



	-	;······	•••••••••••••••••••••••••••••••••••••••	
End	w/Post		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29E	\$159	\$166	\$173
41"	EP(3/N)P41E	\$164	\$171	\$178
49"	EP(3/N)P49E	\$168	\$175	\$182
54"	EP(3/N)P54E	\$171	\$178	\$185
61"	EP(3/N)P61E	\$180	\$187	\$194
66"	EP(3/N)P66E	\$186	\$193	\$200
81"	EP(3/N)P81E	\$199	\$206	\$213

# End w/Post

# Specify

- 1. Model#
- 2. Paint

#### Application Notes

Used to finish a panel end that is not being connected to another panel.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

# Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

#### Top Cap Styles

3 – Beveled





N – Flat

# **Wall Starter/Wall Mounted Channel**

					*************	<b>.</b>	
Panel Wall Starter						PAINT	
W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	Р3
1 ½"	1/2"	29"	23"	EP3PWS29	\$44	\$45	\$47
1 1/2"	1/2"	41"	35"	EP3PWS41	\$44	\$45	\$47
1 1/2"	1/2"	49"	43"	EP3PWS49	\$48	\$50	\$55
1 1/2"	1/2"	54"	49"	EP3PWS54	\$50	\$55	\$59
1 1/2"	1/2"	61"	55"	EP3PWS61	\$50	\$55	\$59
1 1/2"	1/2"	64"	60"	EP3PWS64	\$52	\$56	\$62
1 ½"	1/2"	81"	75"	EP3PWS81	\$59	\$63	\$69

## **Wall Mounted Channel**

_								
	2 %"	3/4"	29"	23"	EP3WMC29	\$112	\$116	\$122
	2 %"	3/4"	41"	35"	EP3WMC41	\$112	\$116	\$122
	2 %"	3/4"	49"	43"	EP3WMC49	\$114	\$120	\$128
	2 %"	3/4"	54"	49"	EP3WMC54	\$116	\$122	\$129
	2 %"	3/4"	61"	55"	EP3WMC61	\$130	\$135	\$145
	2 %"	3/4"	66"	60"	EP3WMC66	\$133	\$144	\$148
	2 %"	3/4"	81"	75"	EP3WMC81	\$162	\$168	\$178
	2 %"	3/4"	120"	120"	EP3WMC120	\$249	\$262	\$276

# **Panel Wall Starter**

# Specify

- 1. Model #
- 2. Paint

#### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

# **Wall Mounted Channel**

#### Specify

- 1. Model #
- 2. Paint

#### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

#### Assembly

#### Included

- Panel top & bottom hook
- Panel connector

#### **Not Included**

• Fasteners to attach to wall

#### **Ordered Separately**

- Post
- Shrouds

#### Top Cap Styles

3 – Beveled





N – Flat

#### Assembly

#### Included

• Extruded aluminum channel

# Posts Multi-Height

Single He	eight		PAINT		
Н	MODEL#	P1	P2	P3	
29"	EP3P29	\$93	\$96	\$99	
41"	EP3P41	\$94	\$97	\$100	
49"	<b>EP</b> 3 <b>P</b> 49	\$96	\$99	\$102	
54"	EP3P54	\$99	\$102	\$105	
61"	EP3P61	\$105	\$108	\$111	
64"	EP3P64	\$107	\$110	\$113	
81"	<b>EP</b> 3 <b>P</b> 81	\$117	\$120	\$123	

Dual	lΗ	ei	q	ht
			_	

29"/4	1" E	EP3DP2941	\$155	\$165	\$175
29"/4	19" <b>E</b>	EP3DP2949	\$165	\$175	\$185
29"/5	64" <b>E</b>	EP3DP2954	\$165	\$175	\$185
29"/6	51" <b>E</b>	EP3DP2961	\$175	\$185	\$195
29"/6	66" <b>E</b>	EP3DP2966	\$175	\$185	\$195
29"/8	81" <b>E</b>	EP3DP2981	\$195	\$205	\$215
41"/4	19" <b>E</b>	EP3DP4149	\$165	\$175	\$185
41"/5	64" <b>E</b>	EP3DP4154	\$165	\$175	\$185
41"/6	51" <b>E</b>	EP3DP4161	\$175	\$185	\$195
41"/6	66" <b>E</b>	EP3DP4166	\$175	\$185	\$195
41"/8	81" <b>E</b>	EP3DP4181	\$195	\$205	\$215
49"/5	64" <b>E</b>	EP3DP4954	\$165	\$175	\$185
49"/6	51" <b>E</b>	EP3DP4961	\$175	\$185	\$195
49"/6	66" <b>E</b>	EP3DP4966	\$175	\$185	\$195
49"/8	81" <b>E</b>	EP3DP4981	\$195	\$205	\$215
54"/6	51" <b>E</b>	EP3DP5461	\$175	\$185	\$195
54"/6	66" <b>E</b>	EP3DP5466	\$175	\$185	\$195
54"/8	81" <b>E</b>	EP3DP5481	\$195	\$205	\$215
61"/6	66" <b>E</b>	EP3DP6166	\$175	\$185	\$195
61"/8	81" <b>E</b>	EP3DP6181	\$195	\$205	\$215
66"/8	81" <b>E</b>	EP3DP6681	\$195	\$205	\$215

Triple Height			PAINT		
Н	MODEL#	P1	P2	P3	
29"/41"/49"	<b>EP</b> 3 <b>TP</b> 294149	\$195	\$205	\$215	
29"/41"/54"	EP3TP294154	\$195	\$205	\$215	
29"/41"/61"	EP3TP294161	\$200	\$210	\$220	
29"/41"/64"	EP3TP294164	\$200	\$210	\$220	
29"/41"/81"	EP3TP294181	\$230	\$240	\$250	
29"/49"/54"	EP3TP294954	\$195	\$205	\$215	
29"/49"/61"	EP3TP294961	\$200	\$210	\$220	
29"/49"/64"	EP3TP294964	\$200	\$210	\$220	
29"/49"/81"	EP3TP294981	\$230	\$240	\$250	
29"/54"/61"	EP3TP295461	\$200	\$210	\$220	
29"/54"/64"	EP3TP295464	\$200	\$210	\$220	
29"/54"/81"	EP3TP295481	\$230	\$240	\$250	
29"/61"/64"	EP3TP296164	\$200	\$210	\$220	
29"/61"/81"	EP3TP296181	\$230	\$240	\$250	
29"/64"/81"	EP3TP296481	\$230	\$240	\$250	
41"/49"/54"	EP3TP414954	\$195	\$205	\$215	
41"/49"/61"	EP3TP414961	\$200	\$210	\$220	
41"/49"/64"	EP3TP414964	\$200	\$210	\$220	
41"/49"/81"	EP3TP414981	\$230	\$240	\$250	
41"/54"/61"	EP3TP415461	\$200	\$210	\$220	
41"/54"/64"	EP3TP415464	\$200	\$210	\$220	
41"/54"/81"	EP3TP415481	\$230	\$240	\$250	
41"/61"/64"	EP3TP416164	\$200	\$210	\$220	
41"/61"/81"	EP3TP416181	\$230	\$240	\$250	
41"/64"/81"	EP3TP416481	\$230	\$240	\$250	
49"/54"/61"	EP3TP495461	\$200	\$210	\$220	
49"/54"/64"	EP3TP495464	\$200	\$210	\$220	
49"/54"/81"	EP3TP495481	\$230	\$240	\$250	
49"/61"/64"	EP3TP496164	\$200	\$210	\$220	
49"/61"/81"	EP3TP496181	\$230	\$240	\$250	
49"/64"/81"	EP3TP496481	\$230	\$240	\$250	
54"/61"/64"	EP3TP546164	\$200	\$210	\$220	
54"/61"/81"	EP3TP546181	\$230	\$240	\$250	
54"/64"/81"	EP3TP546481	\$230	\$240	\$250	
61"/64"/81"	EP3TP616481	\$230	\$240	\$250	

#### Specify

- 1. Model#
- 2. Paint

#### **Application Notes**

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

#### **Dual Height Posts**

Used where 2 monolithic panels of 2 different heights intersect.

**Triple Height Posts**Used where 3 monolithic panels of 3 different heights intersect.

#### Assembly

#### Included

• Muti-height post

#### Ordered Separately

- Panel connectors
- Metal shrouds

# **Connectors/Shrouds**

		,	· · · · · · · · · · · · · · · · · · ·	
Connectors			PAINT	
DESCRIPTION	MODEL#	P1	P2	P3
Straight	EP(3/N)PCS	\$37	\$40	\$43
2-way L	EP(3/N)PCL	\$37	\$40	\$43
2-way 120	EP3PC120	\$37	\$40	\$43
2-way adjustable angle	EPNPCA	\$47	\$50	\$53
3-way T	EP(3/N)PCT	\$47	\$50	\$53
3-way Y 120	EP(3/N)PCY	\$47	\$50	\$53
4-way X	EP(3/N)PCX	\$47	\$50	\$53
End with post	EP(3/N)PCEP	\$37	\$40	\$43
Multi-height filler	EP(3/N)PCMF	\$37	\$40	\$43
Trim filler	EPNCTF	\$37	\$40	\$43



Straight





**2-way** Adjustable angle





3-way Y 120





3-way T





Multi-height filler

Trim filler

		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Metal Shrouds			PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EP3SS	\$27	\$30	\$34
L outside	EP3SL	\$37	\$40	\$44
120 outside	EP3SO120	\$37	\$40	\$44
120 inside	EP3SI120	\$37	\$40	\$44
End w/post	EP3SEP	\$47	\$50	\$54







Straight

L outside

120 outside





120 inside

End w/post

Specify

- 1. Model#
- 2. Paint









#### **COMPONENTS**

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

#### STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per linear inch.

#### STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


#### STACK-ON PANEL CONNECTORS

#### STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


#### **EXTENDED STACK-ON POST**

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.




# SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and Stack-on Panel MUST have flat (N) profile.



# **Stack-On Configurations** Using Standard Stack-on Posts










# **BEVELED TOP CAP**





























# Stack-On Configurations Using Standard Stack-on Posts








**BEVELED TOP CAP** 


**FLAT TOP CAP** 















# **Stack-on Panels**

**Fabric with Slots** 



12"	H		•	•	FABR	ıc	•	•		PAIN	т
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1212	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40

43!!!											
13"	<u>H</u>										
12"	EP1SF1213	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	<b>EP</b> 1 <b>SF</b> 1813	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	<b>EP</b> 1 <b>SF</b> 3013	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40
15"	Ц										

15"	H										
12"	EP1SF1215	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	<b>EP</b> 1 <b>SF</b> 3615	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40
50		: ,500	, 320	, 3, 0	,.50	, 500	,,,,,,	ų .,o . o	, ,,,,,,,	. 720	

S	pe	ci	fy

- 1. Model # 2. Fabric
- 3. Paint

# Assembly

- Included • Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

## Not Included

• Top cap (use top cap from base panel)

## **Ordered Separately**


- Stack-on posts
- Panel connectors




Top Cap Styles

3 – Beveled







47111			••••••••••••••	••••••••••••	•••••••••••••••••	••••••••••••••	••••••••••••	•••••••••••••••••••••••••••••••••••••••	:	•••••••••••••••••	:
<u> 17"  </u>	П	FABRIC							PAIN	Г	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1217	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40


# 20" H

12"	EP1SF1220	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40

	Insert Type	W	Н
EP1S Stack-on Panel	F Fabric	36	20
EP1S	•	36	20

# **Stack-on Panels**

**Fabric without Slots** 



		,	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·					
12"	H				FABR	ıc				PAIN	т
W	MODEL#	А	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1212N	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612N	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212N	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812N	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012N	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40
13"	Н										
12"	EP1SF1213N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013N	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613N	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213N	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813N	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013N	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40
15"	Н										
12"	EP1SF1215N	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815N	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415N	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015N	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615N	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215N	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815N	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015N	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40
<u>17"</u>	Н										
12"	EP1SF1217N	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017N	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617N	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217N	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817N	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40

-					•
2	D	е	c	1	T
_	•	-	п	-	٦,

60"

1. Model #

EP1SF6017N

- 2. Fabric
- 3. Paint

## Assembly

\$600

# Included

• Stack-on panel

\$650

\$710

\$780

 Flat (N) top cap attached to the bottom of stack-on panel

## Not Included

• Top cap (use top cap from base panel)

# Ordered Separately

\$980

\$1,100

Stack-on posts

\$870

Panel connectors

# 3 – Beveled

Top Cap Styles


\$1,230

+ \$20



+ \$40






20"	Н			PAINT							
W	MODEL#	A	В	C	FABI D	E	F		Н	P2	P3
12"	EP1SF1220N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420N	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020N	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620N	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220N	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820N	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020N	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40
25"	Н										
12"	EP1SF1225N	\$500	\$530	\$570	\$615	\$675	\$745	\$825	\$915	+ \$20	+ \$40
18"	EP1SF1825N	\$520	\$550	\$590	\$635	\$695	\$765	\$845	\$935	+ \$20	+ \$40
24"	EP1SF2425N	\$540	\$570	\$610	\$655	\$715	\$785	\$865	\$955	+ \$20	+ \$40
30"	EP1SF3025N	\$560	\$610	\$670	\$750	\$880	\$1,030	\$1,190	\$1,360	+ \$20	+ \$40
36"	EP1SF3625N	\$580	\$630	\$690	\$770	\$900	\$1,050	\$1,210	\$1,380	+ \$20	+ \$40
42"	EP1SF4225N	\$600	\$650	\$710	\$790	\$920	\$1,070	\$1,230	\$1,400	+ \$20	+ \$40
48"	EP1SF4825N	\$630	\$680	\$740	\$820	\$950	\$1,100	\$1,260	\$1,430	+ \$20	+ \$40
60"	EP1SF6025N	\$670	\$720	\$780	\$860	\$990	\$1,140	\$1,300	\$1,470	+ \$20	+ \$40
32"	Н										
12"	EP1SF1232N	\$520	\$550	\$590	\$635	\$695	\$785	\$885	\$995	+ \$20	+ \$40
18"	EP1SF1832N	\$540	\$570	\$610	\$655	\$715	\$805	\$905	\$1,015	+ \$20	+ \$40
24"	EP1SF2432N	\$560	\$590	\$630	\$675	\$735	\$825	\$925	\$1,035	+ \$20	+ \$40
30"	EP1SF3032N	\$580	\$630	\$690	\$780	\$930	\$1,100	\$1,290	\$1,510	+ \$20	+ \$40
36"	EP1SF3632N	\$600	\$650	\$710	\$800	\$950	\$1,120	\$1,310	\$1,530	+ \$20	+ \$40
42"	EP1SF4232N	\$620	\$670	\$730	\$820	\$970	\$1,140	\$1,330	\$1,550	+ \$20	+ \$40
48"	EP1SF4832N	\$650	\$700	\$760	\$850	\$1,000	\$1,170	\$1,360	\$1,580	+ \$20	+ \$40
60"	EP1SF6032N	\$680	\$730	\$790	\$880	\$1,030	\$1,200	\$1,390	\$1,610	+ \$20	+ \$40
37"	Н										
12"	EP1SF1237N	\$540	\$580	\$630	\$690	\$770	\$860	\$960	\$1,070	+ \$20	+ \$40
18"	EP1SF1837N	\$560	\$600	\$650	\$710	\$790	\$880	\$980	\$1,090	+ \$20	+ \$40
24"	EP1SF2437N	\$580	\$620	\$670	\$730	\$810	\$900	\$1,000	\$1,110	+ \$20	+ \$40
30"	EP1SF3037N	\$600	\$670	\$750	\$840	\$1,000	\$1,170	\$1,370	\$1,620	+ \$20	+ \$40
36"	EP1SF3637N	\$620	\$690	\$770	\$860	\$1,020	\$1,190	\$1,390	\$1,640	+ \$20	+ \$40
42"	EP1SF4237N	\$640	\$710	\$790	\$880	\$1,040	\$1,210	\$1,410	\$1,660	+ \$20	+ \$40
48"	EP1SF4837N	\$670	\$740	\$820	\$910	\$1,070	\$1,240	\$1,440	\$1,690	+ \$20	+ \$40
60"	EP1SF6037N	\$700	\$770	\$850	\$940	\$1,100	\$1,270	\$1,470	\$1,720	+ \$20	+ \$40

	Insert Type	W	н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
EP1S	F	36		N

# **Stack-on Panels**

**Insert with Slots** 



12" H		G	LASS INSERT		LAN	IINATE INSE	RT	PAII	NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1212	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40
18"	EP2S()1812	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40
24"	EP2S()2412	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40
30"	EP2S()3012	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40
36"	EP2S()3612	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40
42"	EP2S()4212	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$40
48"	EP2S()4812	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$40
60"	EP2S()6012	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$40

13" H									
12"	EP2S()1213	\$967	\$747	\$687	\$717	\$789	\$860	+ \$20	+ \$40
18"	EP2S()1813	\$997	\$777	\$707	\$737	\$811	\$884	+ \$20	+ \$40
24"	EP2S()2413	\$1,052	\$812	\$727	\$762	\$838	\$914	+ \$20	+ \$40
30"	EP2S()3013	\$1,102	\$842	\$747	\$782	\$860	\$938	+ \$20	+ \$40
36"	EP2S()3613	\$1,157	\$877	\$767	\$807	\$888	\$968	+ \$20	+ \$40
42"	EP2S()4213	\$1,207	\$907	\$787	\$827	\$910	\$992	+ \$20	+ \$40
48"	EP2S()4813	\$1,287	\$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$40
60"	EP2S()6013	\$1,397	\$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$40

15"									
12"	EP2S()1215	\$987	\$767	\$707	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815	\$1,017	\$797	\$727	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2415	\$1,072	\$832	\$747	\$782	\$860	\$938	+ \$20	+ \$40
30"	EP2S()3015	\$1,122	\$862	\$767	\$802	\$882	\$962	+ \$20	+ \$40
36"	EP2S()3615	\$1,177	\$897	\$787	\$827	\$910	\$992	+ \$20	+ \$40
42"	EP2S()4215	\$1,227	\$927	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
48"	EP2S()4815	\$1,297	\$957	\$817	\$867	\$954	\$1,040	+ \$20	+ \$40
60"	EP2S()6015	\$1,417	\$1,017	\$837	\$917	\$1,009	\$1,100	+ \$20	+ \$40

_					
3	a	e	c	ī	v
_	r	_	-	۰	,

- 1. Model#
- 2. Insert type
- 3. Insert color 4. Paint

## **Plexiglass Finishes**

**CL** ...Clear  $\textbf{IC} \dots \mathsf{lce}$ 

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$ 

**TR** . . Translucent

#### **Glass Finishes**

**CL** ...Clear  $\textbf{GR} \dots \mathsf{Grey}$  $\textbf{SM}..\mathsf{Smoked}$ 

 $\textbf{TR} \, \dots \text{Translucent}$ 

## Assembly

# Included


- Stack-on panel • Flat (N) top cap
- attached to the bottom of stack-on panel

## Not Included

• Top cap (use top cap from base panel)

## Ordered Separately

- Stack-on posts
- Panel connectors




		· · · · · · · · · · · · · · · · · · ·							
17" H		G	GLASS INSERT			LAMINATE INSERT			NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1217	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40

#### 20" H 12" EP2S()1220 \$1,067 \$807 \$747 \$777 \$855 \$932 + \$20 + \$40 18" + \$20 + \$40 EP2S()1820 \$1,097 \$837 \$767 \$797 \$877 \$956 24" EP2S()2420 \$787 \$986 + \$20 \$1,152 \$872 \$822 \$904 + \$40 30" EP2S()3020 \$1,182 \$902 \$807 \$842 \$926 \$1,010 + \$20 + \$40 36" EP2S()3620 \$1,267 \$927 \$817 \$857 \$1,028 + \$20 + \$40 \$943 42" EP2S()4220 \$1,337 \$957 \$837 \$877 \$965 \$1,052 + \$20 + \$40 48" EP2S()4820 \$1,088 + \$40 \$1,417 \$997 \$857 \$907 + \$20 \$998 60" EP2S()6020 \$1,537 \$877 \$957 \$1,148 + \$40 \$1,057 \$1,053 + \$20

	Insert Type	W H
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36 15
EP2S	PG	36 15

# **Stack-on Panels**

**Insert without Slots** 



12" H		G	LASS INSERT		LAN	IINATE INSE	RT	PAII	NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1212N	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40
18"	EP2S()1812N	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40
24"	EP2S()2412N	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40
30"	EP2S()3012N	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40
36"	EP2S()3612N	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40
42"	EP2S()4212N	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$40
48"	EP2S()4812N	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$40
60"	EP2S()6012N	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$40

# 13" H

_									
12"	EP2S()1213N	\$967	\$747	\$687	\$717	\$789	\$860	+ \$20	+ \$40
18"	EP2S()1813N	\$997	\$777	\$707	\$737	\$811	\$884	+ \$20	+ \$40
24"	EP2S()2413N	\$1,052	\$812	\$727	\$762	\$838	\$914	+ \$20	+ \$40
30"	EP2S()3013N	\$1,102	\$842	\$747	\$782	\$860	\$938	+ \$20	+ \$40
36"	EP2S()3613N	\$1,157	\$877	\$767	\$807	\$888	\$968	+ \$20	+ \$40
42"	EP2S()4213N	\$1,207	\$907	\$787	\$827	\$910	\$992	+ \$20	+ \$40
48"	EP2S()4813N	\$1,287	\$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$40
60"	EP2S()6013N	\$1,397	\$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$40

# 15" H

12"	EP2S()1215N	\$987	\$767	\$707	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815N	\$1,017	\$797	\$727	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2415N	\$1,072	\$832	\$747	\$782	\$860	\$938	+ \$20	+ \$40
30"	EP2S()3015N	\$1,122	\$862	\$767	\$802	\$882	\$962	+ \$20	+ \$40
36"	EP2S()3615N	\$1,177	\$897	\$787	\$827	\$910	\$992	+ \$20	+ \$40
42"	EP2S()4215N	\$1,227	\$927	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
48"	EP2S()4815N	\$1,297	\$957	\$817	\$867	\$954	\$1,040	+ \$20	+ \$40
60"	EP2S()6015N	\$1,417	\$1,017	\$837	\$917	\$1,009	\$1,100	+ \$20	+ \$40

# 17" H

12"	EP2S()1217N	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817N	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417N	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017N	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617N	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217N	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817N	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017N	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40

# Specify

- 1. Model#
- 2. Insert Type 3. Insert color
- 4. Paint

## **Plexiglass Finishes**

**CL** ...Clear  $\textbf{IC} \dots \mathsf{lce}$ 

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$ 

**TR** . . Translucent

#### **Glass Finishes**

**CL** ...Clear  $\textbf{GR} \dots \mathsf{Grey}$  $\textbf{SM}..\mathsf{Smoked}$ 

**TR** . . Translucent

#### Assembly

#### Included • Stack-on panel


• Flat (N) top cap attached to the bottom of stack-on panel

## Not Included

• Top cap (use top cap from base panel)

## Ordered Separately


- Stack-on posts
- Panel connectors



20" H			GLASS INSERT		LA	MINATE INSE	RT	PAIN	NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1220N	\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$40
18"	EP2S()1820N	\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$40
24"	EP2S()2420N	\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$40
30"	EP2S()3020N	\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$40
36"	EP2S()3620N	\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
42"	EP2S()4220N	\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$40
48"	EP2S()4820N	\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$40
60"	EP2S()6020N	\$1,537	\$1,057	\$877	\$957	\$1,053	\$1,148	+ \$20	+ \$40
25" H									
12"	EP2S()1225N	\$1,097	\$837	\$777	\$807	\$888	\$968	+ \$20	+ \$40
18"	EP2S()1825N	\$1,127	\$867	\$797	\$827	\$910	\$992	+ \$20	+ \$40
24"	EP2S()2425N	\$1,182	\$902	\$817	\$852	\$937	\$1,022	+ \$20	+ \$40
30"	EP2S()3025N	\$1,232	\$932	\$837	\$872	\$959	\$1,046	+ \$20	+ \$40
36"	EP2S()3625N	\$1,307	\$967	\$857	\$897	\$987	\$1,076	+ \$20	+ \$40
42"	EP2S()4225N	\$1,377	\$997	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$40
48"	EP2S()4825N	\$1,457	\$1,037	\$907	\$947	\$1,042	\$1,136	+ \$20	+ \$40
60"	EP2S()6025N	\$1,617	\$1,097	\$937	\$997	\$1,097	\$1,196	+ \$20	+ \$40
32" H									
12"	EP2S()1232N	\$1,117	\$857	\$797	\$827	\$910	\$992	+ \$20	+ \$40
18"	EP2S()1832N	\$1,167	\$887	\$817	\$847	\$932	\$1,016	+ \$20	+ \$40
24"	EP2S()2432N	\$1,222	\$922	\$837	\$872	\$959	\$1,046	+ \$20	+ \$40
30"	EP2S()3032N	\$1,312	\$952	\$857	\$892	\$981	\$1,070	+ \$20	+ \$40
36"	EP2S()3632N	\$1,407	\$987	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$40
42"	EP2S()4232N	\$1,497	\$1,017	\$897	\$937	\$1,031	\$1,124	+ \$20	+ \$40
48"	EP2S()4832N	\$1,587	\$1,067	\$927	\$977	\$1,075	\$1,172	+ \$20	+ \$40
60"	EP2S()6032N	\$1,757	\$1,157	\$977	\$1,057	\$1,163	\$1,268	+ \$20	+ \$40
87" H									
12"	EP2S()1237N	\$1,157	\$877	\$817	\$847	\$932	\$1,016	+ \$20	+ \$40
18"	EP2S()1837N	\$1,217	\$917	\$837	\$877	\$965	\$1,052	+ \$20	+ \$40
24"	EP2S()2437N	\$1,317	\$957	\$857	\$907	\$998	\$1,088	+ \$20	+ \$40
30"	EP2S()3037N	\$1,417	\$997	\$877	\$937	\$1,031	\$1,124	+ \$20	+ \$40
36"	EP2S()3637N	\$1,517	\$1,037	\$897	\$967	\$1,064	\$1,160	+ \$20	+ \$40
42"	EP2S()4237N	\$1,597	\$1,077	\$917	\$997	\$1,097	\$1,196	+ \$20	+ \$40
48"	EP2S()4837N	\$1,687	\$1,127	\$947	\$1,037	\$1,141	\$1,244	+ \$20	+ \$40
60"	EP2S()6037N	\$1,897	\$1,197	\$997	\$1,097	\$1,207	\$1,316	+ \$20	+ \$40

	Insert Type	w	Н	Slots
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15	N w/o Slots
EP2S	PG	36	15	N

**Perforated Aluminum Insert with Slots** 



12" H	2" H		IN	ISERT PAINT		PAINT	
W	MODEL#	PA	P1	P2	P3	P2	Р3
12"	EP2SPA1212	\$647	\$697	\$717	\$737	+ \$20	+ \$40
18"	EP2SPA1812	\$667	\$717	\$737	\$757	+ \$20	+ \$40
24"	EP2SPA2412	\$697	\$747	\$767	\$787	+ \$20	+ \$40
30"	EP2SPA3012	\$717	\$777	\$797	\$817	+ \$20	+ \$40
36"	EP2SPA3612	\$737	\$797	\$817	\$837	+ \$20	+ \$40
42"	EP2SPA4212	\$757	\$817	\$837	\$857	+ \$20	+ \$40
48"	EP2SPA4812	\$777	\$837	\$857	\$877	+ \$20	+ \$40
60"	EP2SPA6012	\$797	\$877	\$907	\$937	+ \$20	+ \$40

60"	EP2SPA6012	\$797	\$877	\$907	\$937	+ \$20	+ \$40
13" H							
12"	EP2SPA1213	\$687	\$737	\$757	\$777	+ \$20	+ \$40
18"	EP2SPA1813	\$707	\$757	\$777	\$797	+ \$20	+ \$40
24"	EP2SPA2413	\$727	\$787	\$807	\$827	+ \$20	+ \$40
30"	EP2SPA3013	\$747	\$807	\$827	\$847	+ \$20	+ \$40
36"	EP2SPA3613	\$767	\$827	\$847	\$867	+ \$20	+ \$40
42"	EP2SPA4213	\$787	\$847	\$867	\$887	+ \$20	+ \$40
48"	EP2SPA4813	\$807	\$867	\$887	\$917	+ \$20	+ \$40
60"	EP2SPA6013	\$817	\$907	\$937	\$977	+ \$20	+ \$40
15"							
12"	FD2SDA1215	\$707	\$757	\$777	\$797	± \$20	± \$40

15"							
12"	EP2SPA1215	\$707	\$757	\$777	\$797	+ \$20	+ \$40
18"	EP2SPA1815	\$727	\$777	\$797	\$817	+ \$20	+ \$40
24"	EP2SPA2415	\$747	\$797	\$827	\$847	+ \$20	+ \$40
30"	EP2SPA3015	\$767	\$817	\$857	\$877	+ \$20	+ \$40
36"	EP2SPA3615	\$787	\$847	\$887	\$907	+ \$20	+ \$40
42"	EP2SPA4215	\$807	\$867	\$917	\$937	+ \$20	+ \$40
48"	EP2SPA4815	\$817	\$887	\$947	\$967	+ \$20	+ \$40
60"	EP2SPA6015	\$837	\$937	\$997	\$1,027	+ \$20	+ \$40

				_	
c	-	-	٠	£.	

- 1. Model #
- Insert color
   Paint

# Assembly

# Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

## Not Included


• Top cap (use top cap from base panel)

## **Ordered Separately**

- Stack-on posts
- Panel connectors

# **Stack-on Panels**

**Perforated Aluminum Insert with Slots** 




17" H	17" H		II	INSERT PAINT			NT
W	MODEL#	PA	P1	P2	P3	P2	Р3
12"	EP2SPA1217	\$727	\$777	\$797	\$817	+ \$20	+ \$40
18"	EP2SPA1817	\$747	\$797	\$817	\$837	+ \$20	+ \$40
24"	EP2SPA2417	\$767	\$827	\$847	\$867	+ \$20	+ \$40
30"	EP2SPA3017	\$787	\$847	\$877	\$897	+ \$20	+ \$40
36"	EP2SPA3617	\$807	\$877	\$907	\$927	+ \$20	+ \$40
42"	EP2SPA4217	\$817	\$897	\$937	\$957	+ \$20	+ \$40
48"	EP2SPA4817	\$837	\$927	\$977	\$997	+ \$20	+ \$40
60"	EP2SPA6017	\$857	\$977	\$1,027	\$1,057	+ \$20	+ \$40

20" H							
12"	EP2SPA1220	\$747	\$797	\$817	\$837	+ \$20	+ \$40
18"	EP2SPA1820	\$767	\$817	\$837	\$857	+ \$20	+ \$40
24"	EP2SPA2420	\$787	\$837	\$867	\$887	+ \$20	+ \$40
30"	EP2SPA3020	\$807	\$867	\$897	\$917	+ \$20	+ \$40
36"	EP2SPA3620	\$817	\$897	\$937	\$957	+ \$20	+ \$40
42"	EP2SPA4220	\$837	\$917	\$977	\$997	+ \$20	+ \$40
48"	EP2SPA4820	\$857	\$947	\$1,017	\$1,047	+ \$20	+ \$40
60"	EP2SPA6020	\$877	\$1,017	\$1,067	\$1,117	+ \$20	+ \$40

	Insert Type	w	н
EP2S Stack-on panel	PA Perforated Aluminum	36	15
EP2S	PA	36	15

**Perforated Aluminum Insert without Slots** 



2" H	2" H		INSERT PAINT			PAINT	
W	MODEL#	PA	L1	L2	L3	P2	P3
12"	EP2SPA1212N	\$647	\$697	\$717	\$737	+ \$20	+ \$40
18"	EP2SPA1812N	\$667	\$717	\$737	\$757	+ \$20	+ \$40
24"	EP2SPA2412N	\$697	\$747	\$767	\$787	+ \$20	+ \$40
30"	EP2SPA3012N	\$717	\$777	\$797	\$817	+ \$20	+ \$40
36"	EP2SPA3612N	\$737	\$797	\$817	\$837	+ \$20	+ \$40
42"	EP2SPA4212N	\$757	\$817	\$837	\$857	+ \$20	+ \$40
48"	EP2SPA4812N	\$777	\$837	\$857	\$877	+ \$20	+ \$40
60"	EP2SPA6012N	\$797	\$877	\$907	\$937	+ \$20	+ \$40
13" H							

13" H							
12"	EP2SPA1213N	\$687	\$737	\$757	\$777	+ \$20	+ \$40
18"	EP2SPA1813N	\$707	\$757	\$777	\$797	+ \$20	+ \$40
24"	EP2SPA2413N	\$727	\$787	\$807	\$827	+ \$20	+ \$40
30"	EP2SPA3013N	\$747	\$807	\$827	\$847	+ \$20	+ \$40
36"	EP2SPA3613N	\$767	\$827	\$847	\$867	+ \$20	+ \$40
42"	EP2SPA4213N	\$787	\$847	\$867	\$887	+ \$20	+ \$40
48"	EP2SPA4813N	\$807	\$867	\$887	\$917	+ \$20	+ \$40
60"	EP2SPA6013N	\$817	\$907	\$937	\$977	+ \$20	+ \$40

15" H							
12"	EP2SPA1215N	\$707	\$757	\$777	\$797	+ \$20	+ \$40
18"	EP2SPA1815N	\$727	\$777	\$797	\$817	+ \$20	+ \$40
24"	EP2SPA2415N	\$747	\$797	\$827	\$847	+ \$20	+ \$40
30"	EP2SPA3015N	\$767	\$817	\$857	\$877	+ \$20	+ \$40
36"	EP2SPA3615N	\$787	\$847	\$887	\$907	+ \$20	+ \$40
42"	EP2SPA4215N	\$807	\$867	\$917	\$937	+ \$20	+ \$40
48"	EP2SPA4815N	\$817	\$887	\$947	\$967	+ \$20	+ \$40
60"	EP2SPA6015N	\$837	\$937	\$997	\$1,027	+ \$20	+ \$40

17" H							
12"	EP2SPA1217N	\$727	\$777	\$797	\$817	+ \$20	+ \$40
18"	EP2SPA1817N	\$747	\$797	\$817	\$837	+ \$20	+ \$40
24"	EP2SPA2417N	\$767	\$827	\$847	\$867	+ \$20	+ \$40
30"	EP2SPA3017N	\$787	\$847	\$877	\$897	+ \$20	+ \$40
36"	EP2SPA3617N	\$807	\$877	\$907	\$927	+ \$20	+ \$40
42"	EP2SPA4217N	\$817	\$897	\$937	\$957	+ \$20	+ \$40
48"	EP2SPA4817N	\$837	\$927	\$977	\$997	+ \$20	+ \$40
60"	EP2SPA6017N	\$857	\$977	\$1,027	\$1,057	+ \$20	+ \$40

•		_		٠	c
•	n	Δ	c	T	Ť١

- 1. Model#
- 2. Insert color
- 3. Paint

# Assembly

# Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

## Not Included


• Top cap (use top cap from base panel)

## **Ordered Separately**

- Stack-on posts
- Panel connectors

# **Stack-on Panels**

**Perforated Aluminum Insert without Slots** 



20" H			ı	NSERT PAINT		PAIN	١T
W	MODEL#	PA	L1	L2	L3	P2	P3
12"	EP2SPA1220N	\$747	\$797	\$817	\$837	+ \$20	+ \$40
18"	EP2SPA1820N	\$767	\$817	\$837	\$857	+ \$20	+ \$40
24"	EP2SPA2420N	\$787	\$837	\$867	\$887	+ \$20	+ \$40
30"	EP2SPA3020N	\$807	\$867	\$897	\$917	+ \$20	+ \$40
36"	EP2SPA3620N	\$817	\$897	\$937	\$957	+ \$20	+ \$40
42"	EP2SPA4220N	\$837	\$917	\$977	\$997	+ \$20	+ \$40
48"	EP2SPA4820N	\$857	\$947	\$1,017	\$1,047	+ \$20	+ \$40
60"	EP2SPA6020N	\$877	\$1,017	\$1,067	\$1,117	+ \$20	+ \$40
25" H							
12"	EP2SPA1225N	\$777	\$827	\$847	\$867	+ \$20	+ \$40
18"	EP2SPA1825N	\$797	\$847	\$877	\$897	+ \$20	+ \$40
24"	EP2SPA2425N	\$817	\$877	\$907	\$927	+ \$20	+ \$4
30"	EP2SPA3025N	\$837	\$897	\$947	\$967	+ \$20	+ \$4
36"	EP2SPA3625N	\$857	\$927	\$987	\$1,007	+ \$20	+ \$4
42"	EP2SPA4225N	\$877	\$957	\$1,027	\$1,047	+ \$20	+ \$4
48"	EP2SPA4825N	\$907	\$997	\$1,067	\$1,097	+ \$20	+ \$4
60"	EP2SPA6025N	\$937	\$1,077	\$1,117	\$1,157	+ \$20	+ \$40
32" H							
12"	EP2SPA1232N	\$797	\$847	\$867	\$887	+ \$20	+ \$40
18"	EP2SPA1832N	\$817	\$867	\$897	\$917	+ \$20	+ \$4
24"	EP2SPA2432N	\$837	\$897	\$927	\$947	+ \$20	+ \$4
30"	EP2SPA3032N	\$857	\$947	\$977	\$997	+ \$20	+ \$4
36"	EP2SPA3632N	\$877	\$987	\$1,027	\$1,047	+ \$20	+ \$4
42"	EP2SPA4232N	\$897	\$1,017	\$1,077	\$1,097	+ \$20	+ \$4
48"	EP2SPA4832N	\$927	\$1,047	\$1,127	\$1,147	+ \$20	+ \$4
60"	EP2SPA6032N	\$977	\$1,137	\$1,217	\$1,247	+ \$20	+ \$4
37" H							
12"	EP2SPA1237N	\$817	\$867	\$887	\$907	+ \$20	+ \$40
18"	EP2SPA1837N	\$837	\$887	\$917	\$937	+ \$20	+ \$40
24"	EP2SPA2437N	\$857	\$917	\$947	\$977	+ \$20	+ \$4
30"	EP2SPA3037N	\$877	\$977	\$1,007	\$1,037	+ \$20	+ \$4
36"	EP2SPA3637N	\$897	\$1,027	\$1,057	\$1,097	+ \$20	+ \$4
42"	EP2SPA4237N	\$917	\$1,057	\$1,107	\$1,157	+ \$20	+ \$4

	Insert Type	W	Н	Slots
EP2S Stack-on panel	PA Perforated Aluminum	36	15	N Without Slots
		:		
•				
•				•
•				•
•				•
		:		•
		<u>.</u>		
EP2S	PA	36	15	N
ii	<u></u>	: :		ii

\$1,097

\$997 \$1,197

\$1,217

\$1,317

\$1,157

\$1,257

+ \$20

+ \$20

+ \$40

+ \$40

\$947

48"


60"

EP2SPA4837N

EP2SPA6037N



tandar	d		•	PAINT	•••••••	
Н	MODEL#		P1	P2	P3	
12"	EP1SPC12		\$125	\$130	\$135	
13"	EP1SPC13		\$135	\$140	\$145	
15"	EP1SPC15		\$145	\$150	\$155	
17"	EP1SPC17		\$155	\$160	\$165	
20"	EP1SPC20		\$175	\$185	\$195	
25"	EP1SPC25		\$190	\$200	\$210	
32"	EP1SPC32		\$200	\$210	\$220	
37"	EP1SPC37		\$210	\$220	\$230	
Panel connectors must be ordered separately.						



# Extended

LACCIIAC	·					
12"	EP1SPC12E		\$125	\$130	\$135	
13"	EP1SPC13E		\$135	\$140	\$145	
15"	EP1SPC15E		\$145	\$150	\$155	
17"	EP1SPC17E		\$155	\$160	\$165	
20"	EP1SPC20E		\$175	\$185	\$195	
25"	EP1SPC25E		\$190	\$200	\$210	
32"	EP1SPC32E		\$200	\$210	\$220	
37"	EP1SPC37E		\$210	\$220	\$230	
Panel connectors must be ordered separately.						

## Specify

- 1. Model#
- 2. Paint

#### **Application Notes**

Stack-on post must be used between adjacent stack-on panels.

#### Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

#### Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



# **Coat Hook Straight**

DESCRIPTION	W	D	Н	MODEL#	BLACK OR MATTE ALUM
5 Pack	1/8"	1 3/8"	2 %"	EP3MMCH (B/P)	\$141



# **Coat Hook Postless End**

5 Pack	1 3/8"	3/8"	2 3/8"	EP3MMCHPE (R/L)(B/P)	\$141

#### Specify

1. Model#


2. Paint

#### Coat Hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.


# Available in two colors

Black (B) Matte Aluminum (P)




# 8" H

W	Н	MODEL#	LIST
12"	8"	EPFLGL1208	\$140
18"	8"	EPFLGL1808	\$190
24"	8"	EPFLGL2408	\$240
30"	8"	EPFLGL3008	\$290
36"	8"	EPFLGL3608	\$340
42"	8"	EPFLGL4208	\$390
48"	8"	EPFLGL4808	\$440
60"	8"	EPFLGL6008	\$490
66"	8"	EPFLGL6608	\$540
72"	8"	EPFLGL7208	\$590



# 12" H

W	Н	MODEL#	LIST
12"	12"	EPFLGL1212	\$190
18"	12"	EPFLGL1812	\$250
24"	12"	EPFLGL2412	\$310
30"	12"	EPFLGL3012	\$360
36"	12"	EPFLGL3612	\$410
42"	12"	EPFLGL4212	\$460
48"	12"	EPFLGL4812	\$510
60"	12"	EPFLGL6012	\$560
66"	12"	EPFLGL6612	\$610
72"	12"	EPFLGL7212	\$660



# 14" H

w	Н	MODEL#	LIST
12"	14"	EPFLGL1214	\$220
18"	14"	EPFLGL1814	\$300
24"	14"	EPFLGL2414	\$380
30"	14"	EPFLGL3014	\$460
36"	14"	EPFLGL3614	\$540
42"	14"	EPFLGL4214	\$620
48"	14"	EPFLGL4814	\$700
60"	14"	EPFLGL6014	\$780
66"	14"	EPFLGL6614	\$860
72"	14"	EPFLGL7214	\$940

Specify	

1. Model#

2. Glass finish

# **Glass Finishes**

CL .. Clear  $\textbf{GR} \dots \mathsf{Grey}$ SM...Smoked  $\textbf{TR} \ . \ . \ Translucent$ 

# **Application Notes**

Glass is a single-pane, 3/8" tempered safety glass. Frameless Glass can span multiple panels with one piece of glass.

#### Assembly

#### Not Included

Attachment connectors

		Тор Сар	Type	W	Н
	EP Equity Panel	FL Frameless	GL Glass	48	12
		:	:		
		:	:		
		:	:		
		:	:		
	EP	EI	GI	48	12
:			GL :		12

# **Frameless Glass**

<b>Frameless Connector</b>	'S		PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EPFLCS	\$60	\$66	\$72
2-way L	EPFLCL	\$65	\$72	\$78
3-way T	EPFLCT	\$65	\$72	\$78
3-way Y 120	EPFLCY	\$65	\$72	\$78
4-way X	EPFLCX	\$65	\$72	\$78
End	EPFLCE	\$60	\$66	\$72







2-way L EPFLCL



3-way T **EPFLCT** 



3-way Y 120 **EPFLCY** 



4-way X **EPFLCX** 



End **EPFLCE** 

_	
۱n	ecity
7	,

Model #
 Paint

Application Notes
Frameless glass mounts to panels on either end thru connectors that screw into the top of the panel's posts.

Assembly

#### Included

• Attachment hardware

	тор Сар	iype	VV
EP Equity panel	FL Frameless	C Connector	S Straight
			L 2-way L
			T 3-way T
			Y 3-way Y
			X 4-way X
			E End
EP	FI	c	S



Add-d	n Screens			PAINT	
W	Н	MODEL#	P1	P2	P3
12"	15"	EP3AOPG1215	\$602	\$625	\$643
18"	15"	EP3AOPG1815	\$683	\$706	\$725
24"	15"	EP3AOPG2415	\$709	\$732	\$750
30"	15"	EP3AOPG3015	\$749	\$772	\$786
36"	15"	EP3AOPG3615	\$798	\$820	\$838
42"	15"	EP3AOPG4215	\$885	\$910	\$924
48"	15"	EP3AOPG4815	\$966	\$991	\$1,006
60"	15"	EP3AOPG6015	\$988	\$1,010	\$1,028

Specify	Plexiglass Finishes	Application Notes		
1. Model # 2. Plexiglass finish 3. Paint	CLClear IClce SMSmoked TRTranslucent	Add-on screens mount on the slotted standard with (2) die cast stanchion brackets that are included.	Add-on screens are compatible with flat (N) and beveled (3) top caps.	
	<b>LF</b> Frost	All attachment hardware is included.	Assembly	
		Two add-on screens may not be mounted next to each other on the inside corner of a 90° connection.	Included  • Attachment hardware	



Slat R	ail — par	nel mounted			PAINT	•
W	Н	MODEL #	MATTE ALUM	P1	P2	P3
12"	6"	<b>SR</b> 612	\$120	\$150	\$165	\$180
18"	6"	SR618	\$130	\$160	\$176	\$192
24"	6"	SR624	\$150	\$180	\$198	\$216
30"	6"	SR630	\$160	\$190	\$209	\$228
36"	6"	SR636	\$170	\$200	\$220	\$240
42"	6"	SR642	\$180	\$220	\$242	\$264
48"	6"	SR648	\$200	\$240	\$264	\$288
60"	6"	<b>SR</b> 660	\$210	\$260	\$286	\$312


Slat Rail Accessories			•	PAINT	
DESCRIPTION	MODEL#	MATTE ALUM	P1	P2	Р3
File hanger	SRAFLH	\$70	\$100	\$110	\$120
Paper tray	SRAPAT	\$80	\$110	\$121	\$132
Upright tray	SRAUPT	\$60	\$90	\$99	\$108
Small tray	SRASMT	\$50	\$80	\$88	\$96
Pencil holder	SRAPNH	\$50	\$80	\$88	\$96

## Specify

- 1. Model # 2. Paint

# **Electrical**

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.




#### **SPECIFICATION CHECKLIST**

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
   One for each point of connection to the building power supply.
   Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
   Shrouds are included when post assemblies are ordered.
   Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

#### **Calculate Correct Jumper Length**

- 1) Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



7. Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

#### A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

# **B. Duplex Receptacles**Always specified separately according to circuit access.

#### C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


#### **SPECIAL CONSIDERATIONS**

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

# **ELECTRICAL**



# **Electrical**

#### **BASE INFEED MODULE**

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4'6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 63.

Connecting to the building power source must be performed by a licensed electrician.

#### **CEILING INFEED MODULE**

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

#### RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten %" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

#### **CABLE CAPACITY**

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

#### 8-WIRE SYSTEM

#### 2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


#### 3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

#### **10-WIRE SYSTEM**

#### 3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.





#### 1 Black HOT 2 Red HOT 4D 3 Blue Pink HOT HOT Ν Ν White/Black White/Red SHARED ISOLATED G G Green/Yellow

# **COMPATIBILITY**

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

# Electrical Ceiling Infeeds



				:	••••••	
Ceili	ing In	feed	S		PAINT	
W	D	Н	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM49M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM54M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM61M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM66M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM81M	\$625	\$656	\$689

# **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$573
E-Series 8-wire	EE1CH-8	\$470

#### Specify

- 1. Model #
- 2. Paint

Fabric cover modules are not available

#### Configurations

#### 8-wire

2 + 2

3 + 1

10-wire

3 + 3

# Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

#### **Ceiling Infeeds**

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.

Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.



## **Base Infeeds**

DESCRIPTION	W	MODEL#	LIST
8-wire (right handed)	54"	EE1BI-8	\$244
8-wire (right handed)	72"	EE1BI72-8	\$301
10-wire (right handed)	54"	<b>EE</b> 1 <b>BI</b> -10	\$295
10-wire (right handed)	72"	<b>EE</b> 1 <b>BI</b> 72-10	\$358
8-wire (left handed)	54"	EE1BI-8-L	\$244
8-wire (left handed)	72"	EE1BI72-8-L	\$301
10-wire (left handed)	54"	EE1BI-10-L	\$295
10-wire (left handed)	72"	EE1BI72-10-L	\$358




## Base Infeeds – New York

10-wire	EE1BI-10N	\$371
8-wire	EE1BI-8N	\$304



## Base Infeeds – San Francisco

8-wire (non-handed)	54"	EE1BI-8SF	\$244
8-wire (non-handed)	72"	EE1BI72-8SF	\$301
10-wire (non-handed)	54"	EE1BI-10SF	\$295
10-wire (non-handed)	72"	EE1BI72-10SF	\$358



# **Jumper End Base Infeeds**

10-wire w/ground	72"	EE1BIJ-10G	\$411
8-wire w/ground	72"	EE1BIJ-8G	\$340
8-wire	72"	EE1BIJ-8	\$313
10-wire	72"	EE1BIJ-10	\$386

Configurations	
8-wire	
2 + 2	
3 + 1	
10-wire	

3 + 3

#### Base Infeeds

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

#### Jumper End Base Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.





Terminal Block			10-WIRE
DESCRIPTION	MODEL#		
8-wire or 10-wire	EE1TB(8/10)	\$56	\$72



Duplex Receptacle		8-WIRE		10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	
Circuit #1	EE1R1	\$50	\$50	\$50	
Circuit #2	EE1R2	\$50	\$50	\$50	
Circuit #3 dedicated for 2+2	EE1R3D	N/A	\$50	N/A	
Circuit #3 for 3+1	EE1R3	\$50	N/A	\$50	
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D	\$50	\$50	\$50	
Circuit #5 dedicated circuit for 3+3	EE1R5D	N/A	N/A	\$50	
Circuit #6 dedicated circuit for 3+3	EE1R6D	N/A	N/A	\$50	



# **Duplex Receptacle (10 Pack)**

Circuit #1	EE1R1 P10	\$411	\$411	\$411
Circuit #2	EE1R2 P10	\$411	\$411	\$411
Circuit #3 dedicated for 2+2	EE1R3D P10	N/A	\$411	N/A
Circuit #3 for 3+1	EE1R3 P10	\$411	N/A	\$411
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10	\$411	\$411	\$411
Circuit #5 dedicated circuit for 3+3	EE1R5D P10	N/A	N/A	\$411
Circuit #6 dedicated circuit for 3+3	EE1R6D P10	N/A	N/A	\$411



# Receptacle – Side Mount

10 Pack	EE1SMRB10	\$250	\$250	\$250

# **Data Shield**

Terminal block shield **EE**15**BR** \$77 \$77



# **Knock-out Replacement Cover**

DESCRIPTION	MODEL#	LIST
10 Pack	EE1KC10	\$68

#### Application Notes

Receptacles are black only.


#### Terminal Block

A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

#### Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE15MRB10) is needed when using a side mount receptacle.



Jumper			8-WIRE	10-WIRE
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL#	o-wire	IOWINE
18"	11 ½"	EE1C18-(8/10)	\$109	\$129
21"	14 ½"	EE1C21-(8/10)	\$113	\$132
24"	17 ½"	EE1C24-(8/10)	\$116	\$135
27"	20 ½"	EE1C27-(8/10)	\$117	\$144
30"	23 ½"	EE1C30-(8/10)	\$120	\$146
33"	26 ½"	EE1C33-(8/10)	\$123	\$152
36"	29 ½"	EE1C36-(8/10)	\$124	\$154
39"	32 ½"	EE1C39-(8/10)	\$130	\$161
42"	35 ½"	EE1C42-(8/10)	\$133	\$166
45"	38 ½"	EE1C45-(8/10)	\$136	\$168
48"	41 ½"	EE1C48-(8/10)	\$141	\$170
51"	44 ½"	EE1C51-(8/10)	\$146	\$178
54"	47 ½"	EE1C54-(8/10)	\$146	\$178
57"	50 ½"	EE1C57-(8/10)	\$154	\$185
60"	53 ½"	EE1C60-(8/10)	\$157	\$190
63"	56 ½"	EE1C63-(8/10)	\$162	\$193
66"	59 ½"	EE1C66-(8/10)	\$165	\$201
69"	62 ½"	EE1C69-(8/10)	\$165	\$201
72"	65 ½"	EE1C72-(8/10)	\$170	\$207
75"	68 ½"	EE1C75-(8/10)	\$172	\$210
78"	71 ½"	EE1C78-(8/10)	\$174	\$216
81"	74 ½"	EE1C81-(8/10)	\$177	\$217
84"	77 ½"	EE1C84-(8/10)	\$178	\$219
87"	80 ½"	EE1C87-(8/10)	\$186	\$229
90"	83 ½"	EE1C90-(8/10)	\$190	\$232
93"	86 ½"	EE1C93-(8/10)	\$192	\$235
96"	89 ½"	EE1C96-(8/10)	\$199	\$241
99"	92 ½"	EE1C99-(8/10)	\$202	\$244
102"	95 ½"	EE1C102-(8/10)	\$205	\$249
105"	98 ½"	EE1C105-(8/10)	\$207	\$253
108"	101 ½"	EE1C108-(8/10)	\$208	\$254
111"	104 ½"	EE1C111-(8/10)	\$216	\$259
114"	107 ½"	EE1C114-(8/10)	\$220	\$266
120"	113 ½"	EE1C120-(8/10)	\$230	\$278
126"	119 ½"	EE1C126-(8/10)	\$234	\$283
132"	125 ½"	EE1C132-(8/10)	\$238	\$292
144"	137 ½"	EE1C144-(8/10)	\$253	\$307

# Configurations

**8-wire** 2 + 2

2+2 3+1

10-wire

3+3


## Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

#### **Calculate the Correct Length**

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





# **Terminal Block**



MODEL#	LIST
EE1TB-(N3/N4)	\$72



# **Duplex Receptacles**

p		
	EE1RIIIN	\$58
	EE1RIIN	\$58
	EE1RIN	\$58
	EE1RIVN	\$58



# **Duplex Receptacles (10 pack)**

EE1RII	IN P10 \$437
EE1RII	<b>N P</b> 10 \$437
EE1RII	<b>N P</b> 10 \$437
EE1RIV	/N <b>P</b> 10 \$437



## **Base Infeeds**

NOMINAL LENGTH	MODEL #	LIST
54"	EE1BI-(N3/N4)	\$312
72"	EE1BI72-(N3/N4)	\$330



## Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$312
72"	EE1BI72-(N3/N4)SF	\$330

# **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 8-wire	EE1CH-N3	\$683
E-Series 10-wire	EE1CH-N4	\$817

#### Specification Information

#### 8-wire N3

8-wire N3 = 2+1 system (2) hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

#### 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

#### **Application Notes**


#### **Jumpers**

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.


#### Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.



# **Jumper**



NOMINAL LENGTH	MODEL#	LIST
18"	EE1C18-(N3/N4)	\$133
21"	EE1C21-(N3/N4)	\$141
24"	EE1C24-(N3/N4)	\$145
27"	EE1C27-(N3/N4)	\$152
30"	EE1C30-(N3/N4)	\$157
33"	EE1C33-(N3/N4)	\$161
36"	EE1C36-(N3/N4)	\$162
39"	EE1C39-(N3/N4)	\$167
42"	EE1C42-(N3/N4)	\$174
45"	EE1C45-(N3/N4)	\$178
48"	EE1C48-(N3/N4)	\$179
51"	EE1C51-(N3/N4)	\$187
54"	EE1C54-(N3/N4)	\$187
57"	EE1C57-(N3/N4)	\$193
60"	EE1C60-(N3/N4)	\$202
63"	EE1C63-(N3/N4)	\$206
66"	EE1C66-(N3/N4)	\$208
69"	EE1C69-(N3/N4)	\$208
72"	EE1C72-(N3/N4)	\$219
75"	EE1C75-(N3/N4)	\$223
78"	EE1C78-(N3/N4)	\$227
81"	EE1C81-(N3/N4)	\$230
84"	EE1C84-(N3/N4)	\$232
87"	EE1C87-(N3/N4)	\$241
90"	EE1C90-(N3/N4)	\$244
93"	EE1C93-(N3/N4)	\$247
96"	EE1C96-(N3/N4)	\$253
99"	EE1C99-(N3/N4)	\$255
102"	EE1C102-(N3/N4)	\$259
105"	EE1C105-(N3/N4)	\$266
108"	EE1C108-(N3/N4)	\$267
111"	EE1C111-(N3/N4)	\$277
114"	EE1C114-(N3/N4)	\$280
120"	EE1C120-(N3/N4)	\$293
126"	EE1C126-(N3/N4)	\$298
132"	EE1C132-(N3/N4)	\$305
144"	EE1C144-(N3/N4)	\$322

#### Specification Information

#### 8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

#### 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

#### **Application Notes**


#### Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

#### Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





**Charge Spot** 

DESCRIPTION	MODEL#	LIST
Wireless device charger	AWDC1	\$427
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,447



# **Charge Spot Dongles**

Apple Lightning dongle	AWDCSA	\$77
mUSB donale	AWDCSU	\$77

# **Charge Spot Replacement Power**

Single unit power supply	AWDCRPS1	\$57
Multi unit power supply	AWDCRPS4	\$257



# **Desktop Power**

108" Cord length	3 ¾"	4 1/2"	EE4WSME108	\$177
72" Cord length	3 ¾"	4 1/2"	EE4WSME72	\$157



# **Desktop Data**

3 3/4"	2 1/2"	5"	EE4WSMC	\$133



# **Desktop Power & Data**

108" Cord length	EE4WSMED108	\$379
72" Cord length	EE4WSMED72	\$347

### Specify

1. Model#

#### **Desktop Modules**

Duplex electrical and communications outlets that attach at any point along the rear of a worksurface.

Accommodates surfaces 1" to 1 3/4" thick.

#### Installation

Clamps to back of worksurface with included bracketry.

Available in black only.

# **Data Wiring**

Data wiring and keystones provided by customer's cabling contractor.



# **Ashley Duo**

DESCRIPTION	W	D	Н	MODEL#	LIST
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$390
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$380



# **Ashley Duo Air**

In-worksurface pop-up power	7"	5"	EPUPM72	\$497

# **Ashley 202**



Clamp					
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM120	\$367
120" cord length, hardwired	5 ½"	3 1/8"	2"	EE4WSA202CM120HW	\$442
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM72	\$357
72" cord length, hardwired	5 ½"	3 1/8"	2"	EE4WSA202CM72HW	\$432



# Under-worksurface

120" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW120	\$317
120" cord length, hardwired	5 ½"	3 1/8"	2"	EE4WSA202UW120HW	\$392
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW72	\$307
72" cord length, hardwired	5 ½"	3 1/8"	2"	EE4WSA202UW72HW	\$382



#### In-surface

III-surrace					
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS120	\$367
120" cord length, hardwired	5 ½"	3 1/8"	2"	EE4WSA202IS120HW	\$442
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS72	\$357
72" cord length, hardwired	5 1/5"	3 1/4"	2"	FF4WSA202IS72HW	\$432

# **Ashley Quad**



Under Worksurface					
4 AC outlets, 2 USB, 2 Data	10 %"	3 %" 1	3/4"	EE4UWSAQ2D72	\$657
4 AC outlets, 2 USB, 2 Data	10 1/8"	3 1/8" 1	3/4"	EE4UWSAQ2D120	\$677
Panel Supported					
4 AC outlets, 2 USB, 2 Data	10 %"	3 %" 1	3/4"	EE4PSAQ2D72	\$727
4 AC outlets, 2 USB, 2 Data	10 %"	3 %" 1	3/4"	EE4PSAQ2D120	\$747



#### **Specify Ashley Duo**

- 1. Model#
- 2. Metal trim finish
- 3. Plastic finish

# Ashley Duo

# Specifications

- 2 15A, 120V AC Power Outlets
- 2 2.1A/10.5W USB Charging Ports
- 6' or 10' Cord and Hardwire Options
- Meets USB.org Battery
- Charging 1.2 Specifications
   Accommodates surfaces
  1" to 1 3/4" thick.

# Ashley 202

#### Specifications

- 2 15A, 120V AC Power Outlets
- 2 Data Inserts for HDMI, RJ45, RJ11,
- VGA or Blank Insert
   6' or 10' Cord or
  Hardwire Option
- Accommodates surfaces
   1" to 1 ¾" thick.

#### **Ashley Quad**

#### Specifications

- 4 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option

#### **Metal Trim Finishes**

MBLK .... . Black MWHT ... . White MSIL ... . . Silver

#### **Plastic Finishes**

PBLK.....Black PWHT.....White PSIL .....Silver

# **Worksurfaces**

**General Info** 

Step 1 - Model #

			Options					
Worksurface Type	W	D		Wiring			Extended En	ds
EW1 Rectangle	48	24	G G2	<b>Grommets</b> Scallop	<b>\$25</b> \$50	E EE	One End Both Ends	<b>\$21</b> \$42
EW1	48	24	G			Е		

Step 2 - Surface Finish

Laminate Edge Band
PW-STK Studio Teak

EB-STK Studio Teak

PW-STK EB-STK

Step 3 – Edge Finish

#### **FEATURES**

# **DEPTHS** 20"

24" 30" 36"

#### WIDTHS

24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 114" 120"

#### **THICKNESS**

1 1/8"

# **WIRING & CABLING**

#### GROMMET



When a standard grommet is specified it is in a rear, centered location and is available in black only. Corner worksurfaces provide two edge grommets.

#### **SCALLOP**



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

#### **CABLE DROP**

3/8" Cable management gap

# **EDGE DETAIL**

#### **STANDARD**

3mm ABS

#### WOODGRAIN

2mm PVC

# **SURFACE MATERIALS**

#### STANDARD WORKSURFACE

High pressure laminate

#### **CASCADE WORKSURFACE**

Thermafoil (available on Cascade edge only)


#### **EDGEBAND**

Available matching or contrasting. Upcharge may be applicable.

#### **SUPPORTS**

Under worksurface — black powdercoat Countercap supports — paint

# **WORKSURFACES**



## Worksurface

General Info

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page (page 14) at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.

#### D&PTOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

#### **WORKSURFACE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1 ½" narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1½" to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "EE", extending the surface by 3" from the standard. Adjustable height work surfaces, page 88, are 2" narrower than a standard surface to meet anti-pinch point requirements around their perimeter.

**E**.... Covers 1 post **EE**... Covers 2 posts


#### 24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".


(T) - Available on

W	Н	W (actual)	
48"	24"	43 1/4"	EW14824T
54"	24"	49 1/4"	EW15424T
60"	24"	55 1/4"	EW16024T
66"	24"	61 1/4"	EW16624T
72"	24"	67 1/4"	EW17224T
78"	24"	73 1/4"	EW17824T
84"	24"	79 1/4"	EW18424T



#### MOUNTING CORNER WORKSURFACES

**USING ALL CANTILEVERS** 



USING 2 CANTILEVERS AND 1 PANEL TO WORKSURFACE BRACKET



## Worksurface Support Information


Worksur	face Sizes	Cantilev	er-C	Adjustable Bar S	upport-S	Supporting Pedestal	Supporting Pedestal
W	D	EB1C20(I	L/R)	EB1SR(S/	L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	2S	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C		+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"			378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	_		432 lbs	2S/2C	_	+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"			486 lbs	2S/2C		+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
120"	30"	_		540 lbs	2S/2C	_	+3 Support

- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
   As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.

INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.


## Worksurface



W3	W6	W13
	W7	T3
3		
W4	W11	T4
W5	W12	T5



			• • • • • • • • • • • • • • • • • • • •				
20"[	)eep		LAMINATE				
W	D	MODEL#	L1	L2	L3		
24"	20"	<b>EW</b> 12420	\$310	\$341	\$372		
30"	20"	<b>EW</b> 13020	\$335	\$369	\$402		
36"	20"	<b>EW</b> 13620	\$365	\$402	\$438		
42"	20"	<b>EW</b> 14220	\$390	\$429	\$468		
48"	20"	<b>EW</b> 14820	\$420	\$462	\$504		
54"	20"	<b>EW</b> 15420	\$445	\$490	\$534		
60"	20"	<b>EW</b> 16020	\$475	\$523	\$570		
66"	20"	<b>EW</b> 16620	\$500	\$550	\$600		
72"	20"	<b>EW</b> 17220	\$510	\$561	\$612		
78"	20"	<b>EW</b> 17820	\$530	\$583	\$636		
84"	20"	<b>EW</b> 18420	\$560	\$616	\$672		
90"	20"	<b>EW</b> 19020	\$585	\$644	\$702		
96"	20"	<b>EW</b> 19620	\$615	\$677	\$738		
102"	20"	<b>EW</b> 110220	\$640	\$704	\$768		
108"	20"	<b>EW</b> 110820	\$670	\$737	\$804		
114"	20"	<b>EW</b> 111420	\$695	\$765	\$834		
120"	20"	<b>EW</b> 112020	\$725	\$798	\$870		



## 24" Deep


	- cch				
24"	24"	<b>EW</b> 12424	\$340	\$374	\$408
30"	24"	<b>EW</b> 13024	\$360	\$396	\$432
36"	24"	<b>EW</b> 13624	\$380	\$418	\$456
42"	24"	<b>EW</b> 14224	\$400	\$440	\$480
48"	24"	<b>EW</b> 14824	\$420	\$462	\$504
54"	24"	<b>EW</b> 15424	\$450	\$495	\$540
60"	24"	<b>EW</b> 16024	\$505	\$556	\$606
66"	24"	<b>EW</b> 16624	\$555	\$611	\$666
72"	24"	<b>EW</b> 17224	\$565	\$622	\$678
78"	24"	<b>EW</b> 17824	\$580	\$638	\$696
84"	24"	<b>EW</b> 18424	\$590	\$649	\$708
90"	24"	<b>EW</b> 19024	\$600	\$660	\$720
96"	24"	<b>EW</b> 19624	\$635	\$699	\$762
102"	24"	<b>EW</b> 110224	\$670	\$737	\$804
108"	24"	<b>EW</b> 110824	\$695	\$765	\$834
114"	24"	<b>EW</b> 111424	\$725	\$798	\$870
120"	24"	<b>EW</b> 112024	\$750	\$825	\$900

## 24" DEEP STRAIGHTS **& 15" TOWERS**




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

				Options					
	W	D		Wiring		Ex	tended Ends		
EW1 Rectangle	48	24	G	Grommet	\$25	Е	One End	\$21	
			G2	Scallop	\$50	EE	Both Ends	\$42	
EW1	48	24	G			Е			



30"[	)eep		LAMINATE			
W	D	MODEL #	L1	L2	L3	
24"	30"	<b>EW</b> 12430	\$390	\$429	\$468	
30"	30"	<b>EW</b> 13030	\$420	\$462	\$504	
36"	30"	<b>EW</b> 13630	\$445	\$490	\$534	
42"	30"	<b>EW</b> 14230	\$475	\$523	\$570	
48"	30"	<b>EW</b> 14830	\$490	\$539	\$588	
54"	30"	<b>EW</b> 15430	\$570	\$627	\$684	
60"	30"	<b>EW</b> 16030	\$615	\$677	\$738	
66"	30"	<b>EW</b> 16630	\$655	\$721	\$786	
72"	30"	<b>EW</b> 17230	\$690	\$759	\$828	
78"	30"	<b>EW</b> 17830	\$710	\$781	\$852	
84"	30"	<b>EW</b> 18430	\$750	\$825	\$900	
90"	30"	<b>EW</b> 19030	\$790	\$869	\$948	
96"	30"	<b>EW</b> 19630	\$815	\$897	\$978	
102"	30"	<b>EW</b> 110230	\$900	\$990	\$1,080	
108"	30"	<b>EW</b> 110830	\$945	\$1,040	\$1,134	
114"	30"	<b>EW</b> 111430	\$980	\$1,078	\$1,176	
120"	30"	<b>EW</b> 112030	\$1,020	\$1,122	\$1,224	



## 36" Deep

30	DCCP				
48"	36"	<b>EW</b> 14836	\$680	\$748	\$816
54"	36"	<b>EW</b> 15436	\$705	\$776	\$846
60"	36"	<b>EW</b> 16036	\$735	\$809	\$882
66"	36"	<b>EW</b> 16636	\$775	\$853	\$930
72"	36"	<b>EW</b> 17236	\$830	\$913	\$996
78"	36"	<b>EW</b> 17836	\$875	\$963	\$1,050
84"	36"	<b>EW</b> 18436	\$900	\$990	\$1,080
90"	36"	<b>EW</b> 19036	\$945	\$1,040	\$1,134
96"	36"	<b>EW</b> 19636	\$1,000	\$1,100	\$1,200
102"	36"	<b>EW</b> 110236	\$1,055	\$1,161	\$1,266
108"	36"	<b>EW</b> 110836	\$1,115	\$1,227	\$1,338
114"	36"	<b>EW</b> 111436	\$1,175	\$1,293	\$1,410
120"	36"	<b>EW</b> 112036	\$1,225	\$1,348	\$1,470

#### Specify

- 1. Model#
- Options
   Laminate
- 4. Edge band

# **Grain Direction**

## Wiring & Cabling **G2** G

#### Grommet \$25


#### Scallop \$50

#### Support Information


All supports must be ordered separately. See page 84 – 85.

#### **Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.



Strai	ight l	Front			LAMINATE		
Α	L	R	MODEL #	L1	L2	L3	
36"	20"	20"	EW1C3620	\$565	\$622	\$678	
36"	24"	24"	EW1C3624	\$565	\$622	\$678	
36"	30"	30"	EW1C3630	\$635	\$699	\$762	
42"	20"	20"	EW1C4220	\$715	\$787	\$858	
42"	24"	24"	EW1C4224	\$715	\$787	\$858	
42"	30"	30"	EW1C4230	\$775	\$853	\$930	
48"	20"	20"	EW1C4820	\$855	\$941	\$1,026	
48"	24"	24"	EW1C4824	\$855	\$941	\$1,026	
48"	30"	30"	EW1C4830	\$870	\$957	\$1,044	




## **Curved Front**

	36"	24"	24"	EW1CC3624	\$620	\$682	\$744	
>	42"	24"	24"	EW1CC4224	\$790	\$869	\$948	
	48"	24"	24"	EW1CC4824	\$940	\$1,034	\$1,128	
	60"	24"	24"	EW1CC6024	\$1,050	\$1,155	\$1,260	




#### **Corner with Cutout**

48"	24"	24"	EW1C4824K	\$850	\$935	\$1,020



#### **Different Returns**

36"	24"	30"	EW1C362430	\$760	\$836	\$912	
36"	30"	24"	EW1C363024	\$760	\$836	\$912	
42"	24"	30"	EW1C422430	\$855	\$941	\$1,026	
42"	30"	24"	EW1C423024	\$855	\$941	\$1,026	
48"	24"	30"	EW1C482430	\$945	\$1,040	\$1,134	
48"	30"	24"	EW1C483024	\$945	\$1,040	\$1,134	



Split Corner — all hardware included				LAMINATE	PAINT (CANTILEVERS ONLY)			
A	L	R	MODEL#	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$1,885	\$2,074	\$2,262	+ \$15	+ \$30
42"	24"	24"	EW1SC4224	\$1,935	\$2,129	\$2,322	+ \$15	+ \$30
42"	30"	30"	EW1SC4230	\$1,965	\$2,162	\$2,358	+ \$15	+ \$30
48"	24"	24"	EW1SC4824	\$2,045	\$2,250	\$2,454	+ \$15	+ \$30
48"	30"	30"	EW1SC4830	\$2,180	\$2,398	\$2,616	+ \$15	+ \$30
			2111321030	72,100	72,370	72,010	1 715	1 750

Paint option is for cantilevers only. All other hardware is only avaiable in black.

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Grain direction

## **Grain Direction**



Insert the desired direction after the laminate finish code.

Add \$25 to list price for diagonal grain (D).

#### **Wiring & Cabling**





Grommet \$25

#### Scallop

#### **Application Notes**


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

#### Support Information


All supports must be ordered separately. See page 84 – 85.

#### **Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	t Hai	nd				LAMINATE	
9	· III	-				LAMINAIL	
L	Α	В	R	MODEL#	L1	L2	L3
24"	36"	60"	24"	EW1BS3660S(X/L/R/B)	\$845	\$930	\$1,014
24"	48"	60"	24"	EW1BS4860S(X/L/R/B)	\$865	\$952	\$1,038
24"	48"	66"	24"	EW1BS4866S(X/L/R/B)	\$890	\$979	\$1,068
24"	36"	72"	24"	EW1BS3672S(X/L/R/B)	\$890	\$979	\$1,068
24"	48"	72"	24"	EW1BS4872S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	48"	60"	30"	EW1BS4860D(X/L/R/B)	\$890	\$979	\$1,068
24"	48"	66"	30"	EW1BS4866D(X/L/R/B)	\$910	\$1,001	\$1,092
24"	48"	72"	30"	EW1BS4872D(X/L/R/B)	\$965	\$1,062	\$1,158
30"	48"	60"	24"	EW1BD4860S(X/L/R/B)	\$890	\$979	\$1,068
30"	48"	66"	24"	EW1BD4866S(X/L/R/B)	\$895	\$985	\$1,074
30"	48"	72"	24"	EW1BD4872S(X/L/R/B)	\$940	\$1,034	\$1,128



## **Left Hand**

24"	60"	36"	24"	EW1BS6036S(X/L/R/B)	\$845	\$930	\$1,014
24"	60"	48"	24"	EW1BS6048S(X/L/R/B)	\$870	\$957	\$1,044
24"	66"	48"	24"	EW1BS6648S(X/L/R/B)	\$890	\$979	\$1,068
24"	72"	36"	24"	EW1BS7236S(X/L/R/B)	\$895	\$985	\$1,074
24"	72"	48"	24"	EW1BS7248S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	60"	48"	30"	EW1BS6048D(X/L/R/B)	\$870	\$957	\$1,044
24"	66"	48"	30"	EW1BS6648D(X/L/R/B)	\$890	\$979	\$1,068
24"	72"	48"	30"	EW1BS7248D(X/L/R/B)	\$940	\$1,034	\$1,128
30"	60"	48"	24"	EW1BD6048S(X/L/R/B)	\$870	\$957	\$1,044
30"	66"	48"	24"	EW1BD6648S(X/L/R/B)	\$910	\$1,001	\$1,092
30"	72"	48"	24"	EW1BD7248S(X/L/R/B)	\$965	\$1,062	\$1,158

					Options
	L	A B	R	Posts Covered	Wiring
EW1B Blended Worksurface	S 24"	36 72	S 24"	X No posts covered	G Grommet \$25
	D 30"		D 30"	L Left side post covered R Right side post covered B Both side posts covered	G2 Scallop \$50
EW1B	S	36 72	S	х	G

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band



# Wiring & Cabling G G Grommet \$25 Scallop \$50

#### **Application Notes**


Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

#### Support Information


All supports must be ordered separately. See page 84.

**Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	Right Hand				LAMINATE	
A	В	C	MODEL#	L1	L2	L3
60"	48"	24"	EW1BP6048SR	\$975	\$1,073	\$1,170
72"	48"	24"	EW1BP7248SR	\$995	\$1,095	\$1,194
72"	48"	30"	EW1BP7248DR	\$1,020	\$1,122	\$1,224
78"	48"	24"	EW1BP7848SR	\$1,040	\$1,144	\$1,248
78"	48"	30"	EW1BP7848DR	\$1,040	\$1,144	\$1,248
84"	48"	24"	EW1BP8448SR	\$1,225	\$1,348	\$1,470
84"	48"	30"	EW1BP8448DR	\$1,250	\$1,375	\$1,500



#### Left Hand

- 1			-				
	60"	48"	24"	EW1BP6048SL	\$975	\$1,073	\$1,170
	72"	48"	24"	EW1BP7248SL	\$995	\$1,095	\$1,194
	72"	48"	30"	EW1BP7248DL	\$1,020	\$1,122	\$1,224
	78"	48"	24"	EW1BP7848SL	\$1,040	\$1,144	\$1,248
	78"	48"	30"	EW1BP7848DL	\$1,040	\$1,144	\$1,248
	84"	48"	24"	EW1BP8448SL	\$1,225	\$1,348	\$1,470
	84"	48"	30"	EW1BP8448DL	\$1,250	\$1,375	\$1,500

	Α	В	С	Posts Covered
EW1BP Blended Peninsula	36	72	S 24" Deep	L Left side post covered
	:	:	D 30" Deep	R Right side post covered
	•	•		
		•	•	
•		į .		•
EW1BP	36	72	S	L

#### Specify

- 1. Model #
- 2. Options
- 3. Laminate

#### 4. Edge band

# Grain Direction

# Grommet


Blended peninsulas do not come with a grommet. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

#### Support Information


All supports must be ordered separately. See page 84 – 85.

## **Worksurface Loading & Support** See page 73.

Center support must be used for all surfaces which exceed 48" in length.



D Pe	ninsu	ıla	LAMINATE			
W	D	MODEL#	L1	L2	L3	
60"	30"	EW1D6030	\$550	\$605	\$660	
72"	30"	EW1D7230	\$955	\$1,051	\$1,146	
72"	36"	EW1D7236	\$1,115	\$1,227	\$1,338	
84"	30"	EW1D8430	\$1,250	\$1,375	\$1,500	
84"	36"	EW1D8436	\$1,390	\$1,529	\$1,668	




#### 9 & P Peninsula

72"	30"	EW1(9/P)7230	\$955	\$1,051	\$1,146
72"	36"	EW1(9/P)7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1(9/P)8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1(9/P)8436	\$1,390	\$1,529	\$1,668

	w	D
D Peninsula	72	30
9 Peninsula		
P Peninsula		
		:
		:
	72	30
	9 Peninsula	9 Peninsula P Peninsula

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate4. Edge band



**Grain Direction** 

#### **Application Notes**

Designed for use as primary worksurfaces and for conferencing in small groups.


NOTE: P and D worksurfaces cannot be panel wrapped.

#### **Support Information**

Column bases and adjustable bar supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

84" wide D, P and 9 worksurfaces include a V support bar mounted on the underside for additional stability.



Half	Roui	nd without Notch		LAMINATE	
W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830	\$745	\$820	\$894
60"	36"	EW1HR6036	\$934	\$1,027	\$1,121



## **Half Round with Notch**

W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830N	\$745	\$820	\$894
60"	36"	EW1HR6036N	\$934	\$1,027	\$1,121



#### **Corner Round**

D	MODEL#	L1	L2	L3
24"	EW1CR24	\$335	\$369	\$402
30"	EW1CR30	\$365	\$402	\$438

			Options
	w	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	N

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band



#### **Half Round Without Notches**

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

#### **Half Round With Notches**

#### Included

Splice plates


#### Not Included nor Required

• Bar support


#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.




Blen	ded	Doubl	e Corner		LAMINATE	
Α	В	C	MODEL#	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,250	\$1,375	\$1,500



#### 135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	<b>EW</b> 11353624	\$917	\$1,009	\$1,100
42"	24"	<b>EW</b> 11354224	\$1,145	\$1,260	\$1,374
48"	24"	<b>EW</b> 11354824	\$1,317	\$1,449	\$1,580



## 135° Cluster Core

-	M	ODEL#	L1	L2	L3
30	5" <b>E\</b>	<b>W</b> 1135 <b>C</b> 36	\$586	\$645	\$703
4	2" <b>E\</b>	<b>N</b> 1135 <b>C</b> 42	\$647	\$712	\$776
48	3" <b>E\</b>	<b>N</b> 1135 <b>C</b> 48	\$711	\$782	\$853

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band

# Wiring & Cabling G G2

Grommet \$25 Scallop \$50

# Grain Direction



#### Double Corner

Double corner worksurface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

#### 135° Curved Cluster

Used in 135° planning configurations.

#### Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.



Cantilever					PAINT	
DESCRIPTION	D	MODEL#	BLACK	P1	P2	P3
Left hand	20"	EB1C20L	\$90	\$150	\$165	\$180
Left hand (10 pack)	20"	EB1C20L10	\$700	\$1,000	\$1,100	\$1,200
Right hand	20"	EB1C20R	\$90	\$150	\$165	\$180
Right hand (10 pack)	20"	EB1C20R10	\$700	\$1,000	\$1,100	\$1,200



#### 120 Cantilever

Left hand 60°	18"	EB3C18L60	\$92	\$152	\$167	\$182
Left hand 90°	18"	EB3C18L90	\$92	\$152	\$167	\$182
Right hand 60°	18"	EB3C18R60	\$92	\$152	\$167	\$182
Right hand 90°	18"	EB3C18R90	\$92	\$152	\$167	\$182




## **Splice Plate**

20" Flat bracket (20" & 24" tops)	EB1F24	\$45	N/A	N/A	N/A
26" Flat bracket (30" & 36" tops)	<b>EB</b> 1 <b>F</b> 30	\$52	N/A	N/A	N/A
Alignment plate	EB1APW	\$14	N/A	N/A	N/A



## Bracket

Panel to worksurface bracket	EB1PWS(L/R)	\$15	\$50	\$55	\$60
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$29	\$90	\$99	\$108



## **V Channel Support**

54"	VS54	\$125	N/A	N/A	N/A
100"	<b>VS</b> 100	\$240	N/A	N/A	N/A

## **Worksurface Support Rail**

46"	60"	WSR46	\$80	N/A	N/A	N/A
57"	72"	WSR57	\$95	N/A	N/A	N/A

#### Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

#### Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Adjustable Bar Support				PAINT	
DESCRIPTION	MODEL#	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$200	\$250	\$275	\$300
24", 30" and 36" (10 pack)	EB1SRS10	\$1,900	\$2,400	\$2,640	\$2,880
42", 48" and 60"	EB1SRL	\$225	\$275	\$303	\$330
42", 48" and 60" (10 pack)	EB1SRL10	\$2,000	\$2,600	\$2,860	\$3,120



Desk Er	nd Panels			LAMINATE	
Н	W	MODEL#	L1	L2	L3
29"	20"	EB1DEP20	\$613	\$674	\$736
29"	24"	EB1DEP24	\$625	\$688	\$750
29"	30"	EB1DEP30	\$661	\$727	\$793

#### Specify

1. Model#

2. Paint

#### Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1"increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.



Column Bases		PAINT			
DESCRIPTION	Н	MODEL#	P1	P2	Р3
Fixed height support column	27 ¾"	EB1FCOL	\$320	\$348	\$362



## **Tapered Legs**

iapeica regs					
Single leg	27 ¾"	TBTL	\$3	\$50 \$385	\$420
Single leg w/caster	27 ¾"	TBTLC	\$3	\$75 \$410	\$445
Set of 2	27 ¾"	TBTL2	\$6	\$660	\$720
Set of 2 w/casters	27 ¾"	TBTL2C	\$6	550 \$710	\$770
Set of 4	27 ¾"	TBTL4	\$1,1	50 \$1,265	\$1,380
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,2	250 \$1,365	\$1,480
Bar height single leg	40 ½"	TBTLBH	\$7	90 \$890	\$990
Bar height set of 2	40 ½"	TBTLBH2	\$1,5	\$1,800	\$1,875
Bar height set of 4	40 ½"	TBTLBH4	\$2,7	700 \$3,000	\$3,400

## Specify

- 1. Model # 2. Paint



		•••••••••••••••••••••••••••••••••••••••			
O Legs		PAINT			
DESCRIPTION	Н	MODEL#	P1	P2	Р3
24" Deep	27 ¾"	TBOLL24	\$597	\$657	\$716
30" Deep	27 ¾"	TBOLL30	\$607	\$668	\$728
24" Deep (set of 2)	27 ¾"	TBOLL242	\$1,177	\$1,295	\$1,412
30" Deep (set of 2)	27 3/4"	TBOLL302	\$1,197	\$1,317	\$1,436



#### T Leas

20" Deep	27 ¾"	TBTLL20	\$337	\$371	\$404
26" Deep	27 ¾"	TBTLL26	\$347	\$382	\$416
36" Deep	27 ¾"	TBTLL36	\$367	\$404	\$440
42" Deep	27 ¾"	TBTLL42	\$447	\$492	\$536
48" Deep	27 ¾"	TBTLL48	\$527	\$580	\$632
20" Deep (set of 2)	27 ¾"	TBTLL202	\$657	\$723	\$788
26" Deep (set of 2)	27 ¾"	TBTLL262	\$677	\$745	\$812
36" Deep (set of 2)	27 ¾"	TBTLL362	\$717	\$789	\$860
42" Deep (set of 2)	27 ¾"	TBTLL422	\$877	\$965	\$1,052
48" Deep (set of 2)	27 ¾"	TBTLL482	\$1,027	\$1,130	\$1,232



## **C** Legs

20" Deep	27 ¾"	TBCLL20	\$337	\$371	\$404
26" Deep	27 ¾"	TBCLL26	\$347	\$382	\$416
32" Deep	27 ¾"	TBCLL32	\$367	\$404	\$440
20" Deep (set of 2)	27 ¾"	TBCLL202	\$657	\$723	\$788
26" Deep (set of 2)	27 ¾"	TBCLL262	\$677	\$745	\$812
32" Deep (set of 2)	27 ¾"	TBCLL322	\$727	\$800	\$872

#### Specify

1. Model#

2. Paint

#### Levelers

Adjustable height levelers are included at no additional cost on all models.

**Shank Length** 

C & T legs — 3/8-16 x 3/4" O legs — 3/8-16 x 2"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

## **Height Adjustable Worksurfaces**

**Panel Supported** 



Pneuma	atic He	ight Adjustable	•	LAMINATE		W	OOD VENEER	
W	D	MODEL#	L1	L2	L3			
42"	24"	EAW14224	\$2,047	\$2,137	\$2,177	\$2,397	\$2,577	\$2,657
48"	24"	EAW14824	\$2,137	\$2,179	\$2,221	\$2,577	\$2,661	\$2,745
54"	24"	EAW15424	\$2,237	\$2,252	\$2,287	\$2,757	\$2,787	\$2,857
60"	24"	EAW16024	\$2,252	\$2,303	\$2,353	\$2,787	\$2,889	\$2,989
72"	24"	EAW17224	\$2,352	\$2,409	\$2,465	\$2,987	\$3,101	\$3,213
42"	30"	EAW14230	\$2,147	\$2,220	\$2,267	\$2,577	\$2,723	\$2,817
48"	30"	EAW14830	\$2,207	\$2,256	\$2,305	\$2,667	\$2,765	\$2,863
54"	30"	EAW15430	\$2,317	\$2,374	\$2,431	\$2,887	\$3,001	\$3,115
60"	30"	EAW16030	\$2,362	\$2,424	\$2,485	\$2,937	\$3,061	\$3,183
72"	30"	EAW17230	\$2,477	\$2,546	\$2,615	\$3,167	\$3,305	\$3,443

## Pneumatic Height Adjustable – Mech Only

W	D	MODEL#	BLACK OR SILVER
42"	24"	EAW4224M	\$1,697
42"	30"	EAW4230M	\$1,697
48"	24"	EAW4824M	\$1,717
48"	30"	EAW4830M	\$1,717
54"	24"	EAW5424M	\$1,717
54"	30"	EAW5430M	\$1,717
60"	24"	EAW6024M	\$1,747
60"	30"	EAW6030M	\$1,747
72"	24"	EAW7224M	\$1,787
72"	30"	EAW7230M	\$1,787

					Options	
Wo	orksurface Type	W	D		Wiring	
EAW1	Height Adjustable	42	24	G	Grommet	\$25
				G2	Scallop	\$50
EAW1		42	24	G		

#### Specify


- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver

#### **Application Notes**

Provides 18" of vertical movement.

#### **Grain Direction**





#### **Specification Guidelines**


Order an adjustable height work surface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.

There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points. When used as a solitary work surface perpendicular panels of 18" minimum width must be specified on both sides for stability.

When used in conjunction with a stationary worksurface there should be a perpendicular panel at the free end of the adjustable worksurface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.

# Worksurfaces




orksur/	face Or	ly — For Height Adjustable Supports		LAMINATE		V	OOD VENEER	
W	D	MODEL#	L1	L2	L3	W1	W2	W3
42"	24"	EAW14224WS	\$400	\$440	\$480	\$800	\$880	\$960
42"	30"	EAW14230WS	\$475	\$523	\$570	\$950	\$1,046	\$1,140
48"	24"	EAW14824WS	\$420	\$462	\$504	\$840	\$924	\$1,008
48"	30"	EAW14830WS	\$490	\$539	\$588	\$980	\$1,078	\$1,176
54"	24"	EAW15424WS	\$460	\$506	\$552	\$920	\$1,012	\$1,104
54"	30"	EAW15430WS	\$550	\$605	\$659	\$1,100	\$1,210	\$1,318
60"	24"	EAW16024WS	\$505	\$556	\$606	\$1,010	\$1,112	\$1,212
60"	30"	EAW16030WS	\$615	\$677	\$738	\$1,230	\$1,354	\$1,476
72"	24"	EAW17224WS	\$565	\$622	\$678	\$1,130	\$1,244	\$1,356
72"	30"	EAW17230WS	\$690	\$759	\$828	\$1,380	\$1,518	\$1,656






## **Electric Height Adjustable Base**


DESCRIPTION	FOOT DEPTH	MODEL#	BLACK OR SILVER
2 legs	23 3/5"	TBAHL224	\$1,997
2 legs	29"	TBAHL230	\$1,997
3 legs	23 3/5"	TBAHL324	\$2,797





#### Specify

- 1. Model #
- 2. Trim color



#### Application Notes

#### Electric Height Adjustable Base Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" – 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".

## **Worksurfaces**

120° Planning

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a model number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.

#### Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.

#### Worksurface: W6 (L/R)


In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."



#### Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.








#### Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.












#### Worksurface: W5 (L/R)


With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.


#### Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.











#### Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."





#### Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









#### **Transition Tops**

Transition tops require columns (not included — (page 85)) for support. Flat brackets (not included — (page 84)) are required to attach transition tops to adjacent worksurfaces.



Transition top



Transition top



Transition top



Transition top

#### **Peninsula Tops**

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — (page 85)).




Peninsula top



Peninsula top: P2 right hand



Peninsula top: P2 left hand



W3					LAMINATE	
W	L	R	MODEL#	L1	L2	L3
48"	24"	24"	EW1W34824	\$1,020	\$1,122	\$1,224

**Woodgrain Direction** 








•	48"	24"	24"	EW1W44824	:	\$1,030	\$1,133	\$1,236

**Woodgrain Direction** 






#### **W5**

48"	24"	24"	EW1W54824L	\$975	\$1,073	\$1,170
48"	24"	24"	EW1W54824R	\$975	\$1,073	\$1,170

**Woodgrain Direction** 







48"	24"	24"	EW1W64824L	\$1,090	\$1,199	\$1,308
48"	24"	24"	EW1W64824R	\$1,090	\$1,199	\$1,308

**Woodgrain Direction** 



#### Specify

- 1. Model#
- 2. Laminate
- 3. Edge band

#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.


#### **Application Notes**

Refer to the worksurface planning page (90) for worksurface drawings and applications.

#### W3

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the model number and adding \$21 (list).


W3 top may be extended on both ends by adding an "EB" to the end of the model number and adding \$42 (list).



W7				LAMINATE		
W	L	R	MODEL#	L1	L2	L3
48"	24"	24"	EW1W74824L	\$1,085	\$1,194	\$1,302
48"	24"	24"	EW1W74824R	\$1,085	\$1,194	\$1,302

**Woodgrain Direction** 






#### **W11**

48"	24"	18"	EW1W11482418	\$1,280	\$1,408	\$1,536
48"	18"	24"	<b>EW</b> 1 <b>W</b> 11481824	\$1,280	\$1,408	\$1,536

**Woodgrain Direction** 






#### W12

48"	24"	18"	EW1W12482418	\$1,360	\$1,496	\$1,632
48"	18"	24"	EW1W12481824	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824L	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824R	\$1,360	\$1,496	\$1,632

**Woodgrain Direction** 





## W13

48"	24"	18"	EW1W13482418	\$1,310	\$1,441	\$1,572
48"	18"	24"	EW1W13481824	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824L	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824R	\$1,310	\$1,441	\$1,572

**Woodgrain Direction** 



#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

#### **Application Notes**

Refer to the worksurface planning page (90) for worksurface drawings and applications.

#### W7

Straight ends are available extended by adding an "E" to the end of the model number and adding \$21 (list).

## **Worksurfaces**

**Transition Tops** 



T2				LAMINATE			
W	RETURN	MODEL#	L1	L2	L3		
50"	24"	EW1T224	\$655	\$721	\$786		
37 ½"	18"	EW1T218	\$615	\$677	\$738		



T3
26" 24" EW1T324 \$625 \$688 \$750



T4

26" 24" EW1T424 \$645 \$710 \$774



T5								
	37 ½"	18"	EW1T518	\$675	\$743	\$810		
	50"	24"	EW1T524	\$660	\$726	\$792		




## **Peninsula Tops**

35"	52"	EW1P15235 (L/R)	\$725	\$798	\$870
36"	38"	EW1P23836(L/R)	\$700	\$770	\$840

#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band



#### **T2 Transition Top**

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the model number so it is notched for the post.

#### Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

#### **CASCADE EDGE**

## Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

#### **AVAILABLE LAMINATES**

#### Solid

114 Folkstone Grey 117 Soft Grey

118 Bright White

119 Pumice


#### Woodgrain

124 Medium Cherry


125 Natural Maple

126 Natural Cherry

127 Walnut



24" [	Deep		LAMINATE	
W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$222	\$255
30"	24"	ECE1R3024N	\$255	\$293
36"	24"	ECE1R3624N	\$281	\$324
42"	24"	ECE1R4224N	\$324	\$373
48"	24"	ECE1R4824N	\$364	\$419
54"	24"	ECE1R5424N	\$391	\$449
60"	24"	ECE1R6024N	\$424	\$488
66"	24"	ECE1R6624N	\$459	\$526
72"	24"	ECE1R7224N	\$479	\$551
78"	24"	ECE1R7824N	\$515	\$591
84"	24"	ECE1R8424N	\$544	\$625
90"	24"	ECE1R9024N	\$614	\$704
96"	24"	ECE1R9624N	\$670	\$770



## 30" Deep

2	24"	30"	ECE1R2430N	\$282	\$326
3	30"	30"	ECE1R3030N	\$317	\$364
3	36"	30"	ECE1R3630N	\$353	\$406
4	42"	30"	ECE1R4230N	\$383	\$439
4	48"	30"	ECE1R4830N	\$424	\$488
į	54"	30"	ECE1R5430N	\$480	\$552
6	50"	30"	ECE1R6030N	\$528	\$606
6	56"	30"	ECE1R6630N	\$589	\$677
7	72"	30"	ECE1R7230N	\$614	\$704
7	78"	30"	ECE1R7830N	\$654	\$752
8	34"	30"	ECE1R8430N	\$696	\$800
9	90"	30"	ECE1R9030N	\$748	\$860
9	96"	30"	ECE1R9630N	\$800	\$919

## Sample

ECE1R1212G2 \$137 \$159


		a	
	е		

- 1. Model#
- 2. Options
- 3. Laminate

#### **Extended Ends**

\$21  $\textbf{E} \ldots \text{Covers 1 post}$ **EE** ... Covers 2 posts \$42

## **Grain Direction**





#### Wiring & Cabling



#### 119 Pumice Woodgrain

Solid

124 Medium Cherry 125 Natural Maple

**Available Laminates** 

114 Folkstone Grey

117 Soft Grey

118 Bright White

126 Natural Cherry

127 Walnut

#### Support Information


All supports must be ordered separately. See page 84 – 85.

#### **Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or larger worksurface.




Corne	er – Cu	ırved Front	LAMINAT	E	
Α	В	C	MODEL#	SOLID	WOODGRAIN
36"	24"	24"	ECE1L3636SSN	\$554	\$639
42"	24"	24"	ECE1L4242SSN	\$670	\$770
42"	24"	30"	ECE1L4242SDN	\$796	\$913
42"	30"	24"	ECE1L4242DSN	\$796	\$913
48"	24"	24"	ECE1L4848SSN	\$752	\$865
48"	24"	30"	ECE1L4848SDN	\$901	\$1,036
48"	30"	24"	ECE1L4848DSN	\$901	\$1,036
48"	30"	30"	ECE1L4848DDN	\$808	\$930



## **Right Hand**

42"	60"	24"	24"	ECE1L4260SS()N	\$919	\$1,058
42"	66"	24"	24"	ECE1L4266SS()N	\$943	\$1,086
42"	72"	24"	24"	ECE1L4272SS()N	\$979	\$1,127
42"	78"	24"	24"	ECE1L4278SS()N	\$991	\$1,138
48"	60"	24"	24"	ECE1L4860SS()N	\$932	\$1,070
48"	60"	24"	30"	ECE1L4860SD()N	\$913	\$1,052
48"	60"	30"	24"	ECE1L4860DS()N	\$913	\$1,052
48"	66"	24"	24"	ECE1L4866SS()N	\$965	\$1,109
48"	66"	24"	30"	ECE1L4866SD()N	\$961	\$1,106
48"	66"	30"	24"	ECE1L4866DS()N	\$961	\$1,106
48"	72"	24"	24"	ECE1L4872SS()N	\$1,000	\$1,150
48"	72"	24"	30"	ECE1L4872SD( )N	\$1,006	\$1,158
48"	72"	30"	24"	ECE1L4872DS()N	\$1,006	\$1,158
48"	78"	24"	24"	ECE1L4878SS()N	\$1,102	\$1,268
48"	84"	24"	24"	ECE1L4884SS()N	\$1,239	\$1,426



## **Left Hand**

-	-					
60"	42"	24"	24"	ECE1L6042SS()N	\$919	\$1,058
60"	48"	24"	24"	ECE1L6048SS()N	\$932	\$1,070
60"	48"	24"	30"	ECE1L6048SD()N	\$913	\$1,052
60"	48"	30"	24"	ECE1L6048DS()N	\$913	\$1,052
66"	42"	24"	24"	ECE1L6642SS()N	\$943	\$1,086
66"	48"	24"	24"	ECE1L6648SS()N	\$965	\$1,109
66"	48"	24"	30"	ECE1L6648SD()N	\$961	\$1,106
66"	48"	30"	24"	ECE1L6648DS()N	\$961	\$1,106
72"	42"	24"	24"	ECE1L7242SS()N	\$979	\$1,127
72"	48"	24"	24"	ECE1L7248SS()N	\$1,000	\$1,150
72"	48"	24"	30"	ECE1L7248SD()N	\$1,006	\$1,158
72"	48"	30"	24"	ECE1L7248DS()N	\$1,006	\$1,158
78"	42"	24"	24"	ECE1L7842SS()N	\$991	\$1,138
78"	48"	24"	24"	ECE1L7848SS()N	\$1,102	\$1,268
84"	48"	24"	24"	ECE1L8448SS()N	\$1,239	\$1,426

#### **Application Notes**

#### Center-Located Edge Grommet

To specify, replace the "N" suffix from the model number with "G". Add \$42.

Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

 $\mathbf{X}$ .... No posts covered


 $\mathbf{L} \dots \mathbf{L}$ eft post covered

**R**....Right post covered

**B**.... Both posts covered



Righ	t Ha	nd		LAMII	
A	C	D	MODEL#	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$898	\$1,032
30"	66"	48"	ECE1BD6648DR	\$943	\$1,086
24"	72"	48"	ECE1BD7248SR	\$917	\$1,057
30"	72"	48"	ECE1BD7248DR	\$978	\$1,125
24"	78"	48"	ECE1BD7848SR	\$1,060	\$1,219
30"	78"	48"	ECE1BD7848DR	\$1,096	\$1,259
24"	84"	48"	ECE1BD8448SR	\$1,089	\$1,252
30"	84"	48"	ECE1BD8448DR	\$1,158	\$1,330




#### Left Hand

LCIC	Hully	М			
24"	48"	66"	ECE1BD6648SL	\$898	\$1,032
30"	48"	66"	ECE1BD6648DL	\$943	\$1,086
24"	48"	72"	ECE1BD7248SL	\$917	\$1,057
30"	48"	72"	ECE1BD7248DL	\$978	\$1,125
24"	48"	78"	ECE1BD7848SL	\$1,060	\$1,219
30"	48"	78"	ECE1BD7848DL	\$1,096	\$1,259
24"	48"	84"	ECE1BD8448SL	\$1,089	\$1,252
30"	48"	84"	ECE1BD8448DL	\$1,158	\$1,330



- 1. Model#
- 2. Options
- 3. Laminate



## Edge Profile



#### Wiring & Cabling



#### **Available Laminates**

#### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice


#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut


#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.




Right	Hand	l	LAMINATE				
W	L	R	Α	В	MODEL#	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$596	\$685
42"	24"	30"	9"	15"	ECE1W422430N	\$626	\$721
48"	24"	30"	15"	15"	ECE1W482430N	\$671	\$772
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$854	\$980



#### **Left Hand**

36"	30"	24"	15"	1 ½"	ECE1W363024N	\$596	\$685
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$626	\$721
48"	30"	24"	15"	15"	ECE1W483024N	\$671	\$772
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$854	\$980




### 120° Worksurface

48"	48"	24"	24"	ECE1W34824G	\$979	\$1,127

_	
۱n	ecity
7	,

- 1. Model#
- 2. Options
- 3. Laminate





### Wiring & Cabling



Scallop \$50

#### Available Laminates

#### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.





Half	Round		LAMII	
W	D	MODEL#	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$479	\$551
48"	18"	ECE1H4818PC	\$479	\$551
48"	18"	ECE1H4818PE	\$479	\$551
60"	24"	ECE1H6024P	\$659	\$760
60"	24"	ECE1H6024PC	\$659	\$760
60"	24"	ECE1H6024PE	\$659	\$760





24"	24"	ECE1CR24L/R	\$255	\$293
-----	-----	-------------	-------	-------



## **Corner Round w/Notch**

24"	24"	ECE1CR24N		\$255	\$293
-----	-----	-----------	--	-------	-------

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate

#### Half Round

- P Notched for post
- **PE** Notched for postless end
- **PC** Notched for post with cover

#### **Grain Direction**





#### Edge Profile



#### **Available Laminates**

#### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.



#### **Cable Sleeve w/Cover**

Н	D	MODEL#	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$28



## **Edge Grommet**

Н	W	D	MODEL#	BLACK ONLY
13/8"	2 1/4"	13/8"	EW1WSG	\$28



#### **Personal Drawer**

DESCRIPTION	MODEL#	BLACK ONLY
Personal Drawer	SPD18	\$350



orks/	urface		•••••••••	PAINT	•••••		
Н	W	D	MODEL#	BLACK	P1	P2	Р3
2"	20"	4"	EW1CB20	\$55	\$100	\$110	\$120
2"	32"	4"	EW1CB32	\$76	\$125	\$138	\$150
2"	42"	4"	EW1CB42	\$82	\$150	\$165	\$180

#### Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.

#### Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.


#### Worksurface Cable Basket

Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.






Straight					LAMINATE		PAINT	
W (NOMINAL)	W (ACTUAL)	D	MODEL#	L1	L2	L3	P2	P3
12"	10 ½"	15 1/4"	EW(3/N)1215	\$320	\$352	\$384	+ \$25	+ \$50
24"	22 ½"	15 1/4"	EW(3/N)2415	\$340	\$374	\$408	+ \$25	+ \$50
30"	28 ½"	15 1/4"	EW(3/N)3015	\$345	\$380	\$414	+ \$25	+ \$50
36"	34 ½"	15 1/4"	EW(3/N)3615	\$350	\$385	\$420	+ \$25	+ \$50
42"	40 1/2"	15 1/4"	EW(3/N)4215	\$365	\$402	\$438	+ \$25	+ \$50
48"	46 1/2"	15 1/4"	EW(3/N)4815	\$390	\$429	\$468	+ \$25	+ \$50
60"	58 ½"	15 1/4"	EW(3/N)6015	\$425	\$468	\$510	+ \$25	+ \$50
72"	70 ½"	15 1/4"	EW(3/N)7215	\$480	\$528	\$576	+ \$25	+ \$50
84"	82 1/2"	15 1/4"	EW(3/N)8415	\$530	\$583	\$636	+ \$25	+ \$50
96"	94 ½"	15 1/4"	EW(3/N)9615	\$570	\$627	\$684	+ \$25	+ \$50
108"	106 ½"	15 1/4"	EW(3/N)10815	\$620	\$682	\$744	+ \$25	+ \$50
120"	118 ½"	15 1/4"	EW(3/N)12015	\$675	\$743	\$810	+ \$25	+ \$50



#### **Extended One End**

	LAtellue	ktelided Olie Liid								
ľ	12"	12"	15 1/4"	EW(3/N)1215E	\$330	\$363	\$396	+ \$25	+ \$50	
	24"	24"	15 1/4"	EW(3/N)2415E	\$350	\$385	\$420	+ \$25	+ \$50	
	30"	30"	15 1/4"	EW(3/N)3015E	\$355	\$391	\$426	+ \$25	+ \$50	
	36"	36"	15 1/4"	EW(3/N)3615E	\$360	\$396	\$432	+ \$25	+ \$50	
	42"	42"	15 1/4"	EW(3/N)4215E	\$375	\$413	\$450	+ \$25	+ \$50	
	48"	48"	15 1/4"	EW(3/N)4815E	\$400	\$440	\$480	+ \$25	+ \$50	
	60"	60"	15 1/4"	EW(3/N)6015E	\$435	\$479	\$522	+ \$25	+ \$50	
	72"	72"	15 1/4"	EW(3/N)7215E	\$490	\$539	\$588	+ \$25	+ \$50	
	84"	84"	15 1/4"	EW(3/N)8415E	\$540	\$594	\$648	+ \$25	+ \$50	
	96"	96"	15 1/4"	EW(3/N)9615E	\$580	\$638	\$696	+ \$25	+ \$50	
	108"	108"	15 1/4"	EW(3/N)10815E	\$630	\$693	\$756	+ \$25	+ \$50	



#### **Extended Both End**

. Ateliu	cu Dotti L	IIU						
12"	13 ½"	15 1/4"	EW(3/N)1215EE	\$340	\$374	\$408	+ \$25	+ \$50
24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$360	\$396	\$432	+ \$25	+ \$50
30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$365	\$402	\$438	+ \$25	+ \$50
36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$370	\$407	\$444	+ \$25	+ \$50
42"	43 1/2"	15 1/4"	EW(3/N)4215EE	\$385	\$424	\$462	+ \$25	+ \$50
48"	49 1/2"	15 1/4"	EW(3/N)4815EE	\$410	\$451	\$492	+ \$25	+ \$50
60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$445	\$490	\$534	+ \$25	+ \$50
72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$500	\$550	\$600	+ \$25	+ \$50
84"	85 ½"	15 1/4"	EW(3/N)8415EE	\$550	\$605	\$660	+ \$25	+ \$50
96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$590	\$649	\$708	+ \$25	+ \$50
108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$640	\$704	\$768	+ \$25	+ \$50

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Cantilever color

#### **Extended Ends**

**E**....Covers 1 post

**EE** . . Covers 2 posts

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

#### **Support Information**

Steel cantilevers are supplied.

#### Top Cap Compatibility


3 - Beveled

N – Flat







.....




C	Corner			LAMINATE			PAINT	
	W	D	MODEL #	L1	L2	L3	P2	Р3
	24"	15 1/4"	EW(3/N)CC2415	\$420	\$462	\$504	+ \$25	+ \$50
	30"	15 1/4"	EW(3/N)CC3015	\$435	\$479	\$522	+ \$25	+ \$50
	36"	15 1/4"	EW(3/N)CC3615	\$450	\$495	\$540	+ \$25	+ \$50



Extellu	eu Leit					\$516 + \$25 + \$50 \$534 + \$25 + \$50 \$552 + \$25 + \$50	
24"	15 ¼"	EW(3/N)CC2415LHE	\$430	\$473	\$516	+ \$25	+ \$50
30"	15 1/4"	EW(3/N)CC3015LHE	\$445	\$490	\$534	+ \$25	+ \$50
36"	15 1/4"	EW(3/N)CC3615LHE	\$460	\$506	\$552	+ \$25	+ \$50



E	<b>Extended Right</b> 24" 15 ¼" <b>EW</b> (3/N)CC2415RHE \$430 \$473 \$516 +\$25 +\$50  30" 15 ½" <b>EW</b> (3/N)CC3015RHE \$445 \$490 \$534 +\$25 +\$50							
	24"	15 1/4"	EW(3/N)CC2415RHE	\$430	\$473	\$516	+ \$25	+ \$50
	30"	15 1/4"	EW(3/N)CC3015RHE	\$445	\$490	\$534	+ \$25	+ \$50
	36"	15 1/4"	EW(3/N)CC3615RHE	\$460	\$506	\$552	+ \$25	+ \$50



#### **Extended Both** 24" 15 1/4" EW(3/N)CC2415EE \$484 \$528 \$440 + \$25 + \$50 30" 15 1/4" EW(3/N)CC3015EE \$455 \$501 \$546 + \$25 + \$50 36" EW(3/N)CC3615EE 15 1/4" \$470 \$517 \$564 + \$25 + \$50

٥	p	e	C	ity
-				

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Cantilever color

#### **Extended Ends**

**E**....Covers 1 post

**EE** . . Covers 2 posts

Extanded Laft

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

#### **Support Information**

Steel cantilevers are supplied.

#### Top Cap Compatibility


3 - Beveled

N – Flat






# **Open Shelves**



Full He	ight		PAINT			
W	D	Н	MODEL#	P1	P2	Р3
24"	12 ¾"	10 1/4"	ES2OS24	\$232	\$247	\$257
30"	12 ¾"	10 1/4"	ES2OS30	\$254	\$269	\$279
36"	12 ¾"	10 1/4"	ES2OS36	\$254	\$269	\$279
42"	12 ¾"	10 1/4"	ES2OS42	\$266	\$281	\$291
48"	12 ¾"	10 1/4"	ES2OS48	\$278	\$293	\$303
60"	12 ¾"	10 1/4"	ES2OS60	\$298	\$313	\$323
72"	12 ¾"	10 1/4"	ES2OS72	\$322	\$337	\$347



## **Half Height**

24"	12 ¾"	7 1/4"	ES3OS24	\$280	\$295	\$305
30"	12 ¾"	7 1/4"	ES3OS30	\$310	\$325	\$335
36"	12 3/8"	7 1/4"	ES3OS36	\$310	\$325	\$335
42"	12 3/8"	7 1/4"	ES3OS42	\$322	\$337	\$347
48"	12 ¾"	7 1/4"	ES3OS48	\$339	\$354	\$364
60"	12 ¾"	7 1/4"	ES3OS60	\$364	\$379	\$389
72"	12 3/8"	7 1/4"	ES3OS72	\$392	\$407	\$417



## **Shelf Back**

24"	EC2SB24	\$191	\$201	\$207
30"	EC2SB30	\$210	\$220	\$230
36"	EC2SB36	\$210	\$220	\$230
42"	EC2SB42	\$220	\$230	\$237
48"	EC2SB48	\$230	\$237	\$244
60"	EC2SB60	\$259	\$269	\$277
72"	EC2SB72	\$295	\$304	\$313



#### Shelf – Divider

Sileii	– Dividei			BLACK ONLY		
2"	9"	6"	EC2SD	\$133	N/A	N/A

Specify					

1. Model # 2. Paint Application Notes


Open shelf consists of two steel end panels and one steel shelf.

NOTE: Cannot be converted to an enclosed cabinet.

	Shelf Type	W
ES2OS	Open Shelf	36
ES3OS	Open Shelf – Half Height	
<u>;</u>		
ES2OS	5	36
<b>i</b>	<b>:</b>	<b>:</b>

Shelf Divider

Available in black only.




					<b>:</b> ·····				······	:
F	ull La	minate				LAMINATE		١	WOOD VENEER	
	W	D	Н	MODEL#	P1	P2	P3	W1	W2	W3
	24"	12 %"	10 1/4"	ES2OSL24	\$355	\$391	\$426	\$711	\$782	\$853
	30"	12 3/8"	10 1/4"	ES2OSL30	\$363	\$399	\$435	\$725	\$798	\$870
	36"	12 3/8"	10 1/4"	ES2OSL36	\$370	\$407	\$444	\$739	\$813	\$887
	42"	12 ¾"	10 1/4"	ES2OSL42	\$381	\$419	\$457	\$761	\$837	\$913
	48"	12 3/8"	10 1/4"	ES2OSL48	\$391	\$430	\$470	\$783	\$861	\$939
	60"	12 ¾"	10 1/4"	ES2OSL60	\$553	\$609	\$664	\$1,107	\$1,217	\$1,328
	72"	12 ¾"	10 1/4"	ES2OSL72	\$712	\$783	\$854	\$1,423	\$1,566	\$1,708


Sp	Specify							
1.	Model #							
2.	Laminate/Veneer							

	Application Notes
Can not be converted into an enclosed cabinet.	


	Shelf Type	W
ES2OSL	Open Shelf Full Laminate	36
ES2OSL		36
ES2OSL		3



Laminate Front — Side Hinge Door						LAMINATE			PAINT	
W	D	Н	# DOORS	MODEL#	L1	L2	L3	P2	Р3	
24"	12 ½"	14 1/4"	2	EC2OL24	\$677	\$745	\$812	+ \$25	+ \$50	
30"	12 ½"	14 1/4"	2	EC2OL30	\$727	\$800	\$872	+ \$25	+ \$50	
36"	12 ½"	14 1/4"	2	EC2OL36	\$777	\$855	\$932	+ \$25	+ \$50	
42"	12 ½"	14 1/4"	2	EC2OL42	\$827	\$910	\$992	+ \$25	+ \$50	
48"	12 ½"	14 1/4"	2	EC2OL48	\$877	\$965	\$1,052	+ \$25	+ \$50	
60"	12 ½"	14 1/4"	4	EC2OL60	\$1,227	\$1,350	\$1,472	+ \$25	+ \$50	
72"	12 ½"	14 1/4"	4	EC2OL72	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50	



Painte	d Steel –	— Flipper Doo	or			PAINT	
W	D	Н	# DOORS	MODEL#	P1	P2	P3
24"	12 ½"	14 1/4"	1	EC2OP24	\$602	\$627	\$652
30"	12 ½"	14 1/4"	1	EC2OP30	\$681	\$706	\$731
36"	12 ½"	14 1/4"	1	EC2OP36	\$681	\$706	\$731
42"	12 ½"	14 1/4"	1	EC2OP42	\$759	\$784	\$809
48"	12 ½"	14 1/4"	1	EC2OP48	\$801	\$826	\$851
60"	12 ½"	14 1/4"	1	EC2OP60	\$913	\$938	\$963
72"	12 ½"	14 1/4"	1	EC2OP72	\$1,004	\$1,029	\$1,054
72"	12 ½"	14 1/4"	2	EC2OP272	\$1,219	\$1,244	\$1,269



#### **Open** 12 ½" 14 1/4" EC20024 \$457 \$503 \$548 30" 12 ½" 14 1/4" EC20030 \$557 \$613 \$668 36" 12 ½" 14 1/4" EC20036 \$577 \$635 \$692 14 1/4" EC20042 \$668 \$728 42" 12 ½" \$607 EC20048 \$848 48" 12 ½" 14 1/4" \$707 \$778 60" 12 ½" 14 1/4" EC20060 \$888 \$968 \$807

EC20072



## **Overhead Back**

12 ½"

14 1/4"

72"

24"	5/8"	14"	EC2CB24	\$191	\$201	\$207
30"	5/8"	14"	EC2CB30	\$210	\$220	\$230
36"	5/8"	14"	EC2CB36	\$210	\$220	\$230
42"	5/8"	14"	EC2CB42	\$220	\$230	\$237
48"	5/8"	14"	EC2CB48	\$230	\$237	\$244
60"	5/8"	14"	EC2CB60	\$259	\$269	\$277
72"	5/8"	14"	EC2CB72	\$295	\$304	\$313

2	pe	CII	y	

- 1. Model#
- 2. Paint
- 3. Optional Laminate

#### Overhead – Side Hinge

Includes matching ABS edge band.

#### Overhead – Flipper Door


Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

Overhead Type			
EC2OL	Side Hinge	36	
EC2OP	Flipper Door		
EC200	Open		
ES2OL		36	


\$907

\$998

\$1,088



Full Laminate — Side Hinge Door						LAMINATE		W	OOD VENEER	
W	D	Н	# DOORS	MODEL#	L1	L2	L3	W1	W2	W3
24"	12 ½"	14 1/4"	2	EC2OCL24D	\$1,388	\$1,527	\$1,666	\$2,777	\$3,054	\$3,332
30"	12 ½"	14 1/4"	2	EC2OCL30D	\$1,412	\$1,554	\$1,695	\$2,825	\$3,107	\$3,390
36"	12 ½"	14 1/4"	2	EC2OCL36D	\$1,436	\$1,580	\$1,724	\$2,873	\$3,160	\$3,447
42"	12 ½"	14 1/4"	2	EC2OCL42D	\$1,472	\$1,620	\$1,767	\$2,945	\$3,239	\$3,534
48"	12 ½"	14 1/4"	2	EC2OCL48D	\$1,508	\$1,659	\$1,810	\$3,017	\$3,318	\$3,620
60"	12 ½"	14 1/4"	4	EC2OCL60D	\$2,048	\$2,253	\$2,458	\$4,097	\$4,506	\$4,916
72"	12 ½"	14 1/4"	4	EC2OCL72D	\$2,588	\$2,847	\$3,106	\$5,177	\$5,694	\$6,212



ABS edge band.

# **Full Laminate Open**

24"	12 ½"	14 1/4"	EC2OCL24	\$1,184	\$1,303	\$1,421	\$2,369	\$2,606	\$2,843
30"	12 ½"	14 1/4"	EC2OCL30	\$1,208	\$1,329	\$1,450	\$2,417	\$2,658	\$2,900
36"	12 ½"	14 1/4"	EC2OCL36	\$1,232	\$1,356	\$1,479	\$2,465	\$2,711	\$2,958
42"	12 ½"	14 1/4"	EC2OCL42	\$1,268	\$1,395	\$1,522	\$2,537	\$2,790	\$3,044
48"	12 ½"	14 1/4"	EC2OCL48	\$1,304	\$1,435	\$1,565	\$2,609	\$2,870	\$3,131
60"	12 ½"	14 1/4"	EC2OCL60	\$1,844	\$2,029	\$2,213	\$3,689	\$4,058	\$4,427
72"	12 ½"	14 1/4"	EC2OCL72	\$2,372	\$2,610	\$2,847	\$4,745	\$5,219	\$5,694

# **SHARED STORAGE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard full laminate overhead is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the full laminate overhead to extend to cover the center of one post you will need to add an "E" to the full laminate overhead item number. This will add ¾" to the width of the shared storage. If you would like the full laminate overhead to extend to cover the center of both posts then you will need to add "EE", extending the full laminate overhead by 1 ½" from the standard.

**E**....Covers center of 1 post

**EE** . . Covers center of 2 posts









						Options
Specify			W	D	Door	Extended Ends
1. Model #	ES20 Equity Overhea	d CL Full Laminate Overh	ead 36	14	No Door	E One End \$21
2. Laminate/Veneer					D Door	EE Both Ends \$42
Overhead Includes matching	ES20	CL	36	14	D	Е

# **Shared Storage**



				:	•••••••••	:
12" H					LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC2OY2412	\$977	\$1,075	\$1,172
30"	14"	12"	EC2OY3012	\$997	\$1,097	\$1,196
36"	14"	12"	EC2OY3612	\$1,017	\$1,119	\$1,220
42"	14"	12"	EC2OY4212	\$1,047	\$1,152	\$1,256
48"	14"	12"	EC2OY4812	\$1,077	\$1,185	\$1,292
60"	14"	12"	EC2OY6012	\$1,497	\$1,647	\$1,796
72"	14"	12"	EC2OY7212	\$1,937	\$2,131	\$2,324
84"	14"	12"	EC2OY8412	\$2,357	\$2,593	\$2,828



# 14" H

24"	14"	14 1/4"	EC2OY2414	\$987	\$1,086	\$1,184
30"	14"	14 1/4"	EC2OY3014	\$1,007	\$1,108	\$1,208
36"	14"	14 1/4"	EC2OY3614	\$1,027	\$1,130	\$1,232
42"	14"	14 1/4"	EC2OY4214	\$1,057	\$1,163	\$1,268
48"	14"	14 1/4"	EC2OY4814	\$1,087	\$1,196	\$1,304
60"	14"	14 1/4"	EC2OY6014	\$1,537	\$1,691	\$1,844
72"	14"	14 1/4"	EC2OY7214	\$1,977	\$2,175	\$2,372
84"	14"	14 1/4"	EC2OY8414	\$2,407	\$2,648	\$2,888

# **SHARED STORAGE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard shared storage is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the shared storage to extend to cover the center of one post you will need to add an "E" to the shared storage item number. This will add ¾" to the width of the shared storage. If you would like the shared storage to extend to cover the center of both posts then you will need to add "EE", extending the shared storage by 1 ½" from the standard.


**E**....Covers center of 1 post **EE**...Covers center of 2 posts








						Optio	ns	
		W	D		Door		Extended Ends	
ES20 Equity Overhead	Y Shared Storage	36	14	<b>D</b> MD	No Door <b>Door</b> Markerboard Door	E EE	One End Both Ends	<b>\$21</b> \$42
ES2O	Υ	36	14	D		Е		



12" H	w/Door	<b>S</b> — includes 2	locks		LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC2OY2412(D/MD)	\$1,117	\$1,229	\$1,340
30"	14"	12"	EC2OY3012(D/MD)	\$1,147	\$1,262	\$1,376
36"	14"	12"	EC2OY3612(D/MD)	\$1,177	\$1,295	\$1,412
42"	14"	12"	EC2OY4212(D/MD)	\$1,207	\$1,328	\$1,448
48"	14"	12"	EC2OY4812(D/MD)	\$1,237	\$1,361	\$1,484
60"	14"	12"	EC2OY6012(D/MD)	\$1,687	\$1,856	\$2,024
72"	14"	12"	EC2OY7212(D/MD)	\$2,127	\$2,340	\$2,552
84"	14"	12"	EC2OY8412(D/MD)	\$2,507	\$2,758	\$3,008



# 14" H w/Doors — includes 2 locks


24"	14"	14 1/4"	EC2OY2414(D/MD)	\$1,157	\$1,273	\$1,388
30"	14"	14 1/4"	EC2OY3014(D/MD)	\$1,177	\$1,295	\$1,412
36"	14"	14 1/4"	EC2OY3614(D/MD)	\$1,197	\$1,317	\$1,436
42"	14"	14 1/4"	EC2OY4214(D/MD)	\$1,227	\$1,350	\$1,472
48"	14"	14 1/4"	EC2OY4814(D/MD)	\$1,257	\$1,383	\$1,508
60"	14"	14 1/4"	EC2OY6014(D/MD)	\$1,707	\$1,878	\$2,048
72"	14"	14 1/4"	EC2OY7214(D/MD)	\$2,157	\$2,373	\$2,588
84"	14"	14 1/4"	EC2OY8414(D/MD)	\$2,627	\$2,890	\$3,152

# Specify

- 1. Model#
- Options
   Laminate

# Shared Storage


Includes matching ABS edge band.



12" H			FABRIC								
W	MODEL#	A	В	C	D	E	F	G	Н		
24"	<b>EP</b> 1 <b>TB</b> 2412	\$200	\$225	\$250	\$300	\$400	\$500	\$600	\$700		
30"	EP1TB3012	\$250	\$275	\$300	\$350	\$450	\$550	\$650	\$750		
36"	EP1TB3612	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800		
42"	EP1TB4212	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825		
48"	EP1TB4812	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850		
60"	<b>EP</b> 1 <b>TB</b> 6012	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900		

# 20" H

24"	EP1TB2420	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800
30"	EP1TB3020	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825
36"	EP1TB3620	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
42"	EP1TB4220	\$375	\$400	\$425	\$475	\$575	\$675	\$775	\$875
48"	EP1TB4820	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
60"	EP1TB6020	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950



#### 25" H 24" EP1TB2425 \$350 \$375 \$400 \$450 \$550 \$650 \$750 \$850 30" EP1TB3025 \$375 \$400 \$425 \$475 \$575 \$675 \$775 \$875 36" EP1TB3625 \$400 \$425 \$450 \$500 \$600 \$700 \$800 \$900 42" EP1TB4225 \$425 \$450 \$475 \$525 \$825 \$925 \$625 \$725 48" EP1TB4825 \$475 \$850 \$950 \$450 \$500 \$550 \$650 \$750 60" EP1TB6025 \$500 \$525 \$550 \$600 \$700 \$800 \$900 \$1,000

# 36" H

24"	EP1TB2436	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
30"	EP1TB3036	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
36"	EP1TB3636	\$475	\$500	\$525	\$575	\$675	\$775	\$875	\$975
42"	EP1TB4236	\$500	\$525	\$550	\$600	\$700	\$800	\$900	\$1,000
48"	EP1TB4836	\$525	\$550	\$575	\$625	\$725	\$825	\$925	\$1,025
60"	EP1TB6036	\$575	\$600	\$625	\$675	\$775	\$875	\$975	\$1,075

Specify	
1. Model #	

**Application Notes** Specify in areas where heavy tacking

Solid core construction will easily accept T-pins, push pins and thumbtacks.

application is required.

Clips attach unit to slotted standards.

				Options	
	w	Н	Ex	tended Ends	
EW1 Tackboard	48	20	E EE	One End Both Ends	<b>\$21</b> \$42
EP1TB	36	20	Е		

2. Fabric

# **Wall Mounted Channel**

Wall Mo	Vall Mounted Channel					PAINT	
W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	P3
2 1/8"	3/4"	29"	23"	EP3WMC29	\$112	\$116	\$122
2 %"	3/4"	41"	35"	EP3WMC41	\$112	\$116	\$122
2 %"	3/4"	49"	43"	EP3WMC49	\$114	\$120	\$128
2 1/8"	3/4"	54"	49"	EP3WMC54	\$116	\$122	\$129
2 1/8"	3/4"	61"	55"	EP3WMC61	\$130	\$135	\$145
2 %"	3/4"	66"	60"	EP3WMC66	\$133	\$144	\$148
2 %"	3/4"	81"	75"	EP3WMC81	\$162	\$168	\$178
2 %"	3/4"	120"	120"	EP3WMC120	\$249	\$262	\$276

# **Mobile Whiteboard**

DESC	W	Н	MODEL #	LIST
Whiteboard both sides	30"	40"	MWHBDWW3040	\$748
Whiteboard both sides	48"	72"	MWHBDWW4872	\$638

# Whiteboard

DESC	W	Н	MODEL #	LIST
Whiteboard	48"	36"	WHBD4836	\$268
Whiteboard	60"	36"	WHBD6036	\$386
Whiteboard	72"	48"	WHBD7248	\$496
Whiteboard	96"	48"	WHBD9648	\$576
Whiteboard	120"	48"	WHBD12048	\$676
Whiteboard	144"	48"	WHBD14448	\$786

# Corkboard

DESC	W	Н	MODEL#	LIST
Corkboard	36"	24"	CKBD3624	\$108
Corkboard	48"	36"	CKBD4836	\$119
Corkboard	60"	36"	CKBD6036	\$188
Corkboard	60"	48"	CKBD6048	\$228
Corkboard	72"	48"	CKBD7248	\$258
Corkboard	96"	48"	CKBD9648	\$298
Corkboard	120"	48"	CKBD12048	\$346
Corkboard	144"	48"	CKBD14448	\$408

# Specify

Model #
 Paint

# **Application Notes**

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

### Assembly

# Included


- Extruded aluminum channel
- Insert which snaps into place


# LIGHTING

Just as the design of a work environment is important, a company's investment in workplace lighting is equally such. Light empowers a person's work, influences their mood and helps them focus. Workers need well-lit spaces to be productive

and feel their best. Developing a work environment that supports worker well being and performance through the use of lighting will reduce employee stress, absenteeism and accidents while increasing work performance.


# **LIGHTING**






# REED Premier — Stand alone w/18-watt power supply

DESCRIPTION	Н	W	D	WATTAGE	MODEL#	LIST
Suggested Shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-SA	\$397
Suggested Shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-SA	\$517



# REED Premier = Stand alone or Starter w/60-watt power supply

Suggested Shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-ST	\$477
Suggested Shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-ST	\$597
Suggested Shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-ST	\$627
Suggested Shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-ST	\$777
Suggested Shelf size >72"	1/2"	57 ½"	2"	31.2	LRPSO-58-ST	\$957



# **REED Premier** — Extension

Suggested Shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-EX	\$357
Suggested Shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-EX	\$497
Suggested Shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-EX	\$527
Suggested Shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-EX	\$697
Suggested Shelf size >72"	1/2"	57 ½"	2"	31.2	LRPSO-58-EX	\$877



# **REED Premier** — Accessories

Occupancy sensor kit	3/4"	2"	2"	LRP-OS	\$307

1. Model#

#### **REED Premier**

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory.

The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use (±15 mins).

# Specify Notes

60-watt power supply is required when interlinking.

Total interlinked system wattage cannot exceed 54 watts. See the interlinking combination chart for reference.

Extension fixtures come standard with 8" and 30" interlinking cords.

Not recommended to interlink standard and high output versions.

One occupancy sensor needed per string of interlinked fixtures.

## Interlinking Combination Chart

17"	24"	31"	44"	58"	17"	24"	31"	44"	5
6	0	0	0	0	1	3	0	0	
5	1	0	0	0	1	2	1	0	
5	0	0	0	0	1	1	2	0	
4	1	0	0	0	1	0	2	0	
4	0	1	0	0	1	0	1	1	
4	0	0	0	0	1	0	0	1	
3	2	0	0	0	1	0	0	0	
3	1	1	0	0	0	4	0	0	
3	0	1	0	0	0	3	1	0	
3	0	0	1	0	0	2	1	0	
3	0	0	0	0	0	1	1	1	
2	3	0	0	0	0	1	0	0	
2	2	0	0	0	0	0	3	0	
2	0	2	0	0	0	0	2	0	
2	0	1	0	0	0	0	1	1	
2	0	0	1	0	0	0	1	0	
2	0	0	0	1	0	0	0	2	
2	0	0	0	0					



# T5 – Task Light

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" and wider overhead	1 ½"	19"	4"	EL4T5E19S	\$259
Use with 30" and wider overhead	1 ½"	25"	4"	EL4T5E25S	\$268
Use with 42" and wider overhead	1 ½"	37"	4"	EL4T5E37S	\$275
Use with 60" and wider overhead	1 ½"	49"	4"	EL4T5E49S	\$291



# LED – Task Light

Use with 24" and wider overhead	1"	16"	1"	EL4LED16	\$495
Use with 30" and wider overhead	1"	25"	1"	EL4LED25	\$595
Use with 42" and wider overhead	1"	31"	1"	EL4LED31	\$655
Use with 60" and wider overhead	1"	37"	1"	EL4LED37	\$727

# Specify

1. Model #

## **Application Notes**

All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

#### T5 Task Light

120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cord-set, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

T5 task lights come with mounting supports.

**City of Chicago Installations** Specify suffix – CH and add \$45 list.

Example: EL4T525S-CH

#### LED

- Consumes only 9.4 Watts
- Color temperature: 3300 K
- Non-handed toggle switch location
- Cord location can be either end

LED task lights are magnetic and require no mounting supports.

# **Freestanding Lights**



# $\ \ \, \textbf{Voyage} - \textbf{Single arm}$

DESCRIPTION	MODEL #	LIST
Freestanding	LVOY-S-FS-(B,W,S)	\$797
Freestanding w/occupancy sensor	LVOY-S-FS-(B,W,S)-OS	\$977
Freestanding USB	LVOY-S-FSUSB-(B,W,S)	\$857
Freestanding USB w/occupancy sensor	LVOY-S-FSUSB-(B,W,S)-OS	\$1,057
Surface Mount	LVOY-S-SM-(B,W,S)	\$797
Surface Mount w/occupancy sensor	LVOY-S-SM-(B,W,S)-OS	\$977
Clamp Mount	LVOY-S-CM-(B,W,S)	\$797
Clamp Mount w/occupancy sensor	LVOY-S-CM-(B,W,S)-OS	\$977




# Voyage — Double arm

TO JUST DOUBLE WITH		
DESCRIPTION	MODEL#	LIST
Freestanding	LVOY-D-FS-(B,W,S)	\$877
Freestanding w/occupancy sensor	LVOY-D-FS-(B,W,S)-OS	\$1,057
Freestanding USB	LVOY-D-FSUSB-(B,W,S)	\$977
Freestanding USB w/occupancy sensor	LVOY-D-FSUSB-(B,W,S)-OS	\$1,127
Surface Mount	LVOY-D-SM-(B,W,S)	\$877
Surface Mount w/occupancy sensor	LVOY-D-SM-(B,W,S)-OS	\$1,057
Clamp Mount	LVOY-D-CM-(B,W,S)	\$977
Clamp Mount w/occupancy sensor	LVOY-D-CM-(B,W,S)-OS	\$1,057

Specify	Voyage		
1. Model #	Properly diffused light provides a softly blended light pattern that reduces eye strain.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.	Color Options B – Black W – White S – Silver
	A single-touch on/ off and touch and hold continuous dimming pad with last state memory.	The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	

# **Freestanding Lights**



# $\pmb{Revo} - Single \, arm$

DESCRIPTION	MODEL#	LIST
Freestanding	LREV-S-FS-(B,W,S)	\$797
Freestanding w/occupancy sensor	LREV-S-FS-(B,W,S)-OS	\$977
Freestanding USB	LREV-S-FSUSB-(B,W,S)	\$877
Freestanding USB w/occupancy sensor	LREV-S-FSUSB-(B,W,S)-OS	\$1,007
Surface Mount	LREV-S-SM-(B,W,S)	\$797
Surface Mount w/occupancy sensor	LREV-S-SM-(B,W,S)-OS	\$977
Clamp Mount	LREV-S-CM-(B,W,S)	\$797
Clamp Mount w/occupancy sensor	LREV-S-CM-(B,W,S)-OS	\$977



# Revo — Double Arm

DESCRIPTION	MODEL#	LIST
Freestanding	LREV-D-FS-(B,W,S)	\$877
Freestanding w/occupancy sensor	LREV-D-FS-(B,W,S)-OS	\$1,057
Freestanding USB	LREV-D-FSUSB-(B,W,S)	\$977
Freestanding USB w/occupancy sensor	LREV-D-FSUSB-(B,W,S)-OS	\$1,127
Surface Mount	LREV-D-SM-(B,W,S)	\$877
Surface Mount w/occupancy sensor	LREV-D-SM-(B,W,S)-OS	\$977
Clamp Mount	LREV-D-CM-(B,W,S)	\$877
Clamp Mount w/occupancy sensor	LREV-D-CM-(B,W,S)-OS	\$977

Specify	Application Notes		
1. Model #	Properly diffused light source under the round head provides a softly blended light pattern that reduces eye strain.  Single-touch on/off and touch and hold continuous dimming pad with last state memory.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.  The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	Color Options B – Black W – White S – Silver

# Tables

#### Step 1 - Model #

			ı
	Shape	D	W
R	Round	34	69
S	Square		:
RCT	Rectangle		:
OT	Oval		:
RCT		34	69
	S RCT OT	R Round S Square RCT Rectangle OT Oval	R Round 34 S Square RCT Rectangle OT Oval

## **Step 1** – Surface Finish

Laı	Laminate		
PW-STK	Studio Teak		
:			
:			
:			
:	:		
PW-STK			
***************************************	•••		

Step 2 – Edge Finish

Band
Studio Teak

Step 3 – Trim Finish

	Paints		
301	Champagne		
į			
į	•		
301			
<b>:</b>	.:		

# **FEATURES**

#### **BASE TYPES**

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

#### **BASE OPTIONS**

- Bar height
- Flip top
- Casters

#### NOTE: Not all options are available on all bases.

### **WORKSURFACE TYPES**

- Round
- Square
- Rectangular
- Oval

#### **LEVELERS**

Adjustable height levelers are included at no additional cost on all models.

#### SHANK LENGTH

X & Y bases — 3/8-16 x 3/4" Tapered legs — 3/8-16 x 1 3/4"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

### SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS48, TBS60, TBOT54120, TBOT60144.

### **CUSTOM TABLES**

Custom size tables and custom height bases are available upon request, pending Engineering approval. Customization charges may apply. Contact Customer Service for additional information and pricing.

## **CONSTRUCTION**

#### **X BASES**

X bases are made from cast aluminum with  $2\frac{1}{4}$ " tubing OD x 13 gauge.

#### **Y BASE**

Y base is made from cast aluminum with 2 ¼" steel tube.

#### X BASE MOUNTING PLATES

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

### Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

### WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All non-woodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/8".

#### **WORKSURFACE HEIGHTS**

Standard	27 ¾"
Bar Height	40 ¾"

## **SURFACE MATERIALS**

#### WORKSURFACE

- Laminate
- Edge band

# **X BASES**

Paint

#### **Y BASE**

**Paint** 

# **TAPERED LEGS**

**Paint** 

# **HEIGHT ADJUSTABLE BASE**

Black or silver

# **TABLES**





Round — w/X base					LAMINATE			PAINT		
DESCRIPTION	Н	W	D	MODEL#		L1	L2	L3	P2	P3
X base	29"	23 ¾"	23 ¾"	TBR24X	Ş	\$1,074	\$1,181	\$1,289	+ \$100	+ \$200
X base	29"	29 ¾"	29 ¾"	TBR30X	Ş	\$1,125	\$1,238	\$1,350	+ \$100	+ \$200
X base	29"	35 ¾"	35 ¾"	TBR36X	Ş	\$1,150	\$1,265	\$1,380	+ \$100	+ \$200
X base	29"	41 ¾"	41 ¾"	TBR42X	\$	\$1,225	\$1,348	\$1,470	+ \$100	+ \$200
X base	29"	47 ¾"	47 ¾"	TBR48X	\$	\$1,510	\$1,661	\$1,812	+ \$100	+ \$200
X base	29"	53 ¾"	53 ¾"	TBR54X	\$	\$2,450	\$2,695	\$2,940	+ \$100	+ \$200



# Round = w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	ព	L2	L3	P2	Р3
4 Tapered legs	29"	29 ¾"	29 ¾"	TBR30T	\$1,600	\$1,760	\$1,920	+ \$100	+ \$200
4 Tapered legs	29"	35 ¾"	35 ¾"	TBR36T	\$1,625	\$1,788	\$1,950	+ \$100	+ \$200
4 Tapered legs	29"	41 ¾"	41 ¾"	TBR42T	\$1,650	\$1,815	\$1,980	+ \$100	+ \$200
4 Tapered legs	29"	47 ¾"	47 ¾"	TBR48T	\$1,675	\$1,843	\$2,010	+ \$100	+ \$200



# Round — w/disc base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
Disc base	29"	29 ¾"	29 ¾"	TBR30D	\$2,127	\$2,340	\$2,552	+ \$100	+ \$200
Disc base	29"	35 ¾"	35 ¾"	TBR36D	\$2,227	\$2,450	\$2,672	+ \$100	+ \$200



# Round — w/TT base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
TT base	29"	59 ¾"	59 ¾"	TBR60TT	\$2,550	\$2,805	\$3,060	+ \$100	+ \$200
TT base	29"	65 ¾"	65 ¾"	TBR66TT	\$2,600	\$2,860	\$3,120	+ \$100	+ \$200
TT base	29"	71 ¾"	71 ¾"	TBR72TT	\$2,650	\$2,915	\$3,180	+ \$100	+ \$200

# **Options for Round Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	DISC BASE	TT BASE	UPCHARGE
Bar height	ВН	•		•	•	+ \$100
Casters (set of 4)	c	•	•		•	+ \$100
Flip top	FT	•		•	•	+ \$200

Specify	Grain Direction		Shape	D	Base
<ol> <li>Model #</li> <li>Options</li> </ol>		TB Table	<b>R Round</b> S Square	30 X	X base Tapered legs
3. Laminate	( <del></del>		RCT Rectangle	D	Disc base
<ul><li>4. Edge band</li><li>5. Base paint</li></ul>			OT Oval		
5. base paint		ТВ	R	30 X	



Square — w/X base							LAMINATE		PAINT		
DESCRIPTION	Н	W	D	MODEL#		L1	L2	L3	P2	Р3	
X base	29"	23 ¾"	23 ¾"	TBS24X		\$1,075	\$1,183	\$1,290	+ \$100	+ \$200	
X base	29"	29 ¾"	29 ¾"	TBS30X		\$1,125	\$1,238	\$1,350	+ \$100	+ \$200	
X base	29"	35 ¾"	35 ¾"	TBS36X		\$1,200	\$1,320	\$1,440	+ \$100	+ \$200	
X base	29"	41 ¾"	41 ¾"	TBS42X		\$1,250	\$1,375	\$1,500	+ \$100	+ \$200	
X base	29"	53 ¾"	53 ¾"	TBS54X		\$2,450	\$2,695	\$2,940	+ \$100	+ \$200	



# Square = w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
4 Tapered Legs	29"	29 ¾"	29 ¾"	TBS30T	\$1,600	\$1,760	\$1,920	+ \$100	+ \$200
4 Tapered Legs	29"	35 ¾"	35 ¾"	TBS36T	\$1,625	\$1,788	\$1,950	+ \$100	+ \$200
4 Tapered Legs	29"	41 ¾"	41 ¾"	TBS42T	\$1,635	\$1,799	\$1,962	+ \$100	+ \$200
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48T	\$1,650	\$1,815	\$1,980	+ \$100	+ \$200



# $\textbf{Square} = \textbf{w/TT} \, \textbf{base}$

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
TT base	29"	59 ¾"	59 ¾"	TBS60TT	\$2,550	\$2,805	\$3,060	+ \$100	+ \$200
TT base	29"	65 ¾"	65 ¾"	TBS66TT	\$2,600	\$2,860	\$3,120	+ \$100	+ \$200
TT base	29"	71 ¾"	71 ¾"	TBS72TT	\$2,650	\$2,915	\$3,180	+ \$100	+ \$200

# **Options for Square Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	TT BASE	UPCHARGE
Bar height	вн	•		•	+ \$100
Casters (set of 4)	С	•	•	•	+ \$100
Flip top	FT	•		•	+ \$200

Specify	Grain Direction		Shape	D	Base
<ol> <li>Model #</li> <li>Options</li> <li>Laminate</li> <li>Edge band</li> </ol>	<b>←</b>	TB Table	R Round S Square RCT Rectangle OT Oval	30 X	<b>X base</b> Tapered legs
5. Base paint		ТВ	S	30 X	



<b>Oval</b> — w/Y base						LAMINATE		PAIN	Т
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672Y	\$3,190	\$3,509	\$3,828	+ \$200	+ \$300
w/stretcher	29"	95 ¾"	47"	TBOT4896Y	\$5,225	\$5,748	\$6,270	+ \$200	+ \$300
w/stretcher	29"	119 ¾"	47"	TBOT48120Y	\$6,395	\$7,035	\$7,674	+ \$200	+ \$300



# **Oval** — w/Tapered legs

DESCRIPTION	ш	W	D	MODEL#	L1	L2	L3	P2	P3
DESCRIPTION	"	VV	U	MODEL #	: "	LZ		12	
6 Tapered legs	29"	71 ¾"	35 ¾"	TBOT3672T	\$3,200	\$3,520	\$3,840	+ \$250	+ \$350
6 Tapered legs	29"	95 ¾"	47"	TBOT4896T	\$3,500	\$3,850	\$4,200	+ \$250	+ \$350
6 Tapered legs*	29"	119 ¾"	47"	TBOT48120T	\$3,850	\$4,235	\$4,620	+ \$250	+ \$350
6 Tapered legs*	29"	119 ¾"	53 ¾"	TBOT54120T	\$6,900	\$7,590	\$8,280	+ \$250	+ \$350
6 Tapered legs*	29"	143 ¾"	59 ¾"	TBOT60144T	\$7,500	\$8,250	\$9,000	+ \$250	+ \$350

# **Options for Oval Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$100
Casters (set of 4)	С	•	•	+ \$100
Flip top	FT	•		+ \$200

Specify	Grain Direction			Shape	D	w	Base
<ol> <li>Model #</li> <li>Options</li> <li>Laminate</li> <li>Edge band</li> </ol>	<b>←</b>	TB Table	R S RCT <b>OT</b>	Round Square Rectangle <b>Oval</b>	34	69	Y Y base T Tapered legs
5. Base paint		ТВ	ОТ		34	69	Υ



Rectangle -	— w/Y base					LAMINATE		PAIN	Т
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048Y	\$1,415	\$1,557	\$1,698	+ \$200	+ \$300
w/stretcher	29"	53 ¾"	23 ¾"	TBRCT2454Y	\$1,375	\$1,513	\$1,650	+ \$200	+ \$300
w/stretcher	29"	59 ¾"	23 ¾"	TBRCT2460Y	\$1,675	\$1,843	\$2,010	+ \$200	+ \$300
w/stretcher	29"	58 ½"	35 ½"	TBRCT3660Y	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060Y	\$1,725	\$1,898	\$2,070	+ \$200	+ \$300
w/stretcher	29"	65 ¾"	23 ¾"	TBRCT2466Y	\$1,900	\$2,090	\$2,280	+ \$200	+ \$300
w/stretcher*	29"	69 1/4"	34"	TBRCT3469Y	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
w/stretcher*	29"	71 ¾"	23 ¾"	TBRCT2472Y	\$1,950	\$2,145	\$2,340	+ \$200	+ \$300
w/stretcher*	29"	71 ¾"	29 ¾"	TBRCT3072Y	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
w/stretcher*	29"	71 ¾"	35 ¾"	TBRCT3672Y	\$2,415	\$2,657	\$2,898	+ \$200	+ \$300
w/stretcher*	29"	79 1/4"	34"	TBRCT3479Y	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
w/stretcher*	29"	83 ¾"	41 ¾"	TBRCT4284Y	\$3,275	\$3,603	\$3,930	+ \$200	+ \$300
w/stretcher*	29"	95 ¾"	47 ¾"	TBRCT4896Y	\$4,165	\$4,582	\$4,998	+ \$200	+ \$300



# Rectangle — w/Tapered legs

DESCRIPTION	Н	w	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered legs	29"	47 ¾"	29 ¾"	TBRCT3048T	\$1,900	\$2,090	\$2,280	+ \$250	+ \$350
4 Tapered legs	29"	58 ½"	35 ½"	TBRCT3660T	\$2,200	\$2,420	\$2,640	+ \$250	+ \$350
4 Tapered legs	29"	59 ¾"	29 ¾"	TBRCT3060T	\$2,100	\$2,310	\$2,520	+ \$250	+ \$350
6 Tapered legs	29"	69 1/4"	34"	TBRCT3469T	\$2,300	\$2,530	\$2,760	+ \$250	+ \$350
6 Tapered legs	29"	71 ¾"	29 ¾"	TBRCT3072T	\$2,100	\$2,310	\$2,520	+ \$250	+ \$350
6 Tapered legs	29"	71 ¾"	35 ¾"	TBRCT3672T	\$2,300	\$2,530	\$2,760	+ \$250	+ \$350
6 Tapered legs*	29"	79 1/4"	34"	TBRCT3479T	\$2,500	\$2,750	\$3,000	+ \$250	+ \$350
6 Tapered legs*	29"	83 ¾"	41 ¾"	TBRCT4284T	\$2,750	\$3,025	\$3,300	+ \$250	+ \$350
6 Tapered legs*	29"	95 ¾"	47 ¾"	TBRCT4896T	\$2,850	\$3,135	\$3,420	+ \$250	+ \$350
* Includes a support ra	il								

# **Options for Rectangle Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$100
Casters (set of 4)	C	•	•	+ \$100
Flip top	FT	•		+ \$200

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		TB Tab	le :	R	Round	34	69	Υ	Y base
2. Options	← →			S	Square			Т	Tapered legs
3. Laminate		:		RCT	Rectangle			:	
4. Edge band				OT	Oval	:			
5. Base paint		į,				,		:	•
•		ТВ		RCT		34	69	Υ	



				······································	• • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	•••••••••
24" D					LAMINATE		v	VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	24"	TBRCT2448H	\$2,177	\$2,395	\$2,612	\$2,597	\$2,857	\$3,116
24" – 50"	54"	24"	TBRCT2454H	\$2,227	\$2,450	\$2,672	\$2,677	\$2,945	\$3,212
24" – 50"	60"	24"	TBRCT2460H	\$2,277	\$2,505	\$2,732	\$2,782	\$3,060	\$3,338
24" – 50"	66"	24"	TBRCT2466H	\$2,327	\$2,560	\$2,792	\$2,882	\$3,170	\$3,458
24" – 50"	72"	24"	TBRCT2472H	\$2,377	\$2,615	\$2,852	\$2,942	\$3,236	\$3,530
24" – 50"	78"	24"	TBRCT2478H	\$2,427	\$2,670	\$2,912	\$3,007	\$3,308	\$3,608
24" - 50"	84"	24"	TBRCT2484H	\$2,477	\$2,725	\$2,972	\$3,067	\$3,374	\$3,680



				<b>;</b>		,	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
30" D					LAMINATE			VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	30"	TBRCT3048H	\$2,227	\$2,450	\$2,672	\$2,717	\$2,989	\$3,260
24" - 50"	54"	30"	TBRCT3054H	\$2,277	\$2,505	\$2,732	\$2,847	\$3,132	\$3,416
24" - 50"	60"	30"	TBRCT3060H	\$2,327	\$2,560	\$2,792	\$2,942	\$3,236	\$3,530
24" - 50"	66"	30"	TBRCT3066H	\$2,377	\$2,615	\$2,852	\$3,032	\$3,335	\$3,638
24" - 50"	72"	30"	TBRCT3072H	\$2,427	\$2,670	\$2,912	\$3,117	\$3,429	\$3,740
24" - 50"	78"	30"	TBRCT3078H	\$2,477	\$2,725	\$2,972	\$3,187	\$3,506	\$3,824
24" – 50"	84"	30"	TBRCT3084H	\$2,527	\$2,780	\$3,032	\$3,277	\$3,605	\$3,932

# Specify

- 1. Model #
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver

# **Application Notes**

Electric Height Adjustable Base Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be betweetn 48" – 84" wide. Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".



24" D					LAMINATE		W	OOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	42"	24"	TBRCT2442PH	\$3,007	\$3,308	\$3,608	\$3,407	\$3,748	\$4,088
24" – 50"	48"	24"	TBRCT2448PH	\$3,057	\$3,363	\$3,668	\$3,477	\$3,825	\$4,172
24" – 50"	54"	24"	TBRCT2454PH	\$3,107	\$3,418	\$3,728	\$3,557	\$3,913	\$4,268
24" – 50"	60"	24"	TBRCT2460PH	\$3,157	\$3,473	\$3,788	\$3,662	\$4,028	\$4,394
24" - 50"	66"	24"	TBRCT2466PH	\$3,307	\$3,638	\$3,968	\$3,862	\$4,248	\$4,634
24" - 50"	72"	24"	TBRCT2472PH	\$3,357	\$3,693	\$4,028	\$3,922	\$4,314	\$4,706
24" – 50"	78"	24"	TBRCT2478PH	\$3,407	\$3,748	\$4,088	\$3,987	\$4,386	\$4,784
24" – 50"	84"	24"	TBRCT2484PH	\$3,507	\$3,858	\$4,208	\$4,097	\$4,507	\$4,916



				<b>,</b>					
30" D					LAMINATE		v	VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" - 50"	42"	30"	TBRCT3042PH	\$3,057	\$3,363	\$3,668	\$3,532	\$3,885	\$4,238
24" - 50"	48"	30"	TBRCT3048PH	\$3,107	\$3,418	\$3,728	\$3,597	\$3,908	\$4,218
24" - 50"	54"	30"	TBRCT3054PH	\$3,307	\$3,638	\$3,968	\$3,877	\$4,208	\$4,538
24" – 50"	60"	30"	TBRCT3060PH	\$3,357	\$3,693	\$4,028	\$3,972	\$4,308	\$4,643
24" – 50"	66"	30"	TBRCT3066PH	\$3,407	\$3,748	\$4,088	\$4,062	\$4,403	\$4,743
24" – 50"	72"	30"	TBRCT3072PH	\$3,457	\$3,803	\$4,148	\$4,147	\$4,493	\$4,838
24" – 50"	78"	30"	TBRCT3078PH	3,507.00	\$3,858	\$4,208	\$4,217	\$4,568	\$4,918
24" – 50"	84"	30"	TBRCT3084PH	3,557.00	\$3,913	\$4,268	\$4,307	\$4,663	\$5,018

# Specify

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver


# **Application Notes**


Provides 18" of vertical movement.


# **Specification Guidelines**

Pneumatic Height Adjustable Base Pneumatic height adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" – 84" wide. NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.

# **Privacy/Modesty Panels**








# **Privacy Panels**

12	2" 12"	2	PRV(CR/PG/TC)12	\$167	\$147	\$357
18	3" 12"	2	PRV(CR/PG/TC)18	\$207	\$167	\$487
24	l" 12"	2	PRV(CR/PG/TC)24	\$247	\$197	\$617
30	)" 12"	2	PRV(CR/PG/TC)30	\$287	\$227	\$747
36	5" 12"	2	PRV(CR/PG/TC)36	\$327	\$257	\$887
42	2" 12"	2	PRV(CR/PG/TC)42	\$367	\$287	\$1,017
48	3" 12"	2	PRV(CR/PG/TC)48	\$407	\$317	\$1,147
60	)" 12"	3	PRV(CR/PG/TC)60	\$507	\$377	\$1,417



# **Modesty Panels**

12"	12"	2	MOD(CR/PG/TC)12	\$167	\$147	\$357
18"	12"	2	MOD(CR/PG/TC)18	\$207	\$167	\$487
24"	12"	2	MOD(CR/PG/TC)24	\$247	\$197	\$617
30"	12"	2	MOD(CR/PG/TC)30	\$287	\$227	\$747
36"	12"	2	MOD(CR/PG/TC)36	\$327	\$257	\$887
42"	12"	2	MOD(CR/PG/TC)42	\$367	\$287	\$1,017
48"	12"	2	MOD(CR/PG/TC)48	\$407	\$317	\$1,147
60"	12"	3	MOD(CR/PG/TC)60	\$507	\$377	\$1,417

Specify						
1. Model #						
2. Insert type						
3. Insert color						
Trim - Brushed nickel only						

ı y	Corian Fillishes
odel #	Glacier White CR001
sert type	Pearl Grey
sert color	Corian Clay
	Silver GreyCR004
- Brushed nickel only	Corian Grey CR005

Carian Einichae

Textured Corian Finishes						
Glacier White	CR001T					
Pearl Grey	CR002T					
Corian Clay	CR003T					
Silver Grey	CR004T					
Corian Grey	CR005T					
Corian Grey	CK0051					


Plexiglass Finishes				
IC lce				
<b>SM</b> Smoked				
TR Translucent				
<b>LF</b> Frost				
Application Notes				

Screens are 1/4" thick.


Widths are 1" less than nominal to allow for 1/2" set-back on each side.

# Screen Type


CR ... Corian PG . . Plexiglass TC ... Textured Corian



Priv	Privacy & Modesty Panels — Laminate				LAMINATE		
W	Н	BRACKETS	MODEL#	L1	L2	L3	
24"	27"	2	PRVMODLM24	\$497	\$547	\$596	
30"	27"	2	PRVMODLM30	\$567	\$624	\$680	
36"	27"	2	PRVMODLM36	\$607	\$668	\$728	
42"	27"	2	PRVMODLM42	\$637	\$701	\$764	
48"	27"	2	PRVMODLM48	\$677	\$745	\$812	
60"	27"	3	PRVMODLM60	\$707	\$778	\$848	



Priv	acy	& Mod	lesty Panels — fabric	• • • • • • • • • • • • • • • • • • •	•••••••••••	•••••••••••	FABI	RIC	•••••	•••••	•••••
W	Н	BRACKETS	MODEL#	A	В	C	D	E	F	G	Н
24"	27"	2	PRVMODFA24	\$357	\$407	\$437	\$457	\$567	\$687	\$797	\$897
30"	27"	2	PRVMODFA30	\$377	\$447	\$477	\$497	\$607	\$727	\$827	\$937
36"	27"	2	PRVMODFA36	\$397	\$487	\$517	\$537	\$647	\$767	\$867	\$977
42"	27"	2	PRVMODFA42	\$417	\$517	\$557	\$577	\$687	\$797	\$907	\$1,017
48"	27"	2	PRVMODFA48	\$487	\$607	\$647	\$657	\$777	\$897	\$987	\$1,107
60"	27"	3	PRVMODFA60	\$617	\$747	\$797	\$807	\$907	\$1,037	\$1,137	\$1,247



# Tackable Privacy & Slat Rail Combo

& Slat Rail Combo			FABRIC						PAINT					
W	Н	BRACKETS	MODEL#	А	В	C	D	E	F	G	Н	P1	P2	Р3
12"	12"	2	PRVTKSR1212	\$207	\$257	\$307	\$357	\$407	\$467	\$557	\$707	+ \$25	+ \$50	+ \$75
18"	12"	2	PRVTKSR1218	\$237	\$297	\$347	\$397	\$447	\$507	\$597	\$747	+ \$25	+ \$50	+ \$75
24"	12"	2	PRVTKSR1224	\$267	\$337	\$387	\$437	\$487	\$547	\$637	\$787	+ \$25	+ \$50	+ \$75
30"	12"	2	PRVTKSR1230	\$297	\$377	\$427	\$477	\$557	\$587	\$677	\$827	+ \$25	+ \$50	+ \$75
36"	12"	2	PRVTKSR1236	\$347	\$417	\$467	\$517	\$597	\$757	\$857	\$1,027	+ \$25	+ \$50	+ \$75
42"	12"	2	PRVTKSR1242	\$377	\$457	\$507	\$557	\$637	\$777	\$897	\$1,067	+ \$25	+ \$50	+ \$75
48"	12"	2	PRVTKSR1248	\$407	\$497	\$547	\$597	\$677	\$797	\$957	\$1,107	+ \$25	+ \$50	+ \$75
60"	12"	3	PRVTKSR1260	\$447	\$537	\$587	\$637	\$717	\$817	\$997	\$1,147	+ \$25	+ \$50	+ \$75

Specify		
1. Model	#	
2. Insert t	type	
3. Insert o	color	

Trim - Brushed nickel only

Corian Finishes	
Glacier White	CR001
Pearl Grey	CR002
Corian Clay	CR003
Silver Grey	CR004
Corian Grey	CR005

Textured Corian Finish	es
Glacier White	. CR001T
Pearl Grey	. CR002T
Corian Clay	. CR003T
Silver Grey	. CR004T
Corian Grey	. CR005T

Plexiglass Finishes

IC . . . Ice

SM . . Smoked

TR . . Translucent

LF . . Frost

Application Notes

Screens are ¼" thick.

Widths are 1" less than nominal to allow for  $\frac{1}{2}$ " set-back on each side.

### Screen Type

**CR** . . Corian **PG** . . Plexiglass **TC** . . Textured Corian



18" H		GLASS INSER	rT	PAINT		
W	MODEL#	GL	PG	P2	P3	
12"	EDTS()1218()	\$347	\$357	+ \$25	+ \$50	
18"	EDTS()1818()	\$367	\$377	+ \$25	+ \$50	
24"	EDTS()2418()	\$397	\$397	+ \$25	+ \$50	
30"	EDTS()3018()	\$437	\$417	+ \$25	+ \$50	
36"	EDTS()3618()	\$487	\$437	+ \$25	+ \$50	
42"	EDTS()4218()	\$537	\$457	+ \$25	+ \$50	
48"	EDTS()4818()	\$587	\$477	+ \$25	+ \$50	



24" H					
12"	EDTS()1224()	\$357	\$377	+ \$25	+ \$50
18"	EDTS()1824()	\$377	\$397	+ \$25	+ \$50
24"	EDTS()2424()	\$427	\$417	+ \$25	+ \$50
30"	EDTS()3024()	\$487	\$437	+ \$25	+ \$50
36"	EDTS()3624()	\$557	\$457	+ \$25	+ \$50
42"	EDTS()4224()	\$617	\$477	+ \$25	+ \$50
48"	EDTS()4824()	\$677	\$497	+ \$25	+ \$50



30" H					
12"	EDTS()1230()	\$397	\$437	+ \$25	+ \$50
18"	EDTS()1830()	\$417	\$457	+ \$25	+ \$50
24"	EDTS()2430()	\$487	\$477	+ \$25	+ \$50
30"	EDTS()3030()	\$567	\$497	+ \$25	+ \$50
36"	EDTS()3630()	\$647	\$517	+ \$25	+ \$50
42"	EDTS()4230()	\$727	\$537	+ \$25	+ \$50
48"	EDTS()4830()	\$807	\$557	+ \$25	+ \$50



36" H					
12"	EDTS()1236()	\$427	\$517	+ \$25	+ \$50
18"	EDTS()1836()	\$457	\$537	+ \$25	+ \$50
24"	EDTS()2436()	\$557	\$557	+ \$25	+ \$50
30"	EDTS()3036()	\$647	\$577	+ \$25	+ \$50
36"	EDTS()3636()	\$747	\$597	+ \$25	+ \$50
42"	EDTS()4236()	\$847	\$617	+ \$25	+ \$50
48"	EDTS()4836()	\$937	\$637	+ \$25	+ \$50

Specify		'			
_			_		

1. Model # 2. Insert type 3. Insert color 4. Paint

		W	Н	Mounting
EDTS Equity desktop screen	GL Glass insert	36	18	C Clamp \$50
	PG Plexiglass insert			F Freestanding \$0
				S Screw down \$0
EDTS	PG	36	18	F
				ii



61" H		GLASS INSER		PAINT	
w	MODEL#	GL	PG	P2	P3
24"	EMS()2461	\$1,367	\$1,707	+ \$25	+ \$50
30"	EMS()3061	\$1,567	\$1,957	+ \$25	+ \$50
36"	EMS()3661	\$1,767	\$2,257	+ \$25	+ \$50
42"	EMS()4261	\$1,967	\$2,557	+ \$25	+ \$50
48"	EMS()4861	\$2,167	\$2,757	+ \$25	+ \$50



#### 64" H EMS()2464 \$1,397 \$1,807 + \$25 + \$50 30" EMS()3064 + \$25 \$1,597 \$2,107 + \$50 36" EMS()3664 \$1,797 \$2,407 + \$50 + \$25 42" EMS()4264 \$1,997 \$2,707 + \$25 + \$50 48" EMS()4864 \$2,197 \$2,957 + \$25 + \$50



81" H					
24"	EMS()2481	\$1,747	\$2,307	+ \$25	+ \$50
30"	EMS()3081	\$1,947	\$2,807	+ \$25	+ \$50
36"	EMS()3681	\$2,147	\$3,207	+ \$25	+ \$50
42"	EMS()4281	\$2,347	\$3,607	+ \$25	+ \$50
48"	EMS()4881	\$2,547	\$3,907	+ \$25	+ \$50

Specify	
1. Model #	


2. Insert type

3. Insert color

4. Paint

				Options
		w	Н	
EMS Equity mobile screen	GL Glass insert PG Plexiglass insert	36	81	C Casters \$100
EMS	PG	36	81	

# **Mobile Privacy Screens**



Specify

24" W		INFILL FIN	FRAME	
Н	MODEL#	STANDARD	PREMIUM	BLACK/WHITE
53"	FRMWL2453-S-S	\$3,807	\$4,607	+ \$600
72"	FRMWL2472-S-S	\$3,907	\$4,707	+ \$600

FRMWL2453				FRMWL2472			
SS-SS	SS-R	R-SS	R-R	SS-SS-SS	R-SS-R	SS-R-SS	R-R-R

52" W		INFILL FINI	INFILL FINISHES		INFILL FINISHES FRA	
Н	MODEL #	STANDARD	PREMIUM	BLACK/WHITE		
53"	FRMWL5253-SS-SS	\$4,007	\$4,807	+ \$600		
53"	FRMWL5253-SS-R	\$3,657	\$4,407	+ \$600		
53"	FRMWL5253-R-SS	\$3,657	\$4,407	+ \$600		
53"	FRMWL5253-R-R	\$3,307	\$4,057	+ \$600		
72"	FRMWL5272-SS-SS	\$4,107	\$5,107	+ \$600		
72"	FRMWL5272-R-SS-R	\$4,327	\$5,607	+ \$600		
72"	FRMWL5272-SS-R-SS	\$4,707	\$5,907	+ \$600		
72"	FRMWL5272-R-R-R	\$4,107	\$5,207	+ \$600		


Application Notes

in the pricing. For base pricing see page 131.

1. Model #	Anodized Aluminum	Frame
2. Frame color	White	Includes hardware.
3. Insert color Standard Frame - Anodized Aluminum	Black	Infills Infills are available in grades A and B. See page 131 for available finishes.
		<b>Bases</b> Bases are not included

Frame Colors


# **Mobile Privacy Screens**



72" W		I	NFILL FINISHES	FRAME
Н	MODEL#	STAN	DARD PRE	MIUM BLACK/WHITE
53"	FRMWL7253-RS-SR	\$4	1,607 \$5	5,707 + \$600
53"	FRMWL7253-SSS-RS	\$4	1,807 \$6	5,057 + \$600
53"	FRMWL7253-SSS-SR	\$4	1,807 \$6	6,507 + \$600
53"	FRMWL7253-SSS-SSS	\$5	5,157 \$6	5,407
72"	FRMWL7272-SR-RS-SR	\$5	5,907 \$7	7,607 + \$600
72"	FRMWL7272-SR-SSS-SR	\$6	5,507 \$8	+ \$600
72"	FRMWL7272-SR-SSS-RS	\$6	5,207 \$7	7,957 + \$600
72"	FRMWL7272-SSS-SSS-SSS	\$7	7,207 \$9	9,007 + \$600

# **Bases**

DESCRIP	MODEL#	ANODIZED ALUMINUM	BLACK/WHITE
Half moon base	<b>B</b> 01	\$90	\$117
12" Floor mount plate	<b>B</b> 02	\$100	\$130
Caster base set	<b>B</b> 03	\$200	\$260
12" Diameter link base	<b>B</b> 04	\$100	\$130
Flush base	<b>B</b> 05	\$220	\$286
6" Floor mount plate	<b>B</b> 06	\$100	\$130
6" Non-floor mounted base	<b>B</b> 07	\$100	\$130



Standard					Premium				
Solid Colors	Gr A	Translucent	Gr A	Acoustic	Gr A	Fabrics	Gr B	Laminate	Gr B
White		Twinwall Clear Texture		Charcoal		White		Madagascar	
Black		Twinwall White		Cobalt		Gray		Ebony	
Yellow		Twinwall Smoke		Cranberry		Black		Zebrano	
Red		Frosted Acrylic		Marble		Red		Asian Gray	
Dark Gray		Clear Acrylic		Midnight		Blue		Maple	
Light Gray				Sand		Green		Cherry	
Blue				Sherbet		Orange		Dry Erase	
				Shiitake		Camel		Magnetic Dry Erase	
				Snow		Brown		,	
				Steel					
				Pewter					

# **STORAGE**

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.


Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

#### **TRUE DIMENSIONS**

**Disclaimer:** While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

# **STORAGE**















	MODEL #	LIST
Pencil tray	SPTRY	\$17
6" Drawer divider	SBDD	\$17
12" Drawer divider	SFDD	\$37
Magnetic label	SMLB	\$67
Ped drawer front filler	SPFF	\$66
Magnetic drawer dividers	SMDDB	\$97
Magnetic shelf divider	SMSD	\$77
 Lateral file conversion bar	SLFCB	\$77



# PED ACCESSORY PACKAGE - FF

2 – 12" Drawer dividers	SFFA	\$67



# PED ACCESSORY PACKAGE - BBF

2 – 6" Drawer dividers	SBBFA	\$77
1 – 12" Drawer dividers		
1 – Pencil tray		



# PED ACCESSORY PACKAGE – BF

1 – 6" Drawer divider	SBFA	\$67

1 – 12" Drawer divider 1 – Pencil tray

Step 1 - Model #

'						
	Pedestal		Drawers	D		Pull
SPED	Freestanding Pedestal	FF	File File	19	J	J Pull
SMPED	Mobile Pedestal	BBF	<b>Box Box File</b>		В	Bar Pull
SCMPED	Mobile Pedestal w/Cushion	BF	Box File	:	R	Radiused Pull
SSPED	Suspended Pedestal			:	:	
SWSPED	Worksurface Supporting Pedestal			:	:	
SWSLKR	Worksurface Supporting Locker			:	:	
SFC	File Center			:	:	
				:	:	
SPED		BBF	•	19	В	:
	.:		. <u>:</u>		i	. <b>.:</b>

Step 2 - Case Finish

	Paints			
301	Champagne			
į				
30°	:			
30	301			
********	<b></b>			

Step 3 – Front Finish

Not Available w/J Pull		
Laminate		
Studio Teak		
PW-STK		

## **FEATURES**

#### **COUNTER WEIGHTS**

- Freestanding, mobile and cushion pedestals include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting or suspended pedestals.

#### LOCK

- · Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

## **LEVELING GLIDES**

4 Leveling glides allow for 1 %" adjustment.

#### **CASTERS - MOBILE PEDS**

• 4 Black casters, 2 of which are locking.

## **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

#### DRAWER LOAD CAPACITY

6" Box drawers 50 lbs 12" File drawers 70 lbs


# **DRAWER INNER DIMENSIONS**

Height

Box drawer

File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
22" Deep pedestal	18 1/4"
30" Deep pedestal	24 1/4"

# **PULL STYLES**







# SURFACE MATERIALS

### **PEDESTAL**

Paint

4 1/2"

# **FRONTS**

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

#### **DRAWER PULL**

Bar (B) Satin nickel Radiused (R) Satin nickel J (J) Paint

## **MOBILE PED HANDLE**

Satin nickel


#### LOCK

Satin nickel

## **CUSHION TOP**

Upholstery

# **PEDESTALS**





Freest	anding	J			PAINT		LAMINAT	E FRONT (UPCHA	
Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
27 ¾"	15 1/4"	21 %"	SPEDFF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
27 ¾"	15 1/4"	21 %"	SPEDBBF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
27 ¾"	15 1/4"	27 %"	SPEDFF30(J/B/R)	\$677	\$745	\$812	+ \$271	+ \$366	+ \$460
27 ¾"	15 1/4"	27 %"	SPEDBBF30(J/B/R)	\$697	\$767	\$836	+ \$279	+ \$376	+ \$474



# Mobile


26 %"	15 ¼"	18 %"	SMPEDFF19(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
26 %"	15 1/4"	18 %"	SMPEDBBF19(J/B/R)	\$647	\$712	\$776	+ \$285	+ \$314	+ \$342
21 1/8"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$577	\$635	\$692	+ \$250	+ \$275	+ \$300
26 %"	15 1/4"	21 %"	SMPEDFF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$677	\$745	\$812	+ \$300	+ \$330	+ \$360
21 %"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$587	\$646	\$704	+ \$250	+ \$275	+ \$300
26 %"	15 ¼"	27 %"	SMPEDFF30(J/B/R)	\$657	\$723	\$788	+ \$263	+ \$355	+ \$447
26 %"	15 1/4"	27 %"	SMPEDBBF30(J/B/R)	\$687	\$756	\$824	+ \$275	+ \$371	+ \$467
21 %"	15 1/4"	27 %"	SMPEDBF30(J/B/R)	\$607	\$668	\$728	+ \$243	+ \$328	+ \$413



Mobil	Mobile Cushion			•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	FABR		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		
Н	W	D	MODEL#		1	2	3	4	5	6	7	8
1"	15 1/4"	18 %"	PC19		\$180	\$210	\$240	\$270	\$340	\$400	\$460	\$550
1"	15 1/4"	21 %"	PC22		\$180	\$210	\$240	\$270	\$340	\$400	\$460	\$550
1"	15 1/4"	27 7/6"	PC30		\$180	\$210	\$240	\$270	\$340	\$400	\$460	\$550

# Specify

- 1. Model#
- 2. Case finish
- 3. Front finish Laminate not available on J pull



R – Radiused

## Ordered Separately

• Pencil tray

## Freestanding Peds

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

#### Mobile Peds

## Included

- $\bullet \ Counterweight \ for \ stability$
- Black 37mm plastic casters (2 locking & 2 non-locking)

# **Pedestals**



Suspe	nded				PAINT		LAMINAT	E FRONT (UPCHAI	RGE)
Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
25"	15 1/4"	21 %"	SSPEDFF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
19 %"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$497	\$547	\$596	+ \$215	+ \$237	+ \$258



# **Worksurface Supporting**

27 ¾"	15 1/4"	17 %"	SWSPEDFF18(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306
27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324
27 ¾"	15 1/4"	21 %"	SWSPEDFF22(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306
27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324
27 ¾"	15 1/4"	27 %"	SWSPEDFF30(J/B/R)	\$597	\$657	\$716	+ \$239	+ \$322	+ \$406
27 ¾"	15 1/4"	27 %"	SWSPEDBBF30(J/B/R)	\$657	\$723	\$788	+ \$263	+ \$355	+ \$447



Mobile	Slim					PAINT		LAMINAT	E FRONT (UPCHAF	(GE)
DRAWER ACCESS	н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	20"	12"	18 %"	SMPEDSLM19L(J/B/R)	\$1,097	\$1,207	\$1,316	+ \$280	+ \$308	+ \$336
R	20"	12"	18 %"	SMPEDSLM19R(J/B/R)	\$1,097	\$1,207	\$1,316	+ \$280	+ \$308	+ \$336
Both	20"	12"	18 %"	SMPEDSLM19B(J/B/R)	\$1,147	\$1,262	\$1,376	+ \$280	+ \$308	+ \$336



Mobile Slim Cushion			•	••••••••••••	••••••••••••••••	FABR		•••••••••••••••••••••••••••••••••••••••	•••••••••••••			
Н	W	D	MODEL#		1	2	3	4	5	6	7	8
1"	12"	1.9.76"	DCS10		\$180	\$210	\$240	\$270	\$340	\$400	\$460	\$550

Specify						
1.	Model #					
2.	Case finish					
3.	Front finish					
	Laminate not					

available on J Pull

							Options	
Lateral			W		Pull			
Freestanding Pedestal	:	:	19	J	J Pull	DL	Digital Lock	\$357
Mobile Pedestal w/Cushion	:	:		R	Radiused Pull			
Suspended Pedestal								
Worksurface Supporting Pedestal Worksurface Supporting Locker								
File Center		į						
	BBF		19	В	:	DL		
	Freestanding Pedestal Mobile Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker	Freestanding Pedestal Mobile Pedestal Mobile Pedestal Mobile Pedestal Mobile Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	Freestanding Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	Freestanding Pedestal Mobile Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	Freestanding Pedestal Mobile Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	Freestanding Pedestal Mobile Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	Freestanding Pedestal Mobile Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	Freestanding Pedestal Mobile Pedestal Mobile Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center  W Pull  19 J J Pull B Bar Pull R Radiused Pull R Radiused Pull

Step 2 - Case Finish

**Paints** 301 Champagne 301

Step 3 - Front Finish

Not A	Not Available w/J Pull					
	Laminate					
PW-STK	Studio Teak					
PW-STK	:					

# **FEATURES**

#### **COUNTER WEIGHTS**

- Freestanding file centers include factory installed counterweights.
- · Counterweights are not necessary for worksurface supporting file centers.

#### LOCK

- · Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

## **LEVELING GLIDES**

4 Leveling glides allow for 1 %" adjustment.

#### **CASTERS – MOBILE PEDS**

• 4 Black casters, 2 of which are locking

## **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

## DRAWER LOAD CAPACITY

6" Box drawers 50 lbs 12" File drawers 70 lbs

# **DRAWER INNER DIMENSIONS**

Height

Box drawer	4 ½"
File drawer	9 1/2"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
30" Deep pedestal	26 1/4"

## **PULL STYLES**

#### **Available with Laminate Front**







## **SURFACE MATERIALS**

### **PEDESTAL**

Paint

## **FRONTS**

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) **Paint** 

#### **DRAWER PULL**

Bar (B) Satin nickel Radiused (R) Satin nickel 7 (1) **Paint** 


### **LOCK**

Satin nickel

### **CUSHION TOP**

Upholstery

# **FILE CENTERS**





Worksurface Supporting File Center			PAINT			LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
27 ¾"	30 ½"	18 1/4"	SFCFFLAT(J/B)	\$1,177	\$1,295	\$1,412	+ \$520	+ \$572	+ \$624
27 ¾"	30 ½"	18 1/4"	SFCBBFLAT(J/B)	\$1,187	\$1,306	\$1,424	+ \$540	+ \$594	+ \$648
27 ¾"	30 1/2"	18 1/4"	SFCFBBLAT(J/B)	\$1,187	\$1,306	\$1,424	+ \$540	+ \$594	+ \$648



# **Mobile File Center w/cushion**


24 1/8"	30 ½"	18 3/8"	SCMFCBBLAT(J/B)	:	\$2,007	\$2,208	\$2,408	+ \$700	+ \$971	+ \$1,241
21/0	30 /2	10 /0	Jenn CDDEM (J/D)	•	72,007	72,200	72,100	1 7700	1 4271	· 71,211

# **Mobile Cushion Fabric Upcharges**

MODILE CUSINON TUBILE	openarges
SEATING GRADES	UPCHARGE
1	+ \$225
2	+ \$300
3	+ \$400
4	+ \$500
5	+ \$600
6	+ \$700
7	+ \$800
8	+ \$900

# Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



R – Radiused

## **Ordered Separately**

• Pencil tray

## Freestanding File Center

#### Included

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

# Mobile File Center

#### Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)
- 1" cushion in black Other fabrics available for an upcharge.

## **File Centers**



Mobile File Center w/Cupboard Door			PAINT			LAMINATE FRONT (UPCHARGE)				
HINGE	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	22 3/8"	30 ½"	18 1/4"	SMFCFBCUBL(J/B)	\$1,247	\$1,347	\$1,447	+ \$540	+ \$594	+ \$648
R	22 3/8"	30 ½"	18 1/4"	SMFCFBCUBR(J/B)	\$1,247	\$1,347	\$1,447	+ \$540	+ \$594	+ \$648



## Mobile File Center w/Open Shelf

L	22 ¾"	30 ½"	18 1/4"	SMFCFBSHFL(J/B)	\$1,147	\$1,347	\$1,447	+ \$530	+ \$583	+ \$636
R	22 ¾"	30 ½"	18 1/4"	SMFCFBSHFR(J/B)	\$1,147	\$1,347	\$1,447	+ \$530	+ \$583	+ \$636



Mobile File Center Cushion			FABRIC								
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30 ½"	18 1/4"	MFCC30	\$327	\$427	\$477	\$527	\$577	\$627	\$677	\$747

Sp	Specify								
1.	Model #								
2.	Case finish								
3.	Front finish								
	Laminate not								

available on J Pull

					Options
	Lateral		w	Pull	
SFC	File Center	FF File File	19	J J Pull	DL Digital Lock \$35
SCFC	Freestanding File Center w/cushion	BBF Box Box File		B Bar Pull	
SCMFC	Mobile File Center w/cushion	BF Box File	:	R Radiused Pull	
			:	•	
				•	
			<u>.</u>		
SFC		BBF	19	В	DL
	<b>:</b>	<b></b>	<b>:</b>	<b></b>	

#### Step 1 - Model #

Lateral	# of Drawers	W	Pull
SLAT Lateral SWSLAT Worksurface Supporting	3	36	J J Pull <b>B Bar Pull</b>
SLAT	3	36	В

Step 2 - Case Finish

	'
	Paint
301	Champagne
301	
301	
301	. <b>i</b>

Step 3 - Front Finish

Not Available w/J Pull							
	Laminate						
PW-STK	Studio Teak						
PW-STK							

#### **FEATURES**

#### **COUNTER WEIGHTS**

- Counterweights are not included with laterals.
- Counterweights are not necessary for worksurface supporting laterals.

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation.
- Drawer fronts include rubber bumpers for quiet operation.
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage.
- Drawer includes full-height side panels.
- 2 file bars are included in each drawer, for side-to-side filing.
- Conversion bars for front to back filing are sold separately.
- All lateral drawer bins will accommodate A4, letter and legal size filing.

#### **LEVELING GLIDES**

4 leveling glides allow for 1 1/4" adjustment.

#### **COUNTERWEIGHTS**

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	20 Gauge

#### **DRAWER LOAD CAPACITY**

30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

#### **DRAWER INNER DIMENSIONS**

Height	
Top flipper door	13 1/4"
Drawer immediately below lock strip	9 %"
All other drawers	10 ¾"
Width	
30" Wide lateral	26 1/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 1/10"
Depth	
18 ¼" Deep lateral	16"

#### **PULL STYLES**







#### **SURFACE MATERIALS**

#### LATERAL

Paint

#### **FRONTS**

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### LOCK

Satin nickel

#### **TOP**

Paint or Laminate

## **LATERALS**





2 Drawer				PAINT		LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
28 3/8"	30"	18 1/4"	SLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
28 3/8"	36"	18 1/4"	SLAT236(J/B)	\$1,097	\$1,207	\$1,316	+ \$440	+ \$484	+ \$581
28 ¾"	42"	18 1/4"	SLAT242(J/B)	\$1,147	\$1,262	\$1,376	+ \$480	+ \$528	+ \$634

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 3 Drawer

39 %"	30"	18 1/4"	SLAT330(J/B)	\$1,247	\$1,372	\$1,496	+ \$550	+ \$605	+ \$726
39 %"	36"	18 1/4"	SLAT336(J/B)	\$1,397	\$1,537	\$1,676	+ \$590	+ \$649	+ \$779
39 %"	42"	18 1/4"	SLAT342(J/B)	\$1,497	\$1,647	\$1,796	+ \$630	+ \$693	+ \$832

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 4 Drawer

51 %"	30"	18 1/4"	SLAT430(J/B)	\$1,547	\$1,702	\$1,856	+ \$670	+ \$737	+ \$884
51 3/8"	36"	18 1/4"	SLAT436(J/B)	\$1,697	\$1,867	\$2,036	+ \$700	+ \$770	+ \$924
51 3/8"	42"	18 1/4"	SLAT442(J/B)	\$1,797	\$1,977	\$2,156	+ \$730	+ \$803	+ \$964

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### 5 Drawer — fixed top shelf

65 %"	30"	18 1/4"	SLAT530(J/B)	\$1,847	\$2,032	\$2,216	+ \$740	+ \$814	+ \$977
65 %"	36"	18 1/4"	SLAT536(J/B)	\$1,997	\$2,197	\$2,396	+ \$760	+ \$836	+ \$1,003
65 %"	42"	18 1/4"	SLAT542(J/B)	\$2,197	\$2,417	\$2,636	+ \$780	+ \$858	+ \$1,030

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### 5 Drawer — w/roll-out shelf

65 %"	30"	18 1/4"	SLAT5R30(J/B)	\$2,777	\$3,055	\$3,332	+ \$2,000	+ \$2,200	+ \$2,400
65 1/8"	36"	18 1/4"	SLAT5R36(J/B)	\$3,177	\$3,495	\$3,812	+ \$2,000	+ \$2,200	+ \$2,400
65 %"	42"	18 1/4"	SLAT5R42(J/B)	\$3,377	\$3,715	\$4,052	+ \$2,000	+ \$2,200	+ \$2,400

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

## Pulls B – Bar Pull J – J Pull

Lateral	# Drawers	W	Pull	
SLAT Lateral	2	36	J J Pull	CW Counterweights \$167
SWSLAT Worksurface Supporting	3		B Bar Pull	DL Digital Lock \$357
	4			
	5			
SLAT	3	36	J	CW
SLAT	3	36	J	CW

Options

#### **Application Notes**

#### Included

• Leveling glides for 1 1 1 adjustment





BF				PAINT			LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
22 5/8"	30"	18 1/4"	SLAT130(J/B)	\$1,007	\$1,108	\$1,208	+ \$350	+ \$486	+ \$621
22 %"	36"	18 1/4"	SLAT136(J/B)	\$1,107	\$1,218	\$1,328	+ \$350	+ \$496	+ \$641
22 %"	42"	18 1/4"	SLAT142(J/B)	\$1,207	\$1,328	\$1,448	+ \$350	+ \$506	+ \$661



#### **BF Shelf**

22 %"	30"	18 1/4"	SLATS130	\$807	\$888	\$968	N/A	N/A	N/A
22 %"	36"	18 1/4"	SLATS136	\$907	\$998	\$1,088	N/A	N/A	N/A
22 %"	42"	18 1/4"	SLATS142	\$1,007	\$1,108	\$1,208	N/A	N/A	N/A



## **Worksurface Supporting**


27 ¾"	30"	18 1/4"	SWSLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
27 ¾"	36"	18 1/4"	SWSLAT236(J/B)	\$997	\$1,097	\$1,196	+ \$440	+ \$484	+ \$581
27 ¾"	42"	18 1/4"	SWSLAT242(J/B)	\$1,097	\$1,207	\$1,316	+ \$480	+ \$528	+ \$634



## 2 Drawer/2 Open Shelves

51 ¾"	30"	18 1/4"	SLAT2S2F30(J/B)	\$2,207	\$2,428	\$2,648	+ \$2,000	+ \$2,200	+ \$2,400
52 ¾"	36"	18 1/4"	SLAT2S2F36(J/B)	\$2,507	\$2,758	\$3,008	+ \$2,000	+ \$2,200	+ \$2,400
53 %"	42"	18 1/4"	SLAT2S2F42(J/B)	\$2,957	\$3,253	\$3,548	+ \$2,000	+ \$2,200	+ \$2,400

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### 2 Drawer/3 Open Shelves

65 %"	30"	18 1/4"	SLAT3S2F30(J/B)	\$2,307	\$2,538	\$2,768	+ \$2,000	+ \$2,200	+ \$2,400
65 %"	36"	18 1/4"	SLAT3S2F36(J/B)	\$2,607	\$2,868	\$3,128	+ \$2,000	+ \$2,200	+ \$2,400
65 %"	42"	18 1/4"	SLAT3S2F42(J/B)	\$3.057	\$3,363	\$3.668	+ \$2,000	+ \$2,200	+ \$2,400


 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

#### **Lateral** – **Accessories**

DESCRIPTION	MODEL#	BLACK ONLY
Lateral ganging kit	SLATGK	\$147

Specify
1. Model #
2. Case finish
3. Front finish
Laminate not
available on J pull

				Options			
	Lateral	W	Pull				
SLAT1	BF Lateral w/Metal Top	36	J J Pull	CW	3	\$167	
		:	B Bar Pull	DL	Digital Lock	\$357	
:		:	•				
:		:					
:		:	:				
		:	:				
SLAT1	ı	36		cw	,		
			ii				



#### **6B Drawer** D MODEL# **P1** P2 Р3 39 %" 18 1/4" S6BLAT30(J/B) \$2,065 \$1,877 \$2,252 18 1/4" S6BLAT36(J/B) \$2,372 39 %" 36" \$1,977 \$2,175 39 %" 42" 18 1/4" S6BLAT42(J/B) \$2,157 \$2,373 \$2,588

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$ 

#### 6B Drawer, No Top

39 %"	30"	18 1/4"	S6BLAT30NT(J/B)	\$1,807	\$1,988	\$2,168
39 %"	36"	18 1/4"	S6BLAT36NT(J/B)	\$1,907	\$2,098	\$2,288
39 %"	42"	18 1/4"	S6BLAT42NT(J/B)	\$2,107	\$2,318	\$2,528

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### **BBF Drawer**


28 %"	30"	18 ¼"	S2BFLAT30(J/B)	\$1,207	\$1,328	\$1,448
28 %"	36"	18 ¼"	S2BFLAT36(J/B)	\$1,307	\$1,438	\$1,568
28 %"	42"	18 1/4"	S2BFLAT42(J/B)	\$1,407	\$1,548	\$1,688

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$ 

#### **BBF Drawer, No Top**

2	.8 ¾"	30"	18 1/4"	S2BFLAT30NT(J/B)	\$1,207	\$1,328	\$1,448
2	.8 ¾"	36"	18 ¼"	S2BFLAT36NT(J/B)	\$1,307	\$1,438	\$1,568
2	28 3/8"	42"	18 ¼"	S2BFLAT42NT(J/B)	\$1,407	\$1,548	\$1,688

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### **BBFF Drawer**

39 %"	30"	18 ¼"	S2B2FLAT30(J/B)	\$1,607	\$1,768	\$1,928
39 %"	36"	18 1/4"	S2B2FLAT36(J/B)	\$1,707	\$1,878	\$2,048
39 %"	42"	18 1/4"	S2B2FLAT42(J/B)	\$1,807	\$1,988	\$2,168

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

#### **BBFF Drawer, No Top**

39 %	30	18 1/4	S2B2FLAT30NT(J/B)	\$1,607	\$1,768	\$1,928
39 %	36	18 1/4	S2B2FLAT36NT(J/B)	\$1,707	\$1,878	\$2,048
39 %	42	18 1/4	S2B2FLAT42NT(J/B)	\$1,807	\$1,988	\$2,168

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$ 

Specify						
1. Model #						
2. Case finish						

			Options			
	Lateral	W	Pull			
S6BLAT	6B Drawer Lat	36	J J Pull	CW	Counterweights	\$167
S2BFLAT	BBF Drawer Lat		B Bar Pull	DL	Digital Lock	\$357
S2B2FLAT	BBFF Drawer Lat		•			
			:			
S6BLA1	г	36	J	CW	'	
<b>i</b>	<b>:</b>	<b></b>	<b>:</b>			



Comn	non To	op – 18	" Deep		LAMINATE		
Н	W	D	MODEL#	LI	L2	L3	
5/8"	30"	18 ¼"	<b>LT</b> 30	\$350	\$385	\$420	
5/8"	36"	18 1/4"	<b>LT</b> 36	\$380	\$418	\$456	
5/8"	42"	18 1/4"	LT42	\$390	\$429	\$468	
5/8"	60"	18 1/4"	<b>LT</b> 60	\$410	\$451	\$492	
5/8"	66"	18 1/4"	LT66	\$465	\$512	\$558	
5/8"	72"	18 1/4"	<b>LT</b> 72	\$485	\$534	\$582	
5/8"	84"	18 ¼"	<b>LT</b> 84	\$490	\$539	\$588	
5/8"	90"	18 1/4"	LT90	\$495	\$545	\$594	
5/8"	108"	18 ¼"	<b>LT</b> 108	\$530	\$583	\$636	
5/8"	126"	18 1/4"	<b>LT</b> 126	\$705	\$776	\$846	

## Common Top – 36" Deep

#### Specify

- 1. Model # 2. Laminate 3. Edge band

_	•		P	P			
	5/8"	30"	36 ½"	LT3037	\$500	\$550	\$600
	5/8"	36"	36 ½"	LT3637	\$550	\$605	\$660
	5/8"	42"	36 ½"	<b>LT</b> 4237	\$625	\$688	\$750
	5/8"	60"	36 ½"	LT6037	\$725	\$798	\$870
	5/8"	66"	36 ½"	LT6637	\$800	\$880	\$960
	5/8"	72"	36 ½"	<b>LT</b> 7237	\$850	\$935	\$1,020
	5/8"	84"	36 ½"	<b>LT</b> 8437	\$900	\$990	\$1,080
	5/8"	90"	36 ½"	<b>LT</b> 9037	\$950	\$1,045	\$1,140
	5/8"	108"	36 ½"	<b>LT</b> 10837	\$1,150	\$1,265	\$1,380
	5/8"	126"	36 ½"	<b>LT</b> 12637	\$1,250	\$1,375	\$1,500



Cushi	ion – 1	18" Dee	:p	FABRIC							
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30"	18 1/4"	LC30	\$327	\$427	\$477	\$527	\$577	\$627	\$677	\$747
1"	36"	18 1/4"	LC36	\$352	\$452	\$507	\$557	\$617	\$682	\$747	\$837
1"	42"	18 1/4"	LC42	\$377	\$477	\$537	\$587	\$657	\$737	\$817	\$927
1"	60"	18 ¼"	LC60	\$437	\$537	\$607	\$667	\$757	\$857	\$957	\$1,107
1"	66"	18 1/4"	LC66	\$462	\$562	\$637	\$697	\$802	\$912	\$1,027	\$1,187
1"	72"	18 ¼"	LC72	\$487	\$587	\$667	\$727	\$847	\$967	\$1,097	\$1,267
1"	84"	18 1/4"	LC84	\$527	\$627	\$717	\$787	\$927	\$1,067	\$1,237	\$1,387
1"	90"	18 1/4"	LC90	\$557	\$657	\$747	\$817	\$977	\$1,127	\$1,317	\$1,467
1"	108"	18 1/4"	LC108	\$617	\$717	\$817	\$897	\$1,077	\$1,252	\$1,447	\$1,627
1"	126"	18 ¼"	LC126	\$677	\$777	\$887	\$977	\$1,177	\$1,377	\$1,577	\$1,787

#### Cushion – 36" Deep

•	_	_	_		e.		
3	D	e	C	п	۱	•	

- 1. Model # 2. Fabric

	• • • •		r								
1"	30"	36 ½"	LC3037	\$477	\$537	\$597	\$697	\$797	\$897	\$997	\$1,097
1"	36"	36 ½"	LC3637	\$507	\$577	\$642	\$757	\$872	\$992	\$1,112	\$1,257
1"	42"	36 ½"	LC4237	\$537	\$617	\$687	\$817	\$947	\$1,087	\$1,227	\$1,417
1"	60"	36 ½"	LC6037	\$607	\$707	\$797	\$937	\$1,107	\$1,297	\$1,497	\$1,807
1"	66"	36 ½"	LC6637	\$637	\$737	\$837	\$987	\$1,177	\$1,382	\$1,607	\$1,947
1"	72"	36 ½"	<b>LC</b> 7237	\$667	\$767	\$877	\$1,037	\$1,247	\$1,467	\$1,717	\$2,087
1"	84"	36 ½"	LC8437	\$727	\$827	\$957	\$1,127	\$1,367	\$1,617	\$1,897	\$2,297
1"	90"	36 ½"	LC9037	\$757	\$857	\$997	\$1,177	\$1,437	\$1,717	\$2,017	\$2,437
1"	108"	36 ½"	LC10837	\$837	\$942	\$1,097	\$1,287	\$1,567	\$1,907	\$2,257	\$2,717
1"	126"	36 ½"	LC12637	\$917	\$1,027	\$1,197	\$1,397	\$1,697	\$2,097	\$2,497	\$2,997

#### Step 1 - Model #

	н	w	Drawers	Coat Door	Pull
STWR Tower	56	22	<b>FF</b> BBF	<b>L Left</b> R Right	J J Pull <b>B Bar Pull</b> R Radiused Pull
STWR	56	22	FF	L	В

Step 2 - Case Finish

Paint
Champagne

Step 3 – Front Finish

Not Av	ailable w/J Pull
L	aminate
PW-STK	Studio Teak
PW-STK	

#### **FEATURES**

#### **LOCK**

- · Lock core is removable.
- 24" Side access tower includes 2 locks. All others include 1 lock.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.
- Slides include anti-rebound and quick disconnect features.
- File drawer dividers which allow sideto-side filing are sold separately.

#### **SHELVES**

Shelves are adjustable in 1 ½" increments.

#### **LEVELING GLIDES – TOWER**

Leveling glides allow for %" adjustment.

#### **LEVELING GLIDES – SIDE ACCESS TOWER**

Leveling glides allow for 1 %" adjustment.

#### **DOORS**

Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 Gauge
Bottom channel	18 Gauge
Side channels	18 Gauge
Outer top	21 Gauge
Outer back	21 Gauge
Outer sides	21 Gauge
Outer center	21 Gauge
Drawer & door fronts	21 Gauge
Shelves	18 Gauge
Drawer bins	22 Gauge
Drawer fronts	20 Gauge

#### **DRAWER LOAD CAPACITY**

6" Box drawers 50 lbs 12" File drawers 70 lbs


#### SHELF LOAD CAPACITY

Shelf 61 lbs

#### DRAWER INNER DIMENSIONS

Height	
Box drawer	4 ½"
File drawer	9 1/2"
Width	
All drawers	12 ½"
Depth	
All drawers	18 1/4"

#### **PULL STYLES**



#### **SURFACE MATERIALS**

#### **CASE**

Paint

#### **FRONTS**

w/Bar Pull (B) Paint or Laminate w/Radiused Pull (R) Paint or Laminate w/J Pull (J) Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.

#### **DRAWER PULL**

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J <b>(J)</b>	Paint


#### LOCK

Satin nickel

## **TOWERS**







40" l	High.	— does	not inclu	ıde an adj. shelf		PAINT		LAMINA	TE FRONT (UPCH	ARGE)
COAT DOOR	н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	39 %"	23 ½"	23 ½"	STWR4024FFL(J/B/R)	\$1,947	\$2,142	\$2,336	+ \$900	+ \$990	+ \$1,080
R	39 %"	23 ½"	23 ½"	STWR4024FFR(J/B/R)	\$1,947	\$2,142	\$2,336	+ \$900	+ \$990	+ \$1,080
L	39 %"	23 ½"	23 ½"	STWR4024BBFL(J/B/R)	\$1,997	\$2,197	\$2,396	+ \$930	+ \$1,023	+ \$1,116
R	39 %"	23 ½"	23 ½"	STWR4024BBFR(J/B/R)	\$1,997	\$2,197	\$2,396	+ \$930	+ \$1,023	+ \$1,116
46" l	High.	— does	not inclu	ıde an adj. shelf						
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,097	\$2,307	\$2,516	+ \$920	+ \$1,012	+ \$1,104
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,097	\$2,307	\$2,516	+ \$920	+ \$1,012	+ \$1,104
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
			des 1 adj							
L	51 3/8"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
R	51 %"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
L	51 %"		23 ½"	STWR5124BBFL(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
R	51 ¾"	23 1/2"	23 ½"	STWR5124BBFR(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
56" l	High.	— inclu	des 1 adj	. shelf						
L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
L	56"	23 ½"	23 ½"	STWR5624BBFL(J/B/R)	\$2,297	\$2,527	\$2,756	+ \$1,000	+ \$1,100	+ \$1,200
R	56"	23 ½"	23 ½"	STWR5624BBFR(J/B/R)	\$2,297	\$2,527	\$2,756	+ \$1,000	+ \$1,100	+ \$1,200
66" I	High.	— inclu	des 2 adj	. shelves						
L	65 %"	23 ½"	23 ½"	STWR6624FFL(J/B/R)	\$2,397	\$2,637	\$2,876	+ \$1,200	+ \$1,320	+ \$1,440
R	65 %"	23 ½"	23 ½"	STWR6624FFR(J/B/R)	\$2,397	\$2,637	\$2,876	+ \$1,200	+ \$1,320	+ \$1,440
L	65 %"	23 ½"	23 ½"	STWR6624BBFL(J/B/R)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560
R	65 %"	23 ½"	23 ½"	STWR6624BBFR(J/B/R)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560

							Options	
	Н	W	Drawers	<b>Coat Door</b>	Pull			
STWR Tower	56	22	FF	L Left	J JPull	DL	Digital Lock	\$357
<u>:</u>			BBF	R Right	B Bar Pull			
:					R Radiused Pull			
STWR	56	22	FF	L	J	DL		

#### Specify

- 1. Model #
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

# Pulls B – Bar Pull J – J Pull R – Radiused

#### **Application Notes**

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod
- Leveling glides allow for 1/8" adjustment





46" H	iah_	does not i	nclude an adj. sl	helf		PAINT	•••••
COAT DOOR	Н	W	D	MODEL#	P1	P2	P3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,077	\$2,285	\$2,492
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,077	\$2,285	\$2,492
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,127	\$2,340	\$2,552
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,127	\$2,340	\$2,552
51" H	ligh_	includes 1	adj. shelf				
L	51 ¾"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576
R	51 ¾"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576
L	51 ¾"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$2,197	\$2,417	\$2,63
R	51 %"	23 ½"	23 ½"	SSAT5124BBFR(J/B/R)	\$2,197	\$2,417	\$2,636
56" H	ligh_	includes 1	adj. shelf				
L	56"	23 ½"	23 ½"	SSAT5624FFL(J/B/R)	\$2,227	\$2,450	\$2,672
R	56"	23 ½"	23 ½"	SSAT5624FFR(J/B/R)	\$2,227	\$2,450	\$2,672
L	56"	23 ½"	23 ½"	SSAT5624BBFL(J/B/R)	\$2,327	\$2,560	\$2,79
R	56"	23 ½"	23 ½"	SSAT5624BBFR(J/B/R)	\$2,327	\$2,560	\$2,79
56" H	ligh_	includes 2	adj. shelves				
L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$2,347	\$2,582	\$2,816
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$2,347	\$2,582	\$2,816
L	65 %"	23 ½"	23 ½"	SSAT6524BBFL(J/B/R)	\$2,397	\$2,637	\$2,876



#### Worksurface Supporting Bracket — factory installed

23 ½"

BLACK ONLY

Add at the end of tower model number

23 ½"

R

65 %"

SWSSB


SSAT6524BBFR(J/B/R)

\$97

\$2,876

							Options	
		Н	W	Drawers	<b>Coat Door</b>	Pull		
SSAT	Side Access Tower	56	22	FF	L Left	J J Pull	SWSSB	\$97
				BBF	R Right	B Bar Pull R Radiused Pull	DL Digital Lock	\$357
SSAT		56	22	FF	L	J	SWSSB	

## 1. Model # 2. Case finish



#### Application Notes

- Includes 2 locks, keyed alike
- Coat closet includes two-pronged coat hook

\$2,397

\$2,637

 Leveling glides allow for 1 5%" adjustment

#### Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.



	ıgn —	does not i	nclude an a	dj. shelf		PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P:
L	46"	15 1/4"	23 ½"	STWR4615FFL(J/B/R)	\$1,347	\$1,482	\$1,616
R	46"	15 1/4"	23 ½"	STWR4615FFR(J/B/R)	\$1,347	\$1,482	\$1,616
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	46"	15 1/4"	23 ½"	STWR4615BBFR(J/B/R)	\$1,477	\$1,625	\$1,772
51" H	igh_	includes 1	adj. shelf				
L	51 %"	15 ¼"	23 ½"	STWR5115FFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	51 %"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$1,477	\$1,625	\$1,772
L	51 3/8"	15 1/4"	23 ½"	STWR5115BBFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	51 3/8"	15 1/4"	23 ½"	STWR5115BBFR(J/B/R)	\$1,547	\$1,702	\$1,85
6" H	igh_	includes 1	adj. shelf				
6" H	igh_ 56"	includes 1 15 ¼"	adj. shelf 23 ½"	STWR5615FFL(J/B/R)	\$1,477	\$1,625	\$1,77
			<u> </u>	STWR5615FFL(J/B/R) STWR5615FFR(J/B/R)	\$1,477 \$1,477	\$1,625 \$1,625	\$1,772 \$1,772
L	56"	15 1/4"	23 ½"	. ,	•	. ,	\$1,772
L R	56" 56"	15 ¼" 15 ¼"	23 ½" 23 ½"	STWR5615FFR(J/B/R)	\$1,477	\$1,625	\$1,772 \$1,856
L R L R	56" 56" 56" 56"	15 ¼" 15 ¼" 15 ¼" 15 ¼"	23 ½" 23 ½" 23 ½"	STWR5615FFR(J/B/R) STWR5615BBFL(J/B/R) STWR5615BBFR(J/B/R)	\$1,477 \$1,547	\$1,625 \$1,702	
L R L R	56" 56" 56" 56"	15 ¼" 15 ¼" 15 ¼" 15 ¼"	23 ½" 23 ½" 23 ½" 23 ½" 23 ½"	STWR5615FFR(J/B/R) STWR5615BBFL(J/B/R) STWR5615BBFR(J/B/R)	\$1,477 \$1,547	\$1,625 \$1,702	\$1,772 \$1,856
L R L R	56" 56" 56" 56"	15 ¼" 15 ¼" 15 ¼" 15 ¼" includes 2	23 ½" 23 ½" 23 ½" 23 ½" 23 ½" 23 ½"	STWR5615FFR(J/B/R) STWR5615BBFL(J/B/R) STWR5615BBFR(J/B/R)	\$1,477 \$1,547 \$1,547	\$1,625 \$1,702 \$1,702	\$1,77. \$1,850 \$1,850
L R L R	56" 56" 56" 56" <b>igh</b> —	15 ¼" 15 ¼" 15 ¼" 15 ¼" 15 ¼" includes 2	23 ½" 23 ½" 23 ½" 23 ½" 23 ½" 23 ½"	STWR5615FFR(J/B/R) STWR5615BBFL(J/B/R) STWR5615BBFR(J/B/R) STWR6615FFL(J/B/R)	\$1,477 \$1,547 \$1,547 \$1,597	\$1,625 \$1,702 \$1,702 \$1,757	\$1,777 \$1,856 \$1,856

							Options	
	Н	W	Drawers	<b>Coat Door</b>	Pull			
STWR Tower	56	15	FF	L Left	J J Pull	DL	Digital Lock	\$357
	į	:	BBF	R Right	B Bar Pull			
•		:			R Radiused Pull			
į į	į ,		, ,				1	
STWR	56	15	FF	L	J	DL		

#### Specify Pulls 1. Model# 2. Case finish B – Bar Pull J – J Pull

R – Radiused

#### **Application Notes**

- Single lock for
- cupboard & drawers
   Leveling glides allow for %" adjustment
- Will not accommodate worksurface support bracket



					:	••••••	•••••
Ю" <b>Н</b>	ıgh_	does not i	nclude an adj. s	helf		PAINT	
OPEN	Н	W	D	MODEL#	P1	P2	P:
L	46"	15 1/4"	23 ½"	SSAT4615FFL(J/B/R)	\$1,297	\$1,427	\$1,556
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,297	\$1,427	\$1,556
L	46"	15 1/4"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	46"	15 1/4"	23 ½"	SSAT4615BBFR(J/B/R)	\$1,397	\$1,537	\$1,676
51" H	igh_	includes 1	adj. shelf				
L	51 ¾"	15 1/4"	23 ½"	SSAT5115FFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	51 3/8"	15 1/4"	23 ½"	SSAT5115FFR(J/B/R)	\$1,397	\$1,537	\$1,676
L	51 %"	15 1/4"	23 ½"	SSAT5115BBFL(J/B/R)	\$1,497	\$1,647	\$1,796
R	51 %"	15 1/4"	23 ½"	SSAT5115BBFR(J/B/R)	\$1,497	\$1,647	\$1,796
6" H	igh_	includes 1	adj. shelf				
L	56"	15 1/4"	23 ½"	SSAT5615FFL(J/B/R)	\$1,497	\$1,647	\$1,796
R	56"	15 1/4"	23 ½"	SSAT5615FFR(J/B/R)	\$1,497	\$1,647	\$1,796
L	56"	15 1/4"	23 ½"	SSAT5615BBFL(J/B/R)	\$1,597	\$1,757	\$1,916
R	56"	15 1/4"	23 ½"	SSAT5615BBFR(J/B/R)	\$1,597	\$1,757	\$1,916
66" H	igh_	includes 2	adj. shelves				
L	65 %"	15 1/4"	23 ½"	SSAT6515FFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	65 %"	15 1/4"	23 ½"	SSAT6515FFR(J/B/R)	\$1,547	\$1,702	\$1,856
L	65 %"	15 1/4"	23 ½"	SSAT6515BBFL(J/B/R)	\$1,647	\$1,812	\$1,976
R	65 %"	15 1/4"	23 ½"	SSAT6515BBFR(J/B/R)	\$1,647	\$1,812	\$1,976
					•		



#### Worksurface Supporting Bracket—factory installed

BLACK ONLY

Add at the end of tower model number

SWSSB

\$97

#### **WORKSURFACES & 15" SIDE ACCESSS TOWERS**



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" - 84".

							Options	
		Н	W	Drawers	<b>Coat Door</b>	Pull		
SSAT	Side Access Tower	56	15	FF	L Left	J J Pull	SWSSB	\$97
				BBF	R Right	B Bar Pull	DL Digital Lock	\$357
					:	R Radiused Pull		
SSAT		56	15	FF	L	J	SWSSB	
	. <b>:</b>				i <del></del> i	ii		

#### Specify Pulls 1. Model # 2. Case finish B – Bar Pull J – J Pull

R – Radiused

#### **Application Notes**

- Single lock for all drawers
- · Leveling glides allow for 1 %" adjustment

#### **Worksurface Supporting Bracket**

Must be ordered with a Side Access Tower. Factory installed.

#### Step 1 – Model #

	Drawer Width	Shelf Width	Тор	Pull
SCR Credenza	30 D Drawe	er 20 S Shelf	MT Metal Top NT No Top	J J Pull <b>B Bar Pull</b>
SCR	30 D	20 S	МТ	В

Step 2 – Case Finish

	Paint
301	Champagne
201	1
301	

Step 3 – Front Finish

Not A	vailable w/J Pull	
	Laminate	
PW-STK	Studio Teak	
PW-STK		

#### **FEATURES**

#### COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

#### LOCK

- Available on credenza products which feature drawers
- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request. See (page 9).

#### **DRAWERS**

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

#### **SHELF**

34" High adjustable shelf

#### **LEVELING GLIDES**

4 Leveling glides allow for 1/2" adjustment

#### **TOP**

Available in metal, cushion and laminate

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 Gauge
Top channels	18 Gauge
Shelves	18 Gauge
Side channels	20 Gauge
Side panels	20 Gauge
Тор	20 Gauge
Fronts	20 Gauge
Drawer bins	22 Gauge

#### **DRAWER INNER DIMENSIONS**

Height

6" Drawer	4 1/2"
12" Drawer	10 %"
Width	
30" Wide drawer	26 1/10"
36" Wide drawer	32 1/10"
42" Wide drawer	38 1/10"
Depth	
All drawers	15 %₀"

#### **SHELF INNER DIMENSIONS**

Height	
All shelves	16 %"
Width	
30" Wide drawer	28 ½"
36" Wide drawer	34 ½"
42" Wide drawer	40 ½"
Depth	
All drawers	19"

#### **PULL STYLES**







#### **SURFACE MATERIALS**

#### CASE

Paint

#### **FRONTS**

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### **LOCK**

Satin nickel

#### **CUSHION TOP**

Upholstery

## **CREDENZAS**





Credenzas							AINT		LAMINAT	E FRONT (UPC)	IARGE)
DESCRIPTION	Н	W	D	MODEL#		P1	P2	Р3	L1	L2	L3
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$2,7	3 \$	3,061	\$3,340	+ \$530	+ \$583	+ \$636
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$2,80	58 \$	3,155	\$3,442	+ \$530	+ \$583	+ \$636
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$2,9	28 \$	3,221	\$3,514	+ \$550	+ \$605	+ \$660



#### Credenza – Drawers

30" Drawers, metal top	22 1/4" 3	30" 20"	SCRD3020MT(J/B)	\$1,147	\$1,262	\$1,376	+ \$530	+ \$583	+ \$636
36" Drawers, metal top	22 1/4" 3	36" 20"	SCRD3620MT(J/B)	\$1,197	\$1,317	\$1,436	+ \$550	+ \$605	+ \$660
42" Drawers, metal top	22 1/4" 4	42" 20"	SCRD4220MT(J/B)	\$1,297	\$1,427	\$1,556	+ \$590	+ \$649	+ \$708



#### Credenza - Shelves — includes 1 adj. shelf

30" Shelf, metal top	22 1/4"	30"	20"	SCRS3020MT	\$917	\$1,009	\$1,100	N/A	N/A	N/A
36" Shelf, metal top	22 1/4"	36"	20"	SCRS3620MT	\$977	\$1,075	\$1,172	N/A	N/A	N/A
42" Shelf, metal top	22 1/4"	42"	20"	SCRS4220MT	\$1.057	\$1.163	\$1,268	N/A	N/A	N/A

#### Credenza – Accessories

Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$247	\$272	\$296	N/A	N/A	N/A
Credenza center leg support				SCRCLS	\$197	N/A	N/A	N/A	N/A	N/A
Credenza ganging kit				SCRGK	\$147	N/A	N/A	N/A	N/A	N/A


					Options
	<b>Drawer Width</b>	Shelf Width	Тор	Pull	
SCR Credenza	30 D Drawer	20 S Shelf	MT Metal Top	<b>J J Pull</b> B Bar Pull	DL Digital Lock \$357
SCR	30 D	20 S	MT	J	DL

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

#### Credenza Includes

- 2 low storage cabinets
- 1 laminate top & ganging kit
- 1 credenza center support leg



#### **Application Notes**

- Credenzas must be assembled in the field
- When ganging 2 units together, order ganging kit
- Leveling glides allow for 1 5%" adjustment

## Drawer units include 1 6" drawer & 1 – 12" file

drawer & counterweight

#### Center Leg

- Helps to gang 2 credenza pieces together side by side
- Eliminate the 4 legs in the center and replace with this single support leg

#### **Ganging Kit**

 Ganging kit for use when specifying laminate top separately, does not include center leg

#### Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate




					:	•••••••••••••••••••••••••••••••••••••••	
Credenza – Common Tops						LAMINATE	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	<b>CT</b> 30	\$365	\$402	\$438
Single 36" W credenza top	5/8"	36"	20"	<b>CT</b> 36	\$390	\$429	\$468
Single 42" W credenza top	5/8"	42"	20"	CT42	\$420	\$462	\$504
Double 30" W credenza top	5/8"	60"	20"	<b>CT</b> 60	\$475	\$523	\$570
Double 30"/36" W credenza top	5/8"	66"	20"	<b>CT</b> 66	\$500	\$550	\$600
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	<b>CT</b> 72	\$510	\$561	\$612
Double 36"/42" W credenza top	5/8"	78"	20"	<b>CT</b> 78	\$530	\$583	\$636
Double 42" W credenza top	5/8"	84"	20"	<b>CT</b> 84	\$560	\$616	\$672
Triple 30" W credenza top	5/8"	90"	20"	<b>CT</b> 90	\$590	\$649	\$708



				,							,
Credenza Cushion Tops				FABRIC							
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	12"	20"	SCRC2012	\$207	\$432	\$507	\$607	\$707	\$807	\$1,132	\$1,307
1"	18"	20"	SCRC2018	\$247	\$472	\$547	\$647	\$747	\$847	\$1,172	\$1,347
1"	30"	20"	SCRC2030	\$327	\$552	\$627	\$727	\$827	\$927	\$1,252	\$1,427
1"	36"	20"	SCRC2036	\$397	\$622	\$697	\$797	\$897	\$997	\$1,322	\$1,497
1"	42"	20"	SCRC2042	\$437	\$662	\$737	\$837	\$937	\$1,037	\$1,362	\$1,537
1"	60"	20"	SCRC2060	\$527	\$752	\$827	\$927	\$1,027	\$1,127	\$1,452	\$1,627
1"	66"	20"	SCRC2066	\$567	\$792	\$867	\$967	\$1,067	\$1,167	\$1,492	\$1,667
1"	72"	20"	SCRC2072	\$597	\$822	\$897	\$997	\$1,097	\$1,197	\$1,522	\$1,697

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



#### **Application Notes**

#### Center Leg

 Helps to gang 2 credenza pieces together side by side

#### **Ganging Kit**

 When ganging 2 units together, order ganging kit, does not include center leg

#### Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

#### Step 1 – Model #

	Н	W	D		Pull
SCAB Cabinet	77	30	18	J	J Pull
				В	Bar Pull
SCAB	77	30	18	J	

#### Step 2 – Case Finish

	1
	Paint
301	Champagne
301	:
	i

#### **FEATURES**

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

#### **DOORS**

 Concealed hinges allow for 110° degrees opening.

#### **LEVELING GLIDES**

4 Leveling glides allow for 1/4" adjustment.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Back panel	20 – 22 Gauge
Side panels	20 – 22 Gauge
Inner channels	18 Gauge
Тор	18 Gauge
Doors	18 Gauge

#### SHELF LOAD CAPACITY

Shelf 140 lbs

#### **TOP LOAD CAPACITY**

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

#### **INNER DIMENSIONS**

42" Wide cabinet

Height	
2 High	23 ½"
3 High	35"
4 High	46 ½"
5 High	61"
6 High	72 ½"
Width	
30" Wide cabinet	26 ¾"
36" Wide cabinet	32 ¾"

Depth	
18" Deep	17 ¾o"
24" Deep	22 3/5"

#### **PULL STYLES**





#### **SURFACE MATERIALS**

#### CASE

**Paint** 

#### **FRONTS**

w/Bar Pull **(B)** Paint w/J Pull **(J)** Paint

#### **DRAWER PULL**


Bar (B) Satin nickel J (J) Paint

#### LOCK

38 ¾"

Satin nickel

## **CABINETS**





2 High	h				PAINT	
Н	W	D	MODEL#	P1	P2	P3
28 ¾"	30"	18 1/4"	SCAB293018(J/B)	\$997	\$1,097	\$1,196
28 ¾"	36"	18 1/4"	SCAB293618(J/B)	\$1,097	\$1,207	\$1,316
28 3/8"	42"	18 1/4"	SCAB294218(J/B)	\$1,197	\$1,317	\$1,436



3 Hig	h					
39 %"	30"	18 1/4"	SCAB403018(J/B)	\$1,197	\$1,317	\$1,436
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,297	\$1,427	\$1,556
39 %"	42"	18 1/4"	SCAB404218(J/B)	\$1,397	\$1,537	\$1,676



#### 4 High

1 11191	•					
51 3/8"	30"	18 1/4"	SCAB523018(J/B)	\$1,447	\$1,592	\$1,736
51 3/8"	36"	18 1/4"	SCAB523618(J/B)	\$1,547	\$1,702	\$1,856
51 3/8"	42"	18 1/4"	SCAB524218(J/B)	\$1,647	\$1,812	\$1,976

Specify	
1. Model#	
2. Case finish	

• Leveling glides allow for ¼" adjustment

					Options	
	Н	W	D	Pull		
SCAB Cabinet	77	30	18	J J Pull B Bar Pull	DL Digital Lock	\$357
SCAB	77	30	18	J	DL	

## **Cabinets**



5 High	1				PAINT	
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	18 1/4"	SCAB663018(J/B)	\$1,647	\$1,812	\$1,976
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$1,747	\$1,922	\$2,096
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,147	\$2,362	\$2,576
65 %"	42"	18 1/4"	SCAB664218(J/B)	\$1,847	\$2,032	\$2,216



#### 6 High

1,897	\$2,087	\$2,276
1,997	\$2,197	\$2,396
52,247	\$2,472	\$2,696
\$2,097	\$2,307	\$2,516
	1,997 2,247	1,997 \$2,197 2,247 \$2,472

Specify	
1. Model # 2. Case finish	

Applic	ation	Not	es	

· Leveling glides allow
for ¼" adjustment

					Options
	Н	W	D	Pull	
SCAB Cabinet	77	30	18	<b>J J Pull</b> B Bar Pull	DL Digital Lock \$357
SCAB	77	30		J	DL

## torage

#### Step 1 – Model #

	Н	D	Hinge		Pull
SLKR Locker	51	18	L	J	J Pull
			R	В	Bar Pull
SLKR	51	18	L	J	

Step 2 – Case Finish

	Paint
301	Champagne
•	
201	:
301	

#### **FEATURES**

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Digital lock available upon request.
- Keyless available upon request.

#### **BODY**

 $\bullet$  Available in 2 depths: 18 ½" and 23 ½".

#### **DOORS**

- All lockers come standard with metal doors.
- Concealed hinges allow for 100 degree opening.

#### **SHELF**

- Includes one fixed shelf on top w/ 12" clear height above.
- Additional shelves may be ordered separately.

#### **COAT ROD**

Includes side-to-side coat rod beneath shelf.

#### **LEVELING GLIDES**

- 4 leveling glides allow for %" adjustment.
- Glides are accessible from the inside of the locker.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 Gauge
Side panels	21 Gauge
Back panel	21 Gauge
Center panel	21 Gauge
Inner top channel	18 Gauge
Inner bottom channel	18 Gauge
Inner side channels	18 Gauge
Bottom panel	16 Gauge
Door fronts	20 – 22 Gauge
Shelves	18 Gauge

#### **DRAWER INNER DIMENSIONS**

Height

Above shelf	12"
Below coat rod – 51" High	31 1/10"
Below coat rod – 66" High	46 1/5"
_	
Width	
All lockers	9 1/5"
Depth	
18 ½" Deep locker	17 %"
23 ½" Deep locker	22 3/3"

#### **PULL STYLES**





#### **SURFACE MATERIALS**

#### **LOCKER**

Paint


#### **DRAWER PULL**


Bar (B) Satin nickel J (J) Paint

#### LOCK

Satin nickel

## **LOCKERS**






12" W	ide _	51" High				PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P3
L	51 ¾"	12"	18"	SLKR5118L(J/B)	\$1,397	\$1,537	\$1,676
R	51 %"	12"	18"	SLKR5118R(J/B)	\$1,397	\$1,537	\$1,676
L	51 %"	12"	24"	SLKR5124L(J/B)	\$1,427	\$1,570	\$1,712
R	51 %"	12"	24"	SLKR5124R(J/B)	\$1,427	\$1,570	\$1,712
12" W	ide_	66" High					
L	65 %"	12"	18"	SLKR6618L(J/B)	\$1,477	\$1,625	\$1,772
R	65 %"	12"	18"	SLKR6618R(J/B)	\$1,477	\$1,625	\$1,772
L	65 %"	12"	24"	SLKR6624L(J/B)	\$1,527	\$1,680	\$1,832
R	65 %"	12"	24"	SLKR6624R(J/B)	\$1,527	\$1,680	\$1,832

								Options	
Specify	Application Notes		Н	D	Hinge	1	Pull		
1. Model # 2. Case finish	<ul> <li>Includes 1 fixed shelf on top with 12" clear height above</li> </ul>	SLKR Locker	51	18	<b>L</b> R	B Ba	<b>Pull</b> ar Pull	DL Digital Lock	\$357
	<ul> <li>Leveling glides allow for %" adjustment</li> </ul>	SLKR	51	18	L	J		DL	
	18" Deep • Include (2) two- pronged coat hooks								
	<ul><li>24" Deep</li><li>Include (1) side-to-side coat rod</li></ul>								

## Lockers



Double							PAINT	
ТҮРЕ	HINGE	Н	W	D	MODEL#	P1	P2	P3
2 Door	L	65 %"	12"	18"	SLKR2D6612L(J/B)	\$1,607	\$1,768	\$1,928
2 Door	R	65 %"	12"	18"	SLKR2D6612R(J/B)	\$1,607	\$1,768	\$1,928
2 Door	L	65 %"	18"	18"	SLKR2D6618L(J/B)	\$1,707	\$1,878	\$2,048
2 Door	R	65 %"	18"	18"	SLKR2D6618R(J/B)	\$1,707	\$1,878	\$2,048



## Quad

4 Door	L	65 %"	24"	18"	SLKR4D6624L(J/B)	\$2,707	\$2,978	\$3,248
4 Door	R	65 %"	24"	18"	SLKR4D6624R(J/B)	\$2,707	\$2,978	\$3,248



## Cubby

4 Door	L	34 ¾"	24"	18"	SLKR4D3524L(J/B)	\$1,907	\$2,098	\$2,288
4 Door	R	34 ¾"	24"	18"	SLKR4D3524R(J/B)	\$1,907	\$2,098	\$2,288
8 Door	L	65 %"	24"	18"	SLKR8D6624L(J/B)	\$3,307	\$3,638	\$3,968
8 Door	R	65 %"	24"	18"	SLKR8D6624R(J/B)	\$3,307	\$3,638	\$3,968

#### **Shelves**

Qty 2	12"	SLKRS122	\$257	\$283	\$308
Qty 2	18"	SLKRS182	\$297	\$327	\$356
Qty 4	24"	SLKRS244	\$357	\$393	\$428

Specify	
1. Model #	


2. Case finish

<b>Application</b>	Notes
--------------------	-------

- Doors are keyed randomly
   Locking doors hinge left or right
   Leveling glides allow for %" adjustment

						Options	
	Doors	н	D	Hinge	Pull		
SLKR Locke	r 2D	66	18	L	J J Pull	DL Digital Lock	\$357
	4D	:		R	B Bar Pull		
	8D	•					
		:					
SLKR	2D	66	18	L	J	DL	

Step 1 – Model #



Step 2 – Case Finish

	Paint
301	Champagne
201	
301	1

#### **FEATURES**

#### **SHELVES**

- 1" thick.
- Adjustable in 1/2" increments.
- 2-high bookcases will accommodate binder-height storage on both shelves.
- All other bookcases, binder-height storage is available on all but 1 shelf.

#### **LEVELING GLIDES**

4 Leveling glides allow for 1 %" adjustment.

#### **SAFETY:**

- To ensure stability, do not install a 4, 5 or 6 high bookcase in the center of a room.
- Bookcases should be installed backto back or against a wall.

#### NOTE

- 2 high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets.
- 2 high bookcases are designed to fit under a worksurface.

#### **CONSTRUCTION**

#### OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Side channels	22 Gauge
Side panels	22 Gauge
Bottom panel	18 Gauge
Shelves	18 Gauge

#### SHELF LOAD CAPACITY

All bookcases 140 lbs

#### **INNER DIMENSIONS**

Height	
2 High	25 1/5"
3 High	37 ¾o"
4 High	48 1/5"
5 High	63 ¾o"
6 High	74 1/5"
Width	
30" Wide bookcase	27 1/10"
36" Wide bookcase	33 1/10"
42" Wide bookcase	39 1/10"
Depth	
All cabinets	13 1/10"

#### **SURFACE MATERIALS**


#### CASE

Paint

#### TOP

Paint

## **BOOKCASES**





2 H	igh				PAINT	
	H W	D	MODEL#	P1	P2	P3
27	3/4" 30"	13 %"	SBC2830	\$827	\$910	\$992
27	3/4" 36"	13 %"	SBC2836	\$877	\$965	\$1,052
27	3/4" 42"	13 ¾"	SBC2842	\$977	\$1,075	\$1,172



#### 3 High 39 %" 13 %" SBC4030 \$1,076 30" \$897 \$987 36" SBC4036 \$1,172 39 %" 13 %" \$977 \$1,075 39 %" 42" 13 %" **SBC**4042 \$1,077 \$1,185 \$1,292



## 4 High

 illigii						
51 %"	30"	13 %"	SBC5230	\$997	\$1,097	\$1,196
51 %"	36"	13 %"	SBC5236	\$1,077	\$1,185	\$1,292
51 3/8"	42"	13 3/8"	SBC5242	\$1,177	\$1,295	\$1,412

Specify	

1. Model#

2. Case finish

#### **Application Notes**

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		Н	W
SBC	Bookcase	66	42
:			
:			
:			
SBC		66	42
300		. 00	72

#### **Bookcases**



5 I	High					PAINT	
	Н	W	D	MODEL#	P1	P2	Р3
(	65 %"	30"	13 ¾"	SBC6630	\$1,097	\$1,207	\$1,316
(	65 %"	36"	13 3/8"	SBC6636	\$1,177	\$1,295	\$1,412
(	65 %"	42"	13 %"	SBC6642	\$1,277	\$1,405	\$1,532



#### 6 Hiah

o mign						
77 3/8"	30"	13 ¾"	SBC7730	\$1,197	\$1,317	\$1,436
77 3/8"	36"	13 ¾"	<b>SBC</b> 7736	\$1,277	\$1,405	\$1,532
77 3/8"	42"	13 ¾"	SBC7742	\$1,377	\$1,515	\$1,652

S	pe	cify

- 1. Model#
- 2. Case finish

#### Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in 1/2" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		Н	W
SBC	Bookcase	66	42
SBC	•	66	42
	. <b>:</b>	ii	ii


#### **WORKPLACE ACCESSORIES**

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

#### **CUSTOMIZE YOUR SPACE WITH:**

Keyboard mechanisms
Keyboard trays
Monitor arms
Footrests
Tablet holders
CPU holders
Forearm supports
Patented ergonomic products

## **WORKPLACE ACCESSORIES**




## **Keyboard Trays & Arms**

#### **KEYBOARD ARMS**

	Leverless	Sit/Stand	Econo	<b>Dual Indicator</b> HFES compliant
Code	A	С	Е	U
Leverless Height	✓	✓	N/A	N/A
Height	-6" – 2.5"	-6" – 8"	-5.25" – 0"	-6.5" – 2.38"
Tilt	-15° – 0°	-15° – 0°	-15° – 15°	-20° – 10°
Spring Assist	✓	✓	✓	✓
360° Rear Swivel	✓	✓	✓	✓
Track Length	23"	21"	18"	19"
(OPTIONAL) Short Track	18"	18"	N/A	N/A
Glide Track	✓	✓	✓	✓
Quick Ship	QS	QS	QS	
List	\$210	\$230	\$160	\$245

#### **KEYBOARD TRAYS**





- Straights, corners & natural keyboards
- Anti-skid neoprene pads hold keyboard securely in place

\$155




List



#### **52**

- Straight
- 20" "green" tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest

List \$325



- Straight
- 20" phenolic tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest


List \$325



#### 86 — ELEMENTAL®

- Straights, corners and natural keyboards
- Made from 100% recycled aluminum
- Polished surface

List \$295



#### 43 — SOFTOUCH™

- Straight
- Urethane over steel plate
- Includes mouse surface

List

\$230




#### **EASY COMBOS**

			Keyboa	ard Arms	
				2019	
		Leverless (A)	Sit/Stand (C)	Econo (E)	Dual Indicator (U)
	11	Easy A11 \$365	Easy C11 \$385	<b>Easy E11</b> \$315	Easy U11 \$400
		• • •	· · ·	° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	· · ·
	21	Easy A21 \$535	Easy C21 \$555	<b>Easy E21</b> \$485	<b>Easy U21</b> \$570
Keyboard Trays	43 – SofTouch™		H		
ray		Easy A43 \$440	<b>Easy C43</b> \$460	<b>Easy E43</b> \$390	<b>Easy U43</b> \$475
· S					
	52	Easy A52 \$535	<b>Easy C52</b> \$555	<b>Easy E52</b> \$485	<b>Easy U52</b> \$570
	86 - elementAl®				
	or cicinetta	<b>Easy A86</b> \$505	<b>Easy C86</b> \$525	<b>Easy E86</b> \$455	<b>Easy U86</b> \$540

General

S Short Track – 18" \$0
Only available on (A) or (C) arm

#### **Monitor Arms**



#### B00ST™

- Yields 13" of vertical movement & 24" of extension
- Supports monitors weighing up to 20 lbs
- Effortlessly position two monitors at the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate

## NOTE: For multi-screen solutions, contact customerservice@neutralposture.com


Single Arm	Description	List
KCG-110B	Black	\$455
KCG-110S	Silver	\$455
Double Arm		List
KCG-110DB	Black	\$899
KCG-110DS	Silver	\$899
Wall Mount		List
KCG-WMB	Black	\$525
KCG-WMS	Silver	\$525



#### **FREEDOM**

- Includes vesa plate aluminum articulating arm & desk clamp base
- $\bullet$  Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic onetouch height adjustment
- Full extension range of 23.4"

Model #	Description	List
918001	Silver	\$495



#### SIT/STAND

- Sturdy aluminum construction with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

Model #	Description	List
KCG-SSB	Black	\$575
KCG-SSS	Silver	\$575

## **Workplace Accessories**

#### **ACCESSORIES**



#### **FOREARM SUPPORTS**

- Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- Reduces pressure on ulnar nerve
- Reduces upper body fatigue
- Lightweight & portable



Model 1	Model 2	
160241 \$240	160243 \$240	
160242 \$240	160244 \$240	

w/Hooks

w/Screws



#### **ANTI-FATIGUE FLOOR MATS**

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavy-duty polyurethane
- Matte texture provides optimum traction
- Beveled edge reduces tripping potential
- Available in black

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$285
3/4"	48"	20"	EAM4820B	\$435
3/4"	72"	20"	EAM7220B	\$648
3/4"	36"	24"	EAM3624B	\$360
3/4"	60"	36"	EAM6036B	\$828



#### **TABLET HOLDER**

- Light weight & portable
- Dimensions: 6.76 x 5.5 x 2
- Holds tablets, phones or documents upright
- Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces
- Available in black only

Model #	List
TABHLDR	\$137

#### **CPU HOLDERS**



#### **CPU HOLDER**

- Mounts easily under worksurface storing CPU safely under desk & off the floor
- Adjusts to either a vertical or horizontal position
- Adjustable width of 5.5" 9.8"
   & height of 15.5" 20"

Model #	List
VCPUF	\$175



#### **CPU HOLDER**

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy
- Soft touch anti-slip pads prevent CPU from slipping

Model #	List
VCPU	\$195



#### **STANDUP®**

- Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to worksurface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo ((page 175))

MODEL#	LIST
SUP04	\$420





#### STANDUP® A1


- The integral dual tray system offers a spacious keyboard & mouse platform as well as a secondary surface for other items
- Extends forward to allow the keyboard tray to rest bellow the desk surface supporting proper ergonomic positioning
- Over 22" of assisted positioning
- Accommodates users ranging from 5<sup>th</sup> percentile seated female to 95<sup>th</sup> percentile standing male
- Supports monitors weighing between 5–20 lbs
- Supports technology
- ranging from 5–25 lbs
- Grommet or clamp mount


1 MONITOR	MECH	LIST
SUPA1B	Black	\$997
SUPA1S	Silver	\$997

2 MONITORS	MECH	LIST
SUPA2B	Black	\$1,187
SUPA2S	Silver	\$1,187












### STANDUP® X1

- · Easily convert any desk into a sit/stand workstation
- 13.8" of height range accommodates a variety of users
- Keyboard tray has 20° (-10° to 10°) of tilt
- Weighs only 40 lbs
- Primary worksurface accommodates two 24" monitors
- No assembly required



# 36" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX136B	Black	N/A	\$ 567	N/A	N/A
SUPX136BL	Black	Laminate	\$ 897	\$ 987	\$ 1,076
SUPX136W	White	N/A	\$ 567	N/A	N/A
SUPX136WL	White	Laminate	\$ 897	\$ 987	\$ 1,076

# 40" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX140BL	Black	Laminate	\$ 955	\$ 1,051	\$ 1,146
SUPX140WL	White	Laminate	\$ 975	\$ 1,073	\$ 1,170

# 42" Wide — Supports up to 45 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX142B	Black	N/A	\$ 975	N/A	N/A
SUPX142BL	Black	Laminate	\$ 995	\$ 1,095	\$ 1,194

# 48" Wide — Supports up to 45 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX148BL	Black	Laminate	\$ 1,175	\$ 1,293	\$ 1,410




### STANDUP® X1 — CORNER

- · Easily convert any desk into a sit/stand workstation
- Designed to fit 90° corner desk configurations
- 13.8" of height range accommodates a variety of users
- $\bullet$  Keyboard tray has 20° (-10° to 10°) of tilt
- Weighs only 42 lbs
- Primary worksurface accommodates two 24" monitors

-28.25"

· No assembly required



# 36" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX1CR36BL	Black	Laminate	\$ 1,365	\$ 1,502	\$ 1,638

# 42" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX1CR42B	Black	N/A	\$ 995	N/A	N/A
SUPX1CR42BL	Black	Laminate	\$ 1,395	\$ 1,535	\$ 1,674

### **LAMINATES FOR STANDUP X1**

ı	4		

Ebony Starlight – Surf(x) 3D-100 Matte White - Surf(x) 3D-200

# L2

American Natural - Surf(x) 3D-300 Baroque - 3D 3D-600 Shaker Cherry -Surf(x) 3D-500

# L3

All other laminates from Omnova are available at L3 pricing with a minimum order of 10 StandUp X1s.

https://www.omnova.com/ product-types/laminates

### **GRADED-IN AND COM UPHOLSTERY**

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact the Customer Service Department.

Please note: The Finish Codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts C.O.M. for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service Department in order for a quotation to be provided. The customer is responsible for shipping C.O.M. to our Upholstery Department.

CARNEGIE		
Manufacturer	Pattern	Grade
Carnegie	Abacus Embroider	Н
Carnegie	Arrow X	G
Carnegie	Bardot	F
Carnegie	Buff	E
Carnegie	Cane Embroider X	Call
Carnegie	Channel	E
Carnegie	Chelsea	E
Carnegie	Cirque Couture	Call
Carnegie	Covet	D
Carnegie	Crossing	F
Carnegie	Dazzle	Н
Carnegie	Departure	E
Carnegie	Edge	F
Carnegie	Elite	C
Carnegie	Groove	E
Carnegie	Hashtag	E
Carnegie	Haze X	G
Carnegie	Hepburn	F
Carnegie	Hide	E
Carnegie	Impress	E
Carnegie	Index	D
Carnegie	Keystone	E
Carnegie	Kid	E
Carnegie	Merge	F
Carnegie	Monocle Embroider	1
Carnegie	Ola	Call
Carnegie	Reverie	E
Carnegie	Rise	C
Carnegie	Roxy	E
Carnegie	Tangle	F
Carnegie	Theory	E
Carnegie	Touch	C
Carnegie	Trace X	G
Carnegie	Twine	F

Manufacturer	Pattern	Grad
Stinson	Acclaim	C
Stinson	Aerie	D
Stinson	Ally	C
Stinson	Aperture	C
Stinson	Array	C
Stinson	Axis Too!	C
Stinson	Backdrop	C
Stinson	Binary	D
Stinson	Code	В
Stinson	Dapple	C
Stinson	Del Mar	C
Stinson	Focus	C
Stinson	Galaxy	D
Stinson	Genesis	В
Stinson	Imprint	C
Stinson	Intermix	C
Stinson	Linea	E
Stinson	Lulu	C
Stinson	Luther II	C
Stinson	Mason	C
Stinson	Mira	C
Stinson	Nikko	C
Stinson	Prime	В
Stinson	Repetition	C
Stinson	Ringer	C
Stinson	Sight Line	c
Stinson	Spree	c
Stinson	Surf	В
Stinson	Tally	D
Stinson	Tussah	C
Stinson	Venture	C

**Call** – Call for pricing 979.778.0502

DESIGNTEX			KNOLLTEXTI	LES		GUILFORD O	F MAINE	
Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade
Designtex	Appleseed	F	KnollTextiles	Alignment	F	Guilford of Maine	Anchorage	В
Designtex	Arne	E	KnollTextiles	Amplify	F	<b>Guilford of Maine</b>	Auster	В
Designtex	Billiard	E	KnollTextiles	Annex	E	<b>Guilford of Maine</b>	Axiom	В
Designtex	Birdseye	C	KnollTextiles	Bandwidth	F	<b>Guilford of Maine</b>	Bailey	В
Designtex	Brushed Flannel	E	KnollTextiles	Beacon	C	Guilford of Maine		C
Designtex	Bubble Wrap	E	KnollTextiles	Broadcloth II	E	Guilford of Maine	Beacon (54" bolt)	В
Designtex	Cesta	D	KnollTextiles	Cable Twist	E	Guilford of Maine	BeeHave (54" bolt)	В
Designtex	Chiyogami	G	KnollTextiles	Circle Line	E	Guilford of Maine	•	В
Designtex	Chromatic	E	KnollTextiles	Circuit	D		Bix	В
Designtex	Clew	E	KnollTextiles	Clarity	E	Guilford of Maine	•	(
Designtex	Cloud Velvet	E	KnollTextiles	Criss Cross	E	Guilford of Maine		В
Designtex	Crossweave	E E	KnollTextiles	Crossroad	E	Guilford of Maine	•	B B
Designtex	Decibel	D	KnollTextiles KnollTextiles	Delite Drieti	( F	Guilford of Maine		В
Designtex	Ellipsis	E	KnollTextiles	Dristi Edo	P D	Guilford of Maine	Couture (54" bolt)	В
Designtex	Everywhere Texture Gamut	D	KnollTextiles	Element	E	Guilford of Maine	•	В
Designtex	Gravity	D	KnollTextiles	Foil Rap	F	Guilford of Maine	Dashing	В
Designtex Designtex	Gridley	E	KnollTextiles	Growth Spurt	E	Guilford of Maine	Digit	В
Designtex	Hem Stitch	E	KnollTextiles	Hard Rock	F	Guilford of Maine	Drift	(
Designtex	Kabuto	G	KnollTextiles	Heavy Metal	, F	Guilford of Maine	Essence	A
Designtex	Melange	E	KnollTextiles	Hourglass	E	Guilford of Maine		В
Designtex	Minnie	D	KnollTextiles	Knoll Felt	F	Guilford of Maine		В
Designtex	New Brunswick	Č	KnollTextiles	Knoll Hopsack	F	Guilford of Maine	Galaxy	C
Designtex	Ori	G	KnollTextiles	Logic	E	Guilford of Maine	•	Ċ
Designtex	Otto	F	KnollTextiles	Macro	F	Guilford of Maine		В
Designtex	Pick Up Sticks	E	KnollTextiles	Mainframe	E	Guilford of Maine	Highbeams (54" bolt)	A
Designtex	Plateau	D	KnollTextiles	Match Point	E	Guilford of Maine	Intermix	В
Designtex	Reppeweave	E	KnollTextiles	Messa	D		Intuition (54" bolt)	C
Designtex	Rocket	E	KnollTextiles	Mezzo	F	Guilford of Maine	, ,	В
Designtex	Twist	E	KnollTextiles	Micro	F	Guilford of Maine		В
Designtex	Ulster	C	KnollTextiles	Monarch	F	Guilford of Maine		В
Designtex	Union Cloth	E	KnollTextiles	Nematic II	E	<b>Guilford of Maine</b>	Metallation	В
Designtex	US Rain State Farm	E	KnollTextiles	Palladium	F	<b>Guilford of Maine</b>	Metro	В
Designtex	Velocity	E	KnollTextiles	Photon II	E	<b>Guilford of Maine</b>	Mingle	В
Designtex	Vivid	D	KnollTextiles	Pivot	C	<b>Guilford of Maine</b>	Network	C
			KnollTextiles	Presto	E	<b>Guilford of Maine</b>	Otto	В
			KnollTextiles	Ransom	F	<b>Guilford of Maine</b>	Paradise	В
			KnollTextiles	Reflect	E	<b>Guilford of Maine</b>	Parameter	В
			KnollTextiles	Relay	F	<b>Guilford of Maine</b>	Phone Tag	C
			KnollTextiles	Skylark	D	<b>Guilford of Maine</b>	Pursuit	Α
			KnollTextiles	Symbolic Details	E	<b>Guilford of Maine</b>	Quadrille (54" bolt)	В
			KnollTextiles	Tailor Made II	E	<b>Guilford of Maine</b>	Rattan	C
			KnollTextiles	Twister	D	Guilford of Maine		В
			KnollTextiles	Versatility	E	Guilford of Maine	•	C
			KnollTextiles	Wonder	D	Guilford of Maine		C
			KnollTextiles	Zenith	E	Guilford of Maine	•	В
						Guilford of Maine	•	В
						Guilford of Maine		В
						Guilford of Maine		(
						Guilford of Maine		(
							Synopsis (54" bolt)	В
						Guilford of Maine	•	(
						Guilford of Maine	•	В
						Guilford of Maine		В
						Guilford of Maine	-	В
							Vertical Surface Blends	(
							Vertical Surface Solids	(
						Guilford of Maine		В
						Guilford of Maine	willshei	В

**Call** – Call for pricing 979.778.0502

LUNA		
Manufacturer	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Facet	G
Luna	Freehand	E
Luna	Halo	E
Luna	Hammered Metal	E
Luna	ldyll	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Linea	D
Luna	Luminescence	E
Luna	Quad	E
Luna	Radar	E
Luna	Signal	E
Luna	Sonic	E
Luna	Stepping Stones	E
Luna	Stitch	E
Luna	Transmission	E
Luna	Twiggy	Н
Luna	Twist	E

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp	E
Maharam	Field	E
Maharam	Flock	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	E
Maharam	Parallel	E
Maharam	Reply	E
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Spiral	E
Maharam	Unit	E

MAYER		
Manufacturer	Pattern	Grade
Mayer	Anasazi	C
Mayer	Basic	Α
Mayer	Blueprint	Α
Mayer	Cipher	Α
Mayer	Code	Α
Mayer	Сора	В
Mayer	Cross Check	Α
Mayer	Echo	D
Mayer	Equal	В
Mayer	Flair	C
Mayer	Forte	Α
Mayer	Fresco	В
Mayer	Graph	Α
Mayer	Grasscloth	В
Mayer	Gridline	C
Mayer	Interlude	В
Mayer	Luminary	В
Mayer	Melange	C
Mayer	Multi-Crepe	В
Mayer	Nexus	В
Mayer	Paragon	C
Mayer	Pebble Beach	В
Mayer	Quattro	В
Mayer	Rain Drops	C
Mayer	Reverb	C
Mayer	Space Odyssey	C
Mayer	Spectre	C
Mayer	Strata	В
Mayer	Terrain	C
Mayer	Whirlwind	В
Mayer	Zest	В

MOMENTUM	l	
Manufacturer	Pattern	Grade
Momentum	Alpha	C
Momentum	Cameo	В
Momentum	Curtain Call	В
Momentum	Edict	C
Momentum	Encore	В
Momentum	Glint	В
Momentum	Infinity C-Zero	C
Momentum	Kinect	В
Momentum	Marathon C-Zero	C
Momentum	Meander	В
Momentum	Millennium C-Zero	C
Momentum	Odyssey C-Zero	C
Momentum	Pact	В
Momentum	Proverb	В
Momentum	Script	В
Momentum	Tenor	C
Momentum	Tradition C-Zero	C
Momentum	Universe	В
Momentum	Verse	C

**Call** – Call for pricing 979.778.0502

# **LEGACY TABLE OF CONTENTS**

LEGACY FINISHES 1 Laminate Edge Band Paint Plexiglass Fabric	164 164 165 165
GEN 1 & 2 PANELS 1	66
GEN 1	
GEN 2 Insert Panels 168 – Wall Starter & Wall Mount Chanel	169
POST ASSEMBLIES Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts Single Height Posts Panel Connectors Panel Extender Kit	171 171 172 172 172 173 174 175

GEN 3	178
Fabric Panels	178
Insert Panels	179
POST ASSEMBLIES	180
Straight	180
2-way (L)	180
2-way (120)	180
3-way (T)	180
3-way (120)	180
4-way (X)	180
Single Height	181
Dual Height	181
Triple Height	181
End Kits	182
Wall Starter/Wall Mounted Channel	183
PANEL ACCESSORIES	184
Vertical Wire Manager	
Metal Ceiling Module	
Coat Hook.	
Carpet Gripper	
COUNTER CAPS	186
Straights	
Corners	187
FREESTANDING	188
Flat Brackets	
Column Base	188
Tackable Privacy	189

WALL MOUNTING 19 Wall Mounting Suggestions 1	
KEY LOCK PROGRAM19General Information1How to Specify Key Alike1Key-alike ordered prior to 6/12/001	92 92

Legacy
finishes
are only
available
for existing
customers
to match
existing
installs

Det Black	LAMINATES		EDGE BANDS	
Folkstone Grey (was LA)         114         Dark Grey (was Y3)         113           Soft Grey (was M42)         117         Folkstone Grey (was LA)         114           Bright White         118         Medium Grey (was Y2)         115           Pumice (was LF)         119         Soft Grey (was E)         117           Micro Grey         121         Bright White         118           Brushed Sand         122         Pumice (was LF)         119           Brushed Sand         122         Pumice (was LF)         124           Natural Maple         125         Natural Cherry         126           Walcural Maple         127         Fog         128           Brushed Sand <th>L1</th> <th></th> <th></th> <th></th>	L1			
Soft Grey (was M42)         117         Folkstone Grey (was LA)         114           Bright White         118         Medium Grey (was Y2)         115           Pumice (was LF)         119         Soft Grey (was E)         117           Micro Grey         121         Bright White         118           Brushed Sand         122         Pumice (was LF)         119           Brushed Grey         123         Medium Cherry         124           Medium Cherry         124         Natural Maple         125           Natural Maple         125         Natural Cherry         126           Natural Cherry         126         Walnut         127           Fog         128         Dark Neutral         D           Micro Sand         129         Taupe         R           Caramel Maple         MC         Sand         SD           Clear Maple         CM         Caramel Maple         MC           Deep Mahogany         MP58         Clear Maple         CM           Deep Mahogany         MP58         Clear Maple         CM           Grearwood         PA         R         R           Grand         SD         Med. Grey (Slate)         M89	Jet Black	111	Jet Black	111
Bright White 118 Medium Grey (was Y2) 115 Pumice (was LF) 119 Soft Grey (was E) 117 Micro Grey 121 Bright White 118 Brushed Sand 122 Pumice (was LF) 119 Brushed Grey 123 Medium Cherry 124 Medium Cherry 124 Natural Maple 125 Natural Maple 125 Natural Cherry 126 Natural Cherry 126 Walnut 127 Malnut 127 Fog 128 Fog 128 Dark Neutral D Micro Sand 129 Taupe R Caramel Maple MC Sand SD Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Light Oak MP70 Dearwood PA Rose Granite M96 Gand SD Med. Grey (Slate) M89 Manue MN0 Marm Cherry WM Mhite Essence ES7	Folkstone Grey (was LA)	114	Dark Grey (was Y3)	113
Pumice (was LF)  Micro Grey  121  Bright White  118  Brushed Sand  122  Pumice (was LF)  119  Brushed Sand  122  Pumice (was LF)  119  Brushed Grey  123  Medium Cherry  124  Medium Cherry  124  Matural Maple  125  Natural Cherry  126  Natural Cherry  127  Nalnut  127  Nalnut  127  Nalnut  127  Nalnut  128  Dark Neutral  D  Micro Sand  129  Taupe  R  Caramel Maple  Charamel Maple	Soft Grey (was M42)	117	Folkstone Grey (was LA)	114
Micro Grey 121 Bright White 118 Brushed Sand 122 Pumice (was LF) 119 Brushed Grey 123 Medium Cherry 124 Medium Cherry 124 Natural Maple 125 Natural Maple 125 Natural Cherry 126 Natural Cherry 126 Walnut 127 Malnut 127 Fog 128 Fog 128 Dark Neutral D Micro Sand 129 Taupe R Caramel Maple MC Sand SD Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Deep Mahogany MP58 CM Deep Mahoga	Bright White	118	Medium Grey (was Y2)	115
Brushed Sand 122 Pumice (was LF) 119 Brushed Grey 123 Medium Cherry 124 Medium Cherry 125 Matural Maple 125 Natural Cherry 126 Natural Cherry 127 Walnut 127 Fog 128 Dark Neutral D Micro Sand 129 Taupe R Caramel Maple Chear Maple Cheep Mahogany MP58 Clear Maple Cheep Mahogany MP58 Clear Maple MC Craramet MP6 Craramet MP70 Crearwood MP70 Crearwood MP70 MP6 Crearwood MP70 MP70 MP6 Crearwood MP70 MP70 MP6 Crearwood MP70 MP70 MP6 Crearwood MP70 MP70 MP70 MP70 MP70 MP70 MP70 MP70	Pumice (was LF)	119	Soft Grey (was E)	117
Brushed Grey 123 Medium Cherry 124 Medium Cherry 124 Natural Maple 125 Natural Maple 125 Natural Cherry 126 Natural Cherry 126 Walnut 127 Malnut 127 Fog 128 Fog 128 Dark Neutral D Micro Sand 129 Taupe R Caramel Maple MC Sand SD Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Light Oak MP70 Pearwood PA Rose Granite M96 Sand SD Med. Grey (Slate) M89 Manual M80 Marm Cherry WM White Essence ES7	Micro Grey	121	Bright White	118
Medium Cherry 124 Natural Maple 125 Natural Maple 125 Natural Cherry 126 Natural Cherry 126 Walnut 127 Nalnut 127 Fog 128 Fog 128 Dark Neutral D Micro Sand 129 Taupe R Caramel Maple MC Sand SD Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Light Oak MP70 Pearwood PA Rose Granite M96 Sand SD Med. Grey (Slate) M89 Faupe M80 Narm Cherry WM White Essence ES7	Brushed Sand	122	Pumice (was LF)	119
Natural Maple 125 Natural Cherry 126 Natural Cherry 126 Walnut 127 Nalnut 127 Fog 128 Fog 128 Dark Neutral D Micro Sand 129 Taupe R Caramel Maple MC Sand SD Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Clight Oak MP70 Pearwood PA Rose Granite M96 Gand SD Med. Grey (Slate) M89 Faupe M80 Narm Cherry WM White Essence ES7	Brushed Grey	123	Medium Cherry	124
Natural Cherry 126 Walnut 127  Walnut 127 Fog 128  Fog 128 Dark Neutral D  Micro Sand 129 Taupe R  Caramel Maple MC Sand SD  Clear Maple CM Caramel Maple MC  Deep Mahogany MP58 Clear Maple CM  Grey Granite M95  Light Oak MP70  Pearwood PA  Rose Granite M96  Sand SD  Med. Grey (Slate) M89  Faupe M80  Warm Cherry WM  White Essence ES7	Medium Cherry	124	Natural Maple	125
Malnut 127 Fog 128 Fog 128 Dark Neutral D Micro Sand 129 Taupe R Caramel Maple MC Sand SD Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Light Oak MP70 Pearwood PA Rose Granite M96 Sand SD Med. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Natural Maple	125	Natural Cherry	126
Taupe R  Micro Sand 129 Taupe R  Caramel Maple MC Sand SD  Clear Maple CM Caramel Maple MC  Deep Mahogany MP58 Clear Maple CM  Grey Granite M95  Light Oak MP70  Pearwood PA  Rose Granite M96  Sand SD  Med. Grey (Slate) M89  Faupe M80  Warm Cherry WM  White Essence ES7	Natural Cherry	126	Walnut	127
Micro Sand 129 Taupe R Caramel Maple MC Sand SD Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Light Oak MP70 Pearwood PA Rose Granite M96 Sand SD Med. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Walnut	127	Fog	128
Caramel Maple MC Sand SD Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Light Oak MP70 Pearwood PA Rose Granite M96 Gand SD Wed. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Fog	128	Dark Neutral	D
Clear Maple CM Caramel Maple MC Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Light Oak MP70 Pearwood PA Rose Granite M96 Sand SD Med. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Micro Sand	129	Taupe	R
Deep Mahogany MP58 Clear Maple CM Grey Granite M95 Light Oak MP70 Pearwood PA Rose Granite M96 Gand SD Med. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Caramel Maple	MC	Sand	SD
Grey Granite M95 Light Oak MP70 Pearwood PA Rose Granite M96 Gand SD Med. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Clear Maple	CM	Caramel Maple	MC
Aight Oak MP70 Pearwood PA Rose Granite M96 Sand SD Med. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Deep Mahogany	MP58	Clear Maple	CM
PA Rose Granite M96 Sand SD Med. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Grey Granite	M95		
Rose Granite M96 Sand SD Wed. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Light Oak	MP70		
Sand SD  Med. Grey (Slate) M89  Faupe M80  Warm Cherry WM  White Essence ES7	Pearwood	PA		
Med. Grey (Slate) M89 Faupe M80 Warm Cherry WM White Essence ES7	Rose Granite	M96		
Faupe         M80           Warm Cherry         WM           White Essence         ES7	Sand	SD		
Warm Cherry WM White Essence ES7	Med. Grey (Slate)	M89		
White Essence ES7	Taupe	M80		
<del></del> -	Warm Cherry	WM		
Ninter Grey Matrix MR6	White Essence	ES7		
	Winter Grey Matrix	MR6		

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

### **PAINTS & PLASTICS P1** Jet Black 111 Brown 112 Dark Grey (was Y3) 113 Folkstone Grey (was LA) 114 Med. Grey (was Y2) 115 Sandstone 116 Soft Grey (was E) 117 Dark Neutral D Taupe R **P2** Beige Mist Metallic 611 Medium Metallic Grey 612 Beige Metallic Н Light Tan Metallic W **P3** Bright White 118 Silver 613

PLEXIGLASS	
Clear	CL
Ice	IC
Smoked	SM
Translucent	TR
NOT AVAILABLE ON INSERT PANELS	
Frost	LF

FABRICS		
E		
Annex	KnollTextiles	W1360
Circle Line	KnollTextiles	W1146
Criss Cross	KnollTextiles	W305
Growth Spurt	KnollTextiles	W692
Photon II	KnollTextiles	W1293
Reflect	KnollTextiles	W884
Symbolic Detail	KnollTextiles	W693
Versatility	KnollTextiles	W432
F		
Amplify	KnollTextiles	W1215
Foil Rap	KnollTextiles	W535
Hard Rock	KnollTextiles	W1007
Heavy Metal	KnollTextiles	W539
Micro	KnollTextiles	W465
Relay	KnollTextiles	W1020


NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.

# NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

# **Generation 1 Fabric Panel**

28" thru 48" High



								:	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •
28" H									PAIN	т
W	MODEL#	A	В	C	D	E	F	G	P2	Р3
12"	EP1FA1228R	\$654	\$706	\$722	\$739	\$752	\$765	\$784	N/A	+ \$50
18"	EP1FA1828R	\$681	\$735	\$749	\$767	\$779	\$797	\$815	N/A	+ \$50
24"	EP1FA2428R	\$705	\$763	\$776	\$798	\$811	\$825	\$849	N/A	+ \$50
30"	EP1FA3028R	\$726	\$780	\$798	\$819	\$835	\$850	\$872	N/A	+ \$50
36"	EP1FA3628R	\$759	\$818	\$834	\$855	\$873	\$886	\$910	N/A	+ \$50
42"	EP1FA4228R	\$792	\$853	\$872	\$894	\$912	\$925	\$947	N/A	+ \$50
48"	EP1FA4828R	\$820	\$887	\$901	\$927	\$944	\$961	\$986	N/A	+ \$50
60"	EP1FA6028R	\$874	\$941	\$960	\$988	\$1,004	\$1,019	\$1,047	N/A	+ \$50
40" H										
12"	ED1E41240D	ĊC07	Ċ740	Ċ7FC	ċ776	Ċ700	Ċ004	¢021	NI/A	. 650

40" H										
12"	EP1FA1240R	\$687	\$740	\$756	\$776	\$789	\$804	\$821	N/A	+ \$50
18"	EP1FA1840R	\$720	\$776	\$792	\$811	\$825	\$840	\$860	N/A	+ \$50
24"	EP1FA2440R	\$752	\$811	\$827	\$851	\$865	\$881	\$901	N/A	+ \$50
30"	EP1FA3040R	\$775	\$838	\$852	\$877	\$892	\$907	\$929	N/A	+ \$50
36"	EP1FA3640R	\$800	\$865	\$881	\$904	\$922	\$936	\$961	N/A	+ \$50
42"	EP1FA4240R	\$893	\$962	\$982	\$1,007	\$1,027	\$1,043	\$1,073	N/A	+ \$50
48"	EP1FA4840R	\$921	\$995	\$1,010	\$1,039	\$1,056	\$1,076	\$1,101	N/A	+ \$50
60"	EP1FA6040R	\$1,034	\$1,117	\$1,136	\$1,168	\$1,189	\$1,208	\$1,242	N/A	+ \$50

48" H										
12"	EP1FA1248R	\$706	\$764	\$777	\$799	\$812	\$827	\$850	N/A	+ \$50
18"	EP1FA1848R	\$741	\$801	\$815	\$839	\$853	\$872	\$892	N/A	+ \$50
24"	EP1FA2448R	\$812	\$879	\$895	\$912	\$935	\$953	\$973	N/A	+ \$50
30"	EP1FA3048R	\$836	\$901	\$921	\$944	\$961	\$978	\$1,004	N/A	+ \$50
36"	EP1FA3648R	\$848	\$915	\$930	\$956	\$970	\$989	\$1,014	N/A	+ \$50
42"	EP1FA4248R	\$941	\$1,016	\$1,037	\$1,063	\$1,083	\$1,101	\$1,130	N/A	+ \$50
48"	EP1FA4848R	\$1,004	\$1,083	\$1,101	\$1,133	\$1,154	\$1,173	\$1,204	N/A	+ \$50
60"	EP1FA6048R	\$1,141	\$1,235	\$1,256	\$1,288	\$1,312	\$1,335	\$1,370	N/A	+ \$50

Order Code				
e.g.	EP1FA3648R, W3513, 117			
EP1FA	Fabric panel			
36	Width			
48	Height			
R	Raceway			
W351-3	Foundation, Corn Silk			
117	Soft Grey trim			

# Specification Information

Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power. Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

# Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.



								:	•••••••••••••••••••••••••••••••••••••••	
53" H									PAIN	T
W	MODEL#	A	В	C	D	E	F	G	P2	P3
12"	EP1FA1253R	\$724	\$778	\$796	\$814	\$829	\$844	\$868	N/A	+ \$50
18"	EP1FA1853R	\$760	\$819	\$835	\$856	\$874	\$887	\$912	N/A	+ \$50
24"	EP1FA2453R	\$801	\$868	\$884	\$907	\$923	\$937	\$962	N/A	+ \$50
30"	EP1FA3053R	\$821	\$889	\$904	\$930	\$946	\$962	\$988	N/A	+ \$50
36"	EP1FA3653R	\$946	\$1,021	\$1,042	\$1,073	\$1,088	\$1,109	\$1,136	N/A	+ \$50
42"	EP1FA4253R	\$989	\$1,069	\$1,088	\$1,118	\$1,136	\$1,158	\$1,187	N/A	+ \$50
48"	EP1FA4853R	\$1,045	\$1,129	\$1,150	\$1,182	\$1,202	\$1,222	\$1,254	N/A	+ \$50
60"	EP1FA6053R	\$1,187	\$1,282	\$1,305	\$1,340	\$1,365	\$1,389	\$1,424	N/A	+ \$50
60" H										
12"	EP1FA1260R	\$740	\$800	\$814	\$838	\$852	\$868	\$889	N/A	+ \$50
18"	EP1FA1860R	\$784	\$849	\$863	\$886	\$899	\$918	\$941	N/A	+ \$50
24"	EP1FA2460R	\$800	\$865	\$881	\$904	\$922	\$936	\$961	N/A	+ \$50
30"	EP1FA3060R	\$885	\$956	\$970	\$1,002	\$1,016	\$1,036	\$1,058	N/A	+ \$50
36"	EP1FA3660R	\$966	\$1,043	\$1,061	\$1,091	\$1,113	\$1,130	\$1,160	N/A	+ \$50
42"	EP1FA4260R	\$1,053	\$1,136	\$1,160	\$1,190	\$1,209	\$1,231	\$1,263	N/A	+ \$50
48"	EP1FA4860R	\$1,137	\$1,230	\$1,251	\$1,285	\$1,308	\$1,330	\$1,368	N/A	+ \$50
60"	EP1FA6060R	\$1,307	\$1,413	\$1,438	\$1,477	\$1,503	\$1,529	\$1,569	N/A	+ \$50
65" H										
12"	EP1FA1265R	\$779	\$844	\$858	\$884	\$897	\$916	\$936	N/A	+ \$50
18"	EP1FA1865R	\$799	\$862	\$880	\$901	\$921	\$933	\$959	N/A	+ \$50
24"	EP1FA2465R	\$895	\$967	\$986	\$1,010	\$1,032	\$1,047	\$1,075	N/A	+ \$50
30"	EP1FA3065R	\$947	\$1,024	\$1,043	\$1,074	\$1,091	\$1,110	\$1,137	N/A	+ \$50
36"	EP1FA3665R	\$1,007	\$1,088	\$1,110	\$1,138	\$1,160	\$1,179	\$1,208	N/A	+ \$50
42"	EP1FA4265R	\$1,098	\$1,189	\$1,208	\$1,243	\$1,264	\$1,285	\$1,321	N/A	+ \$50
48"	EP1FA4865R	\$1,190	\$1,284	\$1,308	\$1,343	\$1,369	\$1,393	\$1,428	N/A	+ \$50
60"	EP1FA6065R	\$1,374	\$1,483	\$1,513	\$1,554	\$1,579	\$1,608	\$1,650	N/A	+ \$50
80" H										
12"	EP1FA1280R	\$795	\$855	\$873	\$895	\$913	\$927	\$953	N/A	+ \$50
18"	EP1FA1880R	\$844	\$913	\$929	\$955	\$969	\$988	\$1,012	N/A	+ \$50
24"	EP1FA2480R	\$899	\$971	\$992	\$1,018	\$1,037	\$1,054	\$1,080	N/A	+ \$50
30"	EP1FA3080R	\$1,010	\$1,091	\$1,115	\$1,143	\$1,163	\$1,183	\$1,212	N/A	+ \$50
36"	EP1FA3680R	\$1,128	\$1,215	\$1,240	\$1,276	\$1,297	\$1,319	\$1,352	N/A	+ \$50
42"	EP1FA4280R	\$1,242	\$1,340	\$1,365	\$1,401	\$1,428	\$1,452	\$1,488	N/A	+ \$50
48"	EP1FA4880R	\$1,352	\$1,460	\$1,486	\$1,528	\$1,555	\$1,581	\$1,621	N/A	+ \$50
60"	EP1FA6080R	\$1,577	\$1,701	\$1,734	\$1,782	\$1,814	\$1,844	\$1,893	N/A	+ \$50

Order Code				
e.g.	EP1FA2460R, W3513, 117			
EP1FA	Fabric panel			
24	Width			
60	Height			
W351-3	Foundation,Corn Silk			
117	Soft Grey trim			

# **Specification Information**

Specify fabric and trim color. Post assemblies or

connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

# **Application Notes**

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

# **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



28" H			<b>:</b>	PAINT	
W W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	PAINI P2	P3
12"	EP2()1228R	\$697	\$936	N/A	+ \$50
18"	EP2()1828R	\$711	\$1,004	N/A	+ \$50
24"	EP2()2428R	\$711	\$1,058	N/A	+ \$50
30"	EP2()3028R	\$740	\$1,036	N/A N/A	+ \$50
			•		
36"	EP2()3628R	\$759	\$1,174	N/A	+ \$50
42"	EP2()4228R	\$778	\$1,269	N/A	+ \$50
48"	EP2()4828R	\$797	\$1,293	N/A	+ \$50
60"	EP2( )6028R	\$834	\$1,408	N/A	+ \$50
Ю" Н					
12"	EP2()1240R	\$736	\$1,028	N/A	+ \$50
18"	EP2()1840R	\$751	\$1,090	N/A	+ \$50
24"	EP2( )2440R	\$763	\$1,154	N/A	+ \$50
30"	EP2()3040R	\$779	\$1,270	N/A	+ \$50
36"	EP2()3640R	\$797	\$1,430	N/A	+ \$50
42"	EP2( )4240R	\$818	\$1,460	N/A	+ \$50
			:		
48"	EP2()4840R	\$836	\$1,481	N/A	+ \$50
60"	EP2( )4840R EP2( )6040R	\$836 \$874	\$1,481 \$1,632	N/A N/A	+ \$50 + \$50
60" I <b>8" H</b>	EP2()6040R	\$874	\$1,632	N/A	+ \$50
60"   <b>8" H</b>   12"	EP2()6040R EP2()1248R	\$874 \$751	\$1,632 \$1,057	N/A	+ \$50
60" <b>                                     </b>	EP2()6040R  EP2()1248R  EP2()1848R	\$874 \$751 \$766	\$1,632 \$1,057 \$1,165	N/A N/A N/A	+ \$50 + \$50 + \$50
18" H  12" 18" 24"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R	\$751 \$766 \$777	\$1,632 \$1,057 \$1,165 \$1,248	N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50
18" H 12" 18" 24" 30"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R	\$751 \$766 \$777 \$797	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359	N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50
18" H 12" 18" 24" 30" 36"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R	\$751 \$766 \$777 \$797 \$811	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382	N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50
18" H  12" 18" 24" 30" 36" 42"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R	\$751 \$766 \$777 \$797 \$811 \$834	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522	N/A N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
18" H  12" 18" 24" 30" 36" 42" 48"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R  EP2()4248R	\$751 \$766 \$777 \$797 \$811 \$834 \$852	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802	N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
18" H  12" 18" 24" 30" 36" 42"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R	\$751 \$766 \$777 \$797 \$811 \$834	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522	N/A N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
18" H  12" 18" 24" 30" 36" 42" 48"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R  EP2()4248R	\$751 \$766 \$777 \$797 \$811 \$834 \$852	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802	N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
18" H  12" 18" 24" 30" 36" 42" 48" 60"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R  EP2()4248R	\$751 \$766 \$777 \$797 \$811 \$834 \$852	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802	N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
18" H  12" 18" 24" 30" 36" 42" 48" 60"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R  EP2()4248R  EP2()4848R	\$751 \$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,821	N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
18" H  12" 18" 24" 30" 36" 42" 48" 60"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R  EP2()4848R  EP2()6048R	\$751 \$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,802 \$1,821	N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
18" H  12" 18" 24" 30" 36" 42" 48" 60"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R  EP2()4248R  EP2()6048R  EP2()1253R  EP2()1853R	\$874 \$751 \$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,821 \$1,091 \$1,091 \$1,197	N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42" 48" 60"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R  EP2()4248R  EP2()4848R  EP2()6048R  EP2()1853R  EP2()1853R  EP2()2453R	\$751 \$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,802 \$1,821 \$1,091 \$1,091 \$1,197 \$1,279	N/A	+ \$50 + \$50
18" H  12" 18" 24" 30" 36" 42" 48" 60"  12" 18" 24" 30"	EP2()6040R  EP2()1248R  EP2()1848R  EP2()2448R  EP2()3048R  EP2()3648R  EP2()4248R  EP2()4248R  EP2()6048R  EP2()1253R  EP2()1253R  EP2()1853R  EP2()2453R  EP2()2453R	\$874 \$751 \$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,802 \$1,821 \$1,091 \$1,197 \$1,279 \$1,393	N/A	+ \$50 + \$50
18" H  12" 18" 24" 30" 36" 42" 48" 60"  12" 18" 24" 30" 36"	EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()6048R  EP2()1253R EP2()1853R EP2()2453R EP2()3053R EP2()3053R	\$874 \$751 \$766 \$777 \$797 \$811 \$834 \$852 \$887 \$776 \$792 \$800 \$820 \$836	\$1,632 \$1,057 \$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,802 \$1,821 \$1,091 \$1,197 \$1,279 \$1,393 \$1,484	N/A	+ \$50 + \$50

<sup>\*</sup> All Colors

Order Code				
e.g.	EP2PG3648R, PC, 613			
EP2PG	Plexiglass Insert Panel			
36	Width			
48	Height			
R	Raceway			
PC	Clear			
613	Silver trim			

# Specification Information

Specify insert type, insert color and trim color.

### **Application Notes**


Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

# **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



<sup>\*</sup> All Colors

Order Code				
e.g.	EP2PG2460R, 613			
EP2PG	Plexiglass Insert Panel			
24	Width			
60	Height			
R	Raceway			
613	Silver trim			

### **Specification Information**

Specify insert type, insert color and trim color.

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

### **Application Notes**

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

# **Panel Wall Starter**

W	D	H*	ACTUAL HEIGHT	MODEL#	P1	P2	Р3
1½"	1/2"	28"	23"	EP1PWS28	\$44	N/A	\$48
1½"	1/2"	40"	35"	EP1PWS40	\$44	N/A	\$48
11/2"	1/2"	48"	43"	EP1PWS48	\$48	N/A	\$52
1½"	1/2"	53"	48"	EP1PWS53	\$50	N/A	\$56
1½"	1/2"	60"	55"	EP1PWS60	\$50	N/A	\$56
1½"	1/2"	65"	60"	EP1PWS65	\$52	N/A	\$59
11/2"	1/2"	80"	75"	EP1PWS80	\$59	N/A	\$69

# **Wall Mounted Channel**

		•						
_	21/8"	3/4"	28"	23"	EP1WMC28	\$112	N/A	\$122
	21/8"	3/4"	40"	35"	EP1WMC40	\$112	N/A	\$122
	21/8"	3/4"	48"	43"	EP1WMC48	\$114	N/A	\$124
	21/8"	3/4"	53"	48"	EP1WMC53	\$116	N/A	\$128
	21/8"	3/4"	60"	55"	EP1WMC60	\$130	N/A	\$145
	21/8"	3/4"	65"	60"	EP1WMC65	\$133	N/A	\$150
	21/8"	3/4"	80"	75"	EP1WMC80	\$162	N/A	\$178
	21/8"	3/4"	120"	120"	EP1WMC120	\$249	N/A	\$276

<sup>\* -</sup> actual height

Order Code			
e.g.	EP1PWS60, 117		
EP1PWS	Panel wall starter		
60	Height		
117	Soft Grey trim		

Specification	Information
Specification	IIIIVIIIIativii

Specify trim color.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

# **Application Notes**

### Wall starter:

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 11/4" space from face of wall to centerline of post. Constructed of steel.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

be ordered separately.

# Wall mount channel:

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic inset which snaps in place, covering mounting screws.



# **Straight**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28S	\$148	N/A	\$164
-	-	40"	EP1P40S	\$150	N/A	\$165
-	-	48"	EP1P48S	\$152	N/A	\$166
-	-	53"	EP1P53S	\$154	N/A	\$168
-	-	60"	EP1P60S	\$156	N/A	\$170
-	-	65"	EP1P65S	\$157	N/A	\$172
_	-	80"	EP1P80S	\$161	N/A	\$177



# Corner (90°)

_	-	-	28"	EP1P28L	\$144	N/A	\$156
	-	-	40"	EP1P40L	\$145	N/A	\$157
	-	-	48"	EP1P48L	\$146	N/A	\$161
	-	-	53"	EP1P53L	\$148	N/A	\$164
	-	-	60"	EP1P60L	\$150	N/A	\$165
	-	-	65"	EP1P65L	\$152	N/A	\$166
	-	-	80"	EP1P80L	\$156	N/A	\$170



### Fnd

LIIU						
-	-	28"	EP1P28E	\$157	N/A	\$172
-	-	40"	EP1P40E	\$159	N/A	\$174
-	-	48"	EP1P48E	\$161	N/A	\$177
-	-	53"	EP1P53E	\$162	N/A	\$178
-	-	60"	EP1P60E	\$164	N/A	\$179
-	-	65"	EP1P65E	\$165	N/A	\$183
-	-	80"	EP1P80E	\$167	N/A	\$187

Order Code			
e.g.	EP1P48S, 117		
EP1P	Post		
48	Height		
s	Straight assembly		
117	Soft Grey trim		

# Specification Information

Specify trim color.

- 1	۸	- I		4:-	- N	lotes
- 1	40	ш	ĸa	LIO	пп	iore,

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

# **Generation 1**

single height post assemblies three and four way



# 3-way (T)

w	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28T	\$144	N/A	\$156
-	-	40"	EP1P40T	\$145	N/A	\$157
-	-	48"	EP1P48T	\$146	N/A	\$161
-	-	53"	EP1P53T	\$148	N/A	\$164
-	-	60"	EP1P60T	\$150	N/A	\$165
-	-	65"	EP1P65T	\$152	N/A	\$166
-	-	80"	EP1P80T	\$156	N/A	\$170



# 3-way (Y)

JWay	("/					
-	_	28"	EP1P28Y	\$179	N/A	\$201
-	-	40"	EP1P40Y	\$183	N/A	\$202
-	-	48"	EP1P48Y	\$185	N/A	\$203
-	-	53"	EP1P53Y	\$186	N/A	\$205
-	-	60"	EP1P60Y	\$187	N/A	\$206
-	-	65"	EP1P65Y	\$190	N/A	\$208
-	-	80"	EP1P80Y	\$192	N/A	\$208



# 4-way (X)

 T Way	(//)					
-	-	28"	EP1P28X	\$124	N/A	\$136
-	-	40"	EP1P40X	\$128	N/A	\$141
-	-	48"	EP1P48X	\$129	N/A	\$144
-	-	53"	EP1P53X	\$130	N/A	\$145
-	-	60"	EP1P60X	\$131	N/A	\$146
-	-	65"	EP1P65X	\$132	N/A	\$147
-	-	80"	EP1P80X	\$135	N/A	\$150

Order Code			
e.g.	EP1P80T, 117		
EP1P	Post		
80	Height		
T	"T" assembly		
117	Soft Grey trim		

Specification	

Specify trim color

### Application Notes

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

# **Dual Height Post**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"/40"	EP1DP2840	\$154	N/A	\$168
-	-	28"/48"	EP1DP2848	\$164	N/A	\$179
-	-	28"/53"	EP1DP2853	\$167	N/A	\$187
-	-	28"/60"	EP1DP2860	\$170	N/A	\$190
-	-	28"/65"	EP1DP2865	\$177	N/A	\$193
-	-	28"/80"	EP1DP2880	\$193	N/A	\$215
-	-	40"/48"	EP1DP4048	\$164	N/A	\$179
-	-	40"/53"	EP1DP4053	\$167	N/A	\$187
-	-	40"/60"	EP1DP4060	\$170	N/A	\$190
-	-	40"/65"	EP1DP4065	\$177	N/A	\$193
-	-	40"/80"	EP1DP4080	\$193	N/A	\$215
-	-	48"/53"	EP1DP4853	\$167	N/A	\$187
-	-	48"/60"	EP1DP4860	\$170	N/A	\$190
-	-	48"/65"	EP1DP4865	\$177	N/A	\$193
-	-	48"/80"	EP1DP4880	\$193	N/A	\$215
-	-	53"/60"	EP1DP5360	\$170	N/A	\$190
-	-	53"/65"	EP1DP5365	\$177	N/A	\$193
-	-	53"/80"	EP1DP5380	\$199	N/A	\$219
-	-	60"/65"	EP1DP6065	\$177	N/A	\$193
-	-	60"/80"	EP1DP6080	\$193	N/A	\$215
-	-	65"/80"	EP1DP6580	\$193	N/A	\$215

Order Code			
e.g.	EP1DP4860, 613		
EP1DP	Dual height post		
48	Height one		
60	Height two		
613	Silver		

# Specification Information

Specify trim color.

# **Application Notes**

Dual height posts are used where panels of two different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

# J J

# **Triple Height Post**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"/40"/48"	EP1TP284048	\$193	N/A	\$215
-	-	28"/40"/53"	EP1TP284053	\$193	N/A	\$215
-	-	28"/40"/60"	EP1TP284060	\$193	N/A	\$215
-	-	28"/40"/65"	EP1TP284065	\$206	N/A	\$229
-	-	28"/40"/80"	EP1TP284080	\$230	N/A	\$253
-	-	28"/48"/53"	EP1TP284853	\$193	N/A	\$215
_	_	28"/48"/60"	EP1TP284860	\$193	N/A	\$215
-	-	28"/48"/65"	EP1TP284865	\$206	N/A	\$229
_	-	28"/48"/80"	EP1TP284880	\$230	N/A	\$253
-	-	28"/53"/60"	EP1TP285360	\$193	N/A	\$215
-	-	28"/53"/65"	EP1TP285365	\$205	N/A	\$227
-	-	28"/53"/80"	EP1TP285380	\$229	N/A	\$249
-	-	28"/60"/65"	EP1TP286065	\$206	N/A	\$229
-	-	28"/60"/80"	EP1TP286080	\$230	N/A	\$253
-	-	28"/65"/80"	EP1TP286580	\$230	N/A	\$253
-	-	40"/48"/53"	EP1TP404853	\$193	N/A	\$215
-	-	40"/48"/60"	EP1TP404860	\$193	N/A	\$215
-	-	40"/48"/65"	EP1TP404865	\$206	N/A	\$229
-	-	40"/48"/80"	EP1TP404880	\$230	N/A	\$253
-	-	40"/53"/60"	EP1TP405360	\$193	N/A	\$215
-	-	40"/53"/65"	EP1TP405365	\$205	N/A	\$227
-	-	40"/53"/80"	EP1TP405380	\$229	N/A	\$249
-	-	40"/60"/65"	EP1TP406065	\$206	N/A	\$229
-	-	40"/60"/80"	EP1TP406080	\$230	N/A	\$253
	-	40"/65"/80"	EP1TP406580	\$230	N/A	\$253
-	-	48"/53"/60"	EP1TP485360	\$193	N/A	\$215
-	-	48"/53"/65"	EP1TP485365	\$205	N/A	\$227
-	-	48"/53"/80"	EP1TP485380	\$208	N/A	\$231
-	-	48"/60"/65"	EP1TP486065	\$206	N/A	\$229
-	-	48"/60"/80"	EP1TP486080	\$230	N/A	\$253
-	-	48"/65"/80"	EP1TP486580	\$230	N/A	\$253
-	-	53"/60"/65"	EP1TP536065	\$205	N/A	\$227
-	-	53"/60"/80"	EP1TP536080	\$207	N/A	\$230
-	-	53"/65"/80"	EP1TP536580	\$230	N/A	\$253
-	-	60"/65"/80"	EP1TP606580	\$230	N/A	\$253

Order Code			
e.g.	EP1TP406080, 113		
EP1TP	Triple height post		
40	Height one		
60	Height two		
80	Height three		
113	Dark Grey trim		

Specification	

Specify trim color.

# Application Notes

Triple height posts are used where 3 or 4 panels of three different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

# **Single Height Post**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28	\$72	N/A	\$78
-	-	40"	EP1P40	\$73	N/A	\$80
-	-	48"	EP1P48	\$74	N/A	\$83
-	-	53"	EP1P53	\$76	N/A	\$84
_	-	60"	EP1P60	\$77	N/A	\$86
-	-	65"	EP1P65	\$78	N/A	\$87
-	-	80"	EP1P80	\$83	N/A	\$89

Order C	Order Code					
e.g.	EP1P48, 177					
EP1P	Post					
48	Height					
117	Soft Grey trim					

Specification	Information


Specify trim color.
Panel connectors
and shrouds must be
order separately.

# **Application Notes**

Bottom leveler on posts allow for up to 1½" of vertical adjustment.


# **Generation 1**

**Panel connectors and shrouds** 



# **Panel Connectors**

ТҮРЕ	MODEL#	P1	P2	P3
End with post	EP1PCEP	\$36	\$38	\$39
End with post (for post covers)	EP1PCEPK	\$36	\$38	\$39
Four-way "X"	EP1PCX	\$52	\$56	\$62
Multi-height filler	EP1PCMF	\$26	\$28	\$29
Post plug (pkg. of 25)	EP1PLUG	\$17	\$23	\$24
Straight	EP1PCS	\$31	\$33	\$35
Three-way "T"	EP1PCT	\$47	\$49	\$52
Three-way "Y" 120°	EP1PCY	\$47	\$49	\$52
Trim filler	EP1PCTF	\$26	\$28	\$29
Two-way "L"	EP1PCL	\$39	\$40	\$41
Two-way "L" (for post covers)	EP1PCLK	\$39	\$40	\$41
Two-way adjustable angle	EP1PCA	\$49	\$56	\$56



# **Raceway Shrouds**

End with post	EP1SEP	\$49	N/A	\$56
End with post (for post covers)	EP1SEPK	\$49	N/A	\$56
Inside 120	EP1SI120	\$17	N/A	\$24
Outside "L"	EP1SL	\$36	N/A	\$39
Outside "L" (for post covers)	EP1SLK	\$36	N/A	\$39
Outside 120	EP1SO120	\$28	N/A	\$31
Outside 135	EP1SO135	\$28	N/A	\$31
Straight	EP1SS	\$26	N/A	\$29

Order Code							
e.g. EP1SEP							
EP1S	Post shroud						
EP	End with post						

### Specification Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

### **Application Notes**

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.





W	D	Н	MODEL#	P1	P2	ADD FOR P3
36"	-	40"	EP1PE3640R	\$352	N/A	\$50
36"	-	48"	EP1PE3648R	\$392	N/A	\$50
36"	-	53"	EP1PE3653R	\$423	N/A	\$50
36"	-	60"	EP1PE3660R	\$451	N/A	\$50
36"	_	65"	EP1PE3665R	\$477	N/A	\$50
36"	-	80"	EP1PE3680R	\$553	N/A	\$50

# Panel Extender Kit – 40" Wide

48"	-	40"	EP1PE4840R	\$366	N/A	\$50
48"	-	48"	EP1PE4848R	\$408	N/A	\$50
48"	-	53"	EP1PE4853R	\$435	N/A	\$50
48"	-	60"	EP1PE4860R	\$469	N/A	\$50
48"	-	65"	EP1PE4865R	\$489	N/A	\$50
48"	-	80"	EP1PE4880R	\$569	N/A	\$50

# Panel Extender Kit – 60" Wide

60"	-	40"	EP1PE6040R	\$387	N/A	\$50
60"	-	48"	EP1PE6048R	\$423	N/A	\$50
60"	-	53"	EP1PE6053R	\$452	N/A	\$50
60"	-	60"	EP1PE6060R	\$485	N/A	\$50
60"	-	65"	EP1PE6065R	\$507	N/A	\$50
60"	-	80"	EP1PE6080R	\$582	N/A	\$50

# e.g. EP1PE6065R, 117 EP1PE Raceway panel extender kit 60 Width in inches 65 Height R Raceway 117 Soft Grey trim

### Specification Information


Specify trim color.

Jumpers to carry power through panel are ordered separately. With panel extender kits, add 3" to jumper length for each panel extender kit used. A kit designed to be field mounted onto panels to extend the width of the panel by 3" ( 1½" on each side). This adaption of the panel(s) will allow clearance when positioning existing freestanding equipment, i.e., files and desks, between side panels.

# **Application Notes**

Kit contains two aluminum side extrusions, an extended top cap, extended baseboard covers, and installation hardware and instructions.


# **Generation 3 Fabric Panel**



									• • • • • • • • • • • • • • • • • • •	::
<b>64</b> " l	H								PAIN	IT
W	MODEL#	A	В	C	D	E	F	G	P2	Р3
12"	EP3FA1264(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	+ \$25	+ \$50
18"	EP3FA1864(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	+ \$25	+ \$50
24"	EP3FA2464(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	+ \$25	+ \$50
30"	EP3FA3064(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	+ \$25	+ \$50
36"	EP3FA3664(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	+ \$25	+ \$50
42"	EP3FA4264(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	+ \$25	+ \$50
48"	EP3FA4864(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	+ \$25	+ \$50
60"	EP3FA6064(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	+ \$25	+ \$50

			Тор Сар		Panel Type	w	н		Raceway
EP	Equity panel	3	Beveled	FA	Fabric panel	36	29	<b>K</b> N	<b>With knockouts</b> Without knockouts
ЕP		3		FA	:	36	: :	K	:


# **Generation 3 Insert Panel**



64" H				PAINT	
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3
12"	EP3()1264(K/N)	\$797	\$1,147	+ \$25	+ \$50
18"	EP3()1864(K/N)	\$807	\$1,267	+ \$25	+ \$50
24"	EP3()2464(K/N)	\$817	\$1,397	+ \$25	+ \$50
30"	EP3()3064(K/N)	\$837	\$1,497	+ \$25	+ \$50
36"	EP3()3664(K/N)	\$857	\$1,597	+ \$25	+ \$50
42"	EP3()4264(K/N)	\$877	\$1,697	+ \$25	+ \$50
48"	EP3()4864(K/N)	\$897	\$1,797	+ \$25	+ \$50
60"	EP3()6064(K/N)	\$947	\$1,997	+ \$25	+ \$50

	Panel Type	w	Н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
EP	PG	36	29	к

**Post Assemblies** 




Straight			•	PAINT	NT	
Н	MODEL#		P1	P2	Р3	
64"	EP3P64S	Ś	157	\$165	\$172	



3-wa	ay T		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64T	\$ 152	\$159	\$166



2-wa	ay L		PAINT	
Н	MODEL#	P1	P2	P3
64"	ED2DC4I	¢152	¢150	¢166



3-wa	ay 120		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64Y	\$190	\$201	\$208



2-w	ay 120		PAINT	
Н	MODEL#	P1	P2	Р3
64"	EP3P64120	\$157	\$165	\$172



<b>4-</b> w	ay X		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64X	\$132	\$141	\$147

# Specify

- 1. Model#
- 2. Paint trim color

# **Application Notes**

Used to connect panels of the same height

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

### Assembly

# Included

- Single height postPanel connector
- Appropriate metal shroud

# Top Cap Style

3 – Beveled



Sin	Single Height			PAINT	
	Н	MODEL#	P1	P2	P3
	64"	EP3P64	\$78	\$83	\$87

Dual Height					
29"/64"	EP3DP2964	\$177	\$187	\$197	
41"/64"	EP3DP4164	\$177	\$187	\$197	
49"/64"	EP3DP4964	\$177	\$187	\$197	
54"/64"	EP3DP5464	\$177	\$187	\$197	
61"/64"	EP3DP6164	\$177	\$187	\$197	

\$193

\$205

\$215

EP3DP6481

64"/81"

		······	· · · · · · · · · · · · · · · · · · ·	
riple Heig	ıht		PAINT	
Н	MODEL#	P1	P2	P3
29"/41"/64"	EP3TP294164	\$208	\$220	\$232
29"/49"/64"	EP3TP294964	\$208	\$220	\$232
29"/54"/64"	EP3TP295464	\$208	\$220	\$232
29"/61"/64"	EP3TP296164	\$208	\$220	\$232
29"/64"/81"	EP3TP296481	\$230	\$239	\$250
41"/49"/64"	EP3TP414964	\$208	\$220	\$232
41"/54"/64"	EP3TP415464	\$208	\$220	\$232
41"/61"/64"	EP3TP416164	\$208	\$220	\$232
41"/64"/81"	EP3TP416481	\$230	\$239	\$250
49"/54"/64"	EP3TP495464	\$208	\$220	\$232
49"/61"/64"	EP3TP496164	\$208	\$220	\$232
49"/64"/81"	EP3TP496481	\$230	\$239	\$250
54"/61"/64"	EP3TP546164	\$208	\$220	\$232
54"/64"/81"	EP3TP546481	\$230	\$239	\$250
61"/64"/81"	EP3TP616481	\$230	\$239	\$250

		Н		Connection Type
EP3 Equity panel	P Post	64	120	2-way 120
			Ε	End w/post
			ETK	Postless end
	:		L	2-way L
	:		Т	3-way T
	:		S	Straight
	•		Χ	4-way
			Υ	3-way 120
EP3	Р	64	S	
1	ii			•

# **End Kits**



End	w/Post		PAINT	
Н	MODEL#	P1	P2	Р3
64"	EP3P64E	\$186	\$193	\$200



Post	less End		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP3ETK29	\$157	\$160	\$163
41"	EP3ETK41	\$159	\$162	\$165
49"	EP3ETK49	\$161	\$164	\$167
54"	EP3ETK54	\$163	\$166	\$169
61"	EP3ETK61	\$165	\$168	\$171
64"	EP3ETK64	\$167	\$170	\$173
66"	EP3ETK66	\$167	\$170	\$173
81"	EP3ETK81	\$176	\$179	\$182

# **End w/Post**

# Specify

- 1. Model#
- 2. Paint trim color

# **Application Notes**

Used to finish a panel end that is not being connected to another panel.

# **Postless End**

# Specify

- 1. Model #
- 2. Paint trim color

### Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately %" beyond the panel end.

### Assembly

# Included

- Single height post
- Panel connector
- Appropriate metal shroud

### Top Cap Styles

3 – Beveled



### Assembly

### Included

- Panel connector
- Appropriate metal shroud

### **Top Cap Styles**

3 – Beveled



Legacy

# **Wall Starter/Wall Mounted Channel**

P	Panel Wall Starter						PAINT	
	W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	Р3
	1 ½"	1/2"	64"	60"	EP3PWS64	\$52	\$56	\$62

# **Wall Mounted Channel**

2 %"	3/4"	64"	60"	EP3WMC64	\$133	\$144	\$148

# **Panel Wall Starter**

### Specify

- 1. Model#
- 2. Paint trim color

### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

**Top Cap Styles** 

3 - Beveled

### Assembly

### Included

- Panel top & bottom hook
- Panel connector

### Not Included

• Fasteners to attach to wall

### **Ordered Separately**

- Post
- Shrouds

# **Wall Mounted Channel**

### Specify

- 1. Model#
- 2. Paint trim color

### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

### Assembly

### Included

- Extruded aluminum
- · Insert which snaps



- channel
- into place

# **Panel accessories**

**Cable and Wire Managers** 

# **Vertical Wire Manager**

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	80"	EC1VWM80	\$29	\$31	\$33



# **Metal Ceiling Module**

4"	11/2"	120"	EE1CM40M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM48M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM53M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM60M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM65M	\$625	N/A	\$689
4"	1½"	120"	EE1CM80M	\$625	N/A	\$689

# Ceiling Infeeds – Generation 3

4"	1 ½"	120"	EE3CM64M	\$625	\$656	\$689

Order Code				
e.g.	EC1VWM80, 177			
EC1VWM	Vertical Wire Manager			
80	Length			
117	Soft Grev trim			

### **Specification Information**

Specify trim color.

# Vertical Wire Manager:

A plastic strip designed to hide a cord running down the edge of the panel. Cut to desired length in field.

# Ceiling Infeed Modules:

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 35 CAT 5 cables.

Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion by separating the front edge of the pliable tube. Infeed module is attached to an available post location of the appropriate height. The module can not be used for panel support and there are no "hang on" capabilities. Includes escutcheon plate. Plate and plastic tube are white to integrate with standard ceiling color.

No "hang on" capabilities. Module cannot be used for panel support. Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable angle connector or adjustable angle connector with a multi-height panel connector.



# EP1 Coat Hook (6/carton)

W	D	Н	MODEL#	P1	P2	Р3
1/2"	3/4"	5"	EP1CH	\$120	N/A	N/A



# Coat Hanger

_		<u>-</u>					
	17"	3/8"	91/4"	EP1CHG	\$15	N/A	N/A



# **Carpet Gripper (12 pack)**

	FP1CG12	\$38	N/A	N/A



# **EP3 Coat Hook Straight (5 pack)**

1/4"	13/4"	23/4"	FP3MMCH (R/P)	¢1./1	NI/A	N/A



# **EP3 Coat Hook Postless End (5 pack)**

			(- p,			
13/8"	3/8"	23/8"	EP3MMCHPE (R/L)(B/P)	\$141	N/A	N/A

Order Code		
e.g.	EP1CH, 117	
EP1CH	Coat hook	
117	Soft Grev trim	

# Specification Information

Specify trim color.

Coat Hook and Coat Hanger available only in Dark Neutral, Medium Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

# Application Notes

# **Coat Hanger**

A plastic coat hanger available to hang on coat hook. EP1 Coat hook: Molded plastic hook hangs over EP1 panels to hold coats and hangers.

Coat hook must hang over straight post location if being used w/EP3 panels.


Carpet gripper:12 per package.

### EP3 Coat hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

# Counter Caps, Straight Generation 1 and Generation 2 profiles

# **Straight**



NOMINAL W	ACTUAL W	D	Н	MODEL#	P1	P2	Р3
12"	10.5"	15.25"	-	EW(1/2)1215	\$268	\$278	\$284
24"	22.5"	15.25"	-	EW(1/2)2415	\$297	\$303	\$311
30"	28.5"	15.25"	-	EW(1/2)3015	\$323	\$332	\$339
36"	34.5"	15.25"	-	EW(1/2)3615	\$323	\$332	\$339
42"	40.5"	15.25"	-	EW(1/2)4215	\$330	\$336	\$344
48"	46.5"	15.25"	-	EW(1/2)4815	\$333	\$341	\$348
60"	58.5"	15.25"	-	EW(1/2)6015	\$367	\$374	\$382
72"	70.5"	15.25"	-	EW(1/2)7215	\$387	\$392	\$402
84"	82.5"	15.25"	-	EW(1/2)8415	\$419	\$427	\$435
96"	94.5"	15.25"	-	EW(1/2)9615	\$435	\$444	\$451
108"	106.5"	15.25"	-	EW(1/2)10815	\$449	\$456	\$464
120"	118.5"	15.25"	-	EW(1/2)12015	\$500	\$506	\$513

# Straight – Extended One End



	12"	12"	15.25"	-	EW(1/2)1215E	\$279	\$286	\$296
	24"	24"	15.25"	-	EW(1/2)2415E	\$305	\$314	\$322
	30"	30"	15.25"	-	EW(1/2)3015E	\$329	\$334	\$342
,	36"	36"	15.25"	-	EW(1/2)3615E	\$329	\$334	\$342
	42"	42"	15.25"	-	EW(1/2)4215E	\$336	\$344	\$351
	48"	48"	15.25"	-	EW(1/2)4815E	\$347	\$353	\$361
	60"	60"	15.25"	-	EW(1/2)6015E	\$373	\$380	\$388
	72"	72"	15.25"	-	EW(1/2)7215E	\$405	\$410	\$418
	84"	84"	15.25"	-	EW(1/2)8415E	\$422	\$430	\$438
	96"	96"	15.25"	-	EW(1/2)9615E	\$441	\$448	\$455
	108"	108"	15.25"	-	EW(1/2)10815E	\$473	\$481	\$489

# Straight – Extended Both Ends



5							
12"	13.5"	15.25"	-	EW(1/2)1215EE	\$286	\$296	\$302
24"	25.5"	15.25"	-	EW(1/2)2415EE	\$319	\$325	\$333
30"	31.5"	15.25"	-	EW(1/2)3015EE	\$334	\$342	\$350
36"	37.5"	15.25"	-	EW(1/2)3615EE	\$334	\$342	\$350
42"	43.5"	15.25"	-	EW(1/2)4215EE	\$347	\$353	\$361
48"	49.5"	15.25"	-	EW(1/2)4815EE	\$387	\$392	\$402
60"	61.5"	15.25"	-	EW(1/2)6015EE	\$383	\$390	\$397
72"	73.5"	15.25"	-	EW(1/2)7215EE	\$413	\$420	\$428
84"	85.5"	15.25"	-	EW(1/2)8415EE	\$436	\$445	\$452
96"	97.5"	15.25"	-	EW(1/2)9615EE	\$449	\$456	\$464
108"	109.5"	15.25"	-	EW(1/2)10815EE	\$487	\$494	\$502

Order (	Order Code			
e.g.	EW16015,117, 117, 117			
EW1	Worksurface			
60	Width			
15	Depth			
117	Soft Grey laminate			
117	Soft Grey edge			
117	Soft Grey			

•	: C	1 f 4!
		Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.



# Corner

W	D	Н	MODEL #	P1	P2	P3
24"	15.25"	-	EW(1/2)CC2415	\$378	\$392	\$409
30"	15.25"	-	EW(1/2)CC3015	\$406	\$419	\$435
36"	15.25"	-	EW(1/2)CC3615	\$413	\$428	\$445




# **Corner – Extended Left**

•	24"	15.25"	-	EW(1/2)CC2415LHE	\$387	\$402	\$416
	30"	15.25"	-	EW(1/2)CC3015LHE	\$413	\$428	\$445
	36"	15.25"	_	EW(1/2)CC3615LHE	\$422	\$438	\$453



# Corner – Extended Right

24"	15.25"	_	EW(1/2)CC2415RHE	\$387	\$402	\$416
30"	15.25"	-	EW(1/2)CC3015RHE	\$413	\$428	\$445
36"	15.25"	_	EW(1/2)CC3615RHE	\$422	\$438	\$453



# Corner – Extended Both Ends

-	24"	15.25"	-	EW(1/2)CC2415EE	\$402	\$416	\$432
	30"	15.25"	-	EW(1/2)CC3015EE	\$436	\$452	\$466
	36"	15.25"	-	EW(1/2)CC3615EE	\$445	\$461	\$474

Order (	Order Code		
e.g.	EW1CC3015, 117, 117, 117		
EW1	Worksurface		
cc	Curved corner		
30	Width		
15	Depth		
117	Soft Grey laminate		
117	Soft Grey edge		
117	Soft Grey		

### Specification Information

Specify surface, trim and cantilever trim color.

EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only.

# **Application Notes**

Counter caps are designed for mounting on top of panels.

Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other. They are non-handed and screw holes for the mounting brackets must be field-drilled.

Steel mounting brackets are supplied.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

# Freestanding support components



# Flat Brackets (black only)

W	D	Н	TOP SIZE	MODEL#	P1	P2	P3
	15"			EB1F24	\$45	n/a	n/a
	21"			EB1F30	\$52	n/a	n/a



# **Column Base**

27³¼" <b>EB1F</b>	<b>OL</b> \$320 \$348	\$362
-------------------	-----------------------	-------

# **Tackable Privacy Screens**



# **Tackable Privacy**

W	D	Н	MODEL#.	А	В	C	D	E	F	G
36"	3/4"	21"	EF2PS36	\$392	\$426	\$431	\$443	\$451	\$458	\$472
42"	3/4"	21"	EF2PS42	\$411	\$443	\$452	\$467	\$473	\$483	\$495
48"	3/4"	21"	EF2PS48	\$428	\$461	\$472	\$485	\$491	\$499	\$513
60"	3/4"	21"	EF2PS60	\$459	\$497	\$507	\$519	\$529	\$536	\$553
72"	3/4"	21"	EF2PS72	\$491	\$531	\$541	\$556	\$565	\$574	\$592

Order Code					
e.g.	EF2OS60, 117				
EF20S	Equity freestanding privacy screen				
60	Length in inches				
117	Soft Grey trim				

# Specification Information

Specify shelf and stanchion trim color where required.

NOTE: Fabric on 72" privacy screens and will be railroaded (turned 90°).

# **Wall Mounting**

### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

# **New Construction**

# **Existing Construction**

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ½" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

# **Key Lock Program**

### **GENERAL INFORMATION**

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

### **KEY-ALIKE**

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

### **KEYS**

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

### STEP 1

Using the project floor plan, count the number of locks in each workstation.



### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

### STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

### STEP 4

Then enter the pattern number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

### **EQUITY**

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly\* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

# **EQUITY LOCKING COMPONENTS**

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

### **MULTIPLE KEY-ALIKE PACKAGES**

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

### **LOCK CORES**

Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

### **MASTER KEY**

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$22
Change Key	AKC	18.
Master Key	AKM	18.

### **SHIPMENT**

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

<sup>\*</sup>Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.



NeutralPosture.com 3904 N. Texas Ave. Bryan, TX 77803 979.778.0502

979.778.0408

NeutralPosture

GSA SCS Indoor Advantage BIFMA e3/LEVEL ISO 9001:2008 Approved

W\$MEN® OWNED