




# **NEUTRALPOSTURE**











# **TABLE OF CONTENTS**

GENERAL INFORMATION Panels Power Raceway Environmental Impact Storage Legacy Customers	4 4 4 4
SUSTAINABLE DESIGN  Manufacturing Process  Shipping Initiatives	5
TERMS AND CONDITIONS Ordering Pricing Taxes Lead Time Customer's Own Material Storage Fee Compliance with Law Shipping Accessorial Charges Freight Damage Delay/Force Majeure Returns Warranty Claims Warranty Certifications & Standards Key-Alike Program GSA Contract Overview 1 GSA Contract Details 1 Wall Mounting Suggestions 1 Wall Mounting Details 1	6 6 6 6 6 6 6 6 7 7 7 7 7 8 8 9 0 1 2
Edge Bands       1         Paints       1         Plexiglass       1         Glass       1	4 4
	6 6
LEGACY FINISHES.1Legacy – Laminates1Legacy – Edge Bands1Legacy – Paint & Plastics1	7 7

PANELS	18
Features	
Construction	18
Surface Materials	
Fabric Panels	
Insert Panels	
Perforated Aluminum Insert Panels Tequity Panels	
Doors	
Post Assemblies	
End Kits	
Wall Starter/Wall Mounted Channel	
Posts (Multi-height)	34
Connectors/Shrouds	35
STACK-ON PANELS	36
Components	
Stack-on Panel Connectors	36
Specifying Stack-on Configurations	
Stack-on Diagram	
Stack-on Configurations	
Fabric with slots	
Fabric without slots	
Insert with slots Insert without slots	
Perforated Aluminum Insert w/slots	
Perforated Aluminum Insert w/o slots	
Stack-on Posts	
Panel Accessories	
Frameless Glass	54
Frameless Glass Connectors	
Add-on Screens	
Slat Rail	
Slat Rail Accessories	
ELECTRICAL	
How to Order	
Infeeds	
Technical Data	
Ceiling Infeeds	62
Base Infeeds	63
Components	64
Knock-out Replacement Cover	
Jumper	
Dedicated Neutral System Components	
Dedicated Neutral Jumpers	
Charge Spot (Wireless Charger)	
Desktop Data & Power Ashley Duo	
Ashley 202	
Ashley Trio	
Ashley Quad	

WORKSURFACES 70
Features         70           Wiring & Cabling         70           Edge Detail         70           Surface Materials         70           General Information         72           Support Information         73           Grain Direction         74           Straights         76           Corners         78           Split Corner         78           Blended Corners         79           Corner Peninsulas         80           Peninsulas         81           Half Round & Linking         82           Blended Double Corner         83           135° Curved Corner         83           Supports         84           Legs         86
Worksurface for Height Adjustable Supports 88 Electric Height Adjustable Base 89 120° Planning 90 120° 92 Transition Tops 94
CASCADE WORKSURFACES         95           Cascade Edge         95           Straights         96           Corners & Extended Corners         97           Corner Peninsulas         98           Waves         99           Rounds         100           Accessories         101           Personal Drawer         101           Cable Management         101
COUNTER CAPS102Straights102Corners103
PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111
LIGHTING 112
TASK114REED Premier114Tazetta115Freestanding Lights116

TABLES Features Construction Surface Materials	. 118 . 118
OCCASIONAL Round Square	. 120
CONFERENCE Oval Rectangle	. 122
DESKS C-Legs O-Legs T-Legs	. 124 . 124
Legs	. 125
SIT/STAND DESKS Electric Height Adjustable Stand-biased	<b>126</b>
SIT/STAND DESKS Electric Height Adjustable	<b>126</b> . 126 . 127 . <b>128</b> . 128

CTODACE	1	2.4
STORAGE Accessory Availability Accessories		136
PEDESTALS		
Features Pedestals		138
FILE CENTERS		
FeaturesFile Centers		
LINEA DOCK & AERIES CADDY		
Features Linea Dock		
Aeris Caddy		
LATERALS		
Features Laterals		
Lateral – BF		153
Lateral – Worksurface Supporting		
Lateral – Lateral/Open Shelves Lateral Combos		
Lateral – 6B, BBF & BBFF		
Lateral – Common Tops		
Lateral – Cushions		
TOWERS		
Features		
24" Wide		
24" Wide – Side Access 15" Wide		
15" Wide – Side Access		163
CREDENZAS	1	164
Features		
Credenzas		
Credenza – Drawers		166
Credenza – Shelves Accessories		
Credenza – Common Tops		
Credenza – Cushion Tops		167
CABINETS	1	168
Features		
Cabinets		
LOCKERS		
Features		
Lockers Lockers – Double		
Lockers – Double Lockers – Quad		
Lockers – Cubby		
Lockers – Common Tops		175
BOOKCASES		
Features		
Bookcases	1	178

WORKPLACE ACCESSORIES Keyboard Trays Keyboard Arms Easy Combos Monitor Arms CPU Holders Forearm Supports Anti-fatigue Floor Mats Tablet Holder	. 182 . 183 . 184 . 184 . 185 . 185 . 185
GRADED IN FABRICS  Carnegie  C.F. Stinson  Designtex  Guilford of Maine  Luna  Luna  Maharam  Mayer  Momentum	. 186 . 187 . 187 . 187 . 188 . 188 . 188
LEGACY LEGACY FINISHES Laminate Edge Band Paint Plexiglass Fabric	. <b>192</b> . 192 . 192 . 193 . 193
GEN 1 & 2 Panels Wall Starter & Wall Mount Chanel Post Assemblies Panel Connectors. Shrouds	. 194 . 198 . 199 . 204 . 205
GEN 3 Panels Post Assemblies Wall Starter/Wall Mounted Channel Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper Counter Caps Flat Brackets Column Base Tackable Privacy	. 206 . 208 . 211 . 212 . 213 . 213 . 214 . 216 . 216
WALL MOUNTING Wall Mounting Suggestions	
KEY LOCK PROGRAM  General Information  How to Specify Key Alike  Key-alike ordered prior to 6/12/00	. 220 . 220

# **General Information**

#### **PANELS**

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

#### **FABRIC PANELS**

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

#### **INSERT PANELS**

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, perforated aluminum or as an open frame for complete accessibility through the panel.

#### **STACK-ON PANELS**

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and can also be load bearing.

#### **PANEL CONNECTORS**

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

#### **POWER**

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

#### **RACEWAY**

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

#### **CABLE CAPACITY**

ELECTRICAL	WITH		WITHOUT	
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

#### **STORAGE**

All storage components come standard locking.

Master key and key alike are available upon request.

#### **LEGACY PRODUCTS**

Neutral Posture offers Legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact Customer Service at customerservice@neutralposture.com or 979.778.0502.

#### **ENVIRONMENTAL IMPACT**

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- · ISO 9001:2015

#### **GREEN MANUFACTURING PROCESS**

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

#### **PLASTIC**

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 and #7 plastics and can be recycled in many areas.

#### **STEEL & ALUMINUM**

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

#### FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

#### PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

#### WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

#### **GREEN SHIPPING INITIATIVES**

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

#### PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

#### A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used furniture and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainability program, visit Neutral Posture.com/sustainability.

#### TERMS AND CONDITIONS

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

#### **ORDERING**

All orders must be in writing; faxed, emailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to:
Neutral Posture, Inc.
3904 N Texas Avenue Bryan, TX 77803
979.778.0502 (Option 2)
800.446.3746
979.778.0408 FAX

 $\hbox{E-mail: orderentry} @ neutral posture.com$ 

When an order is received, it is assigned a scheduled ship date. That date is shown on the order acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellation, customer will be liable for reasonable cancellation charges as established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

An Expedite Fee of a minimum of 3% of net will be charged for orders requiring less than standard lead time.

#### **PRICES**

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

#### **TAXES**

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

#### **LEAD TIME**

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

#### **CUSTOMER'S OWN MATERIAL (COM)**

A customer who requests a fabric or other surface material not standard to NP's line of products, must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

#### STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

#### **COMPLIANCE WITH LAW**

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

#### **TERMS AND CONDITIONS**

#### **SHIPPING**

All standard discount orders are F.O.B origin prepaid and add, delivered by way of parcel or freight carrier dock to dock. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

Any order requiring special delivery services other than normal dock-to-dock delivery will incur additional charges. These services include but are not limited to residential delivery, limited access delivery, palletization, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests, or congestion fees. These charges will be quoted upon customer request.

Conditions beyond the control of NP, including weather, available facilities, and traffic conditions, may affect the exact delivery time. NP shall not be responsible for a specific carrier delivery date or time unless it has made a specific delivery commitment in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between the customer and NP prior to shipment.

#### **Accessorial Charges** (including but not limited to)

Delivery Appointment Required Inside Delivery/Pick Up Items Over 96 Inches Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip Palletization Secure Locations

#### **Limited-access Locations** (including but not limited to)

Individual (mini) storage units

Places of worship

Schools

Commercial establishments not open to walk-in public

Construction sites

Fairs or carnivals

Prisons, jails, correctional facilities

Military base/installations

Mine sites

Sites requiring security inspections prior to pick up or delivery. Wind farm sites

Airports

Contact Customer Service at customerservice@neutralposture.com or 979.778.0502 Option 2 for pricing.

# **DELAY/FORCE MAJEURE**

NP shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such

event occurs, NP may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

#### **FREIGHT DAMAGE**

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

#### **RETURNS**

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

#### **WARRANTY CLAIMS**

NP reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the fortyeight (48) contiguous states and the District of Columbia. with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

warrantyrequest@neutralposture.com

# **Selling Policy**

#### WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its discretion, the affected part or parts.

#### PRODUCT AND PERIOD OF WARRANTY

#### Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage

#### 10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, sliding doors, desktop and storage accessories (unless otherwise specified)

#### 5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift, modesty/privacy screens, mobile screens, desktop screens

#### 3 Years

Electric height adjustable bases (including motor), fabric

#### 1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

#### **CERTIFICATIONS & STANDARDS**

#### ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

#### SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

#### DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at their discretion.

#### **WOMEN'S BUSINESS ENTERPRISE (WBE)**

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

#### WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

#### HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

# BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 2 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

#### **GENERAL INFORMATION**

Neutral Posture pedestals, overheads and storage cabinets ship with lock cores. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge if specified with a furniture order. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### **KEYS**

A key is shipped with every lock core. 199 key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts below for master key model # and pricing.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts below for change key model number and pricing.

#### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$23
NAKC	Change Key	\$23
NKM	Master Key	\$23

NOTE: A letter of approval on company letterhead from the client must accompany all orders for change and master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

# **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### STFP 1

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

3 workstations with 4 locks per station 2 overhead w/laminate fronts

2 workstations with 5 locks per station

5 workstations with 2 locks per station

#### STEP 3

For the first group (3 sets of 4 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

#### STEP 4

Then enter the model number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

#### STEP 4b

If the station has overheads w/laminate fronts add a suffix for the number of locks needed for the overheads w/laminate fronts for that group (i.e., for 2 overhead laminate front locks per station, add the suffix "OL2").

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 4 cores/keys, 2 for overheads w/laminate fronts	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 3 cores/keys	N/C	N/C
2	NSPEC5	Set of 5 cores/keys	N/C	N/C
5	NSPEC2	Set of 2 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

# **GSA Contract Overview**

#### **GSA CONTRACT**

We have had a contract with GSA for over 25 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of OUTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

# WOMEN-OWNED SMALL BUSINESS (WOSB)/ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

#### **GSA OVERVIEW**

GSA Contract# GS-27F-0014Y

Schedule MAS - Furniture

SIN 337121H	Household, Dormitory & Quarters Furniture
SIN 337127	Institutional Furniture
SIN 33721	Office Furniture
SIN 33721P	Packaged Office Furniture
SIN OLM	Order Level Materials

#### **NAICS CODES**

337127	Institutional Furniture Manufacturing
337211	Wood Office Furniture Manufacturing
337214	Office Furniture (except wood) Manufacturing
423210	Furniture Merchant Wholesalers
541410	Interior Design Services

NP products may be found on GSA Advantage.

#### **NOT AVAILABLE ON GSA**

Products not available on GSA as of May 2025.

#### **SEATING**

**Guardian Panels** 

#### **DESKS/TABLES**

Desks – C-legs Desks – O-legs Desks – T-legs Sit/Stand Desks Sit/Stand Packages

# **GSA Contract Details**

GS-27F-0014Y

#### TERM DATE 6/26/2012 - 6/26/2027

#### 1a. Special Item Numbers Awarded

SIN 337121H Household, Dormitory & Quarters Furniture

SIN 337127 Institutional Furniture SIN 33721 Office Furniture

SIN 33721P Packaged Office Furniture SIN OLM Order Level Materials

#### 1b. Lowest Priced Item

SIN 337121H Contact Corporate Office SIN 337127 Contact Corporate Office

SIN 33721 SPTRY Pencil Tray \$5.95

SIN 33721P Contact Corporate Office

#### 1c. Installation Rate — SIN 33721

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

#### 2. Maximum Order

SIN 337121H
SIN 337127\$250,000
SIN 33721\$250,000
SIN 33721P\$5,000,000
SIN OLM \$0

# 3. Minimum Order

#### 4. Geographic Coverage

CONUS & OCONUS

#### 5. Point of Production

3904 N. Texas Avenue, Bryan, 77803, Brazos County, TX, USA

#### 6. Discount from List Price

#### Seating/Workplace Accessories

SIN 33721 — Discount 60%

#### Systems

SIN 33721 — Discount 70%

#### 7. Quantity Discounts

No discount tiers have been negotiated.

#### 8. Prompt Payment Terms

Net 30 Days

#### 9. Government Purchase Cards Accepted

Visa/Master Card

#### 10. Foreign Item

None

#### 11a. Time of Delivery

5 – 90 days after receipt of order

# 11b. Expedited Delivery

Expedited delivery available. Contact Customer Service.

#### 11c. Overnight and 2-day Delivery

Available with an upcharge. Contact Customer Service.

#### 12. F.O.B. Origin

Freight Prepaid.

#### 13. Ordering Address

Neutral Posture, Inc.

attn: Order Entry/ \* or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502

800.446.3746 fax 979.778.0408

orderentry@neutralposture.com

\* Authorized Dealers should be cited on order

#### 14. Payment Address

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

#### 15. Warranty Provision

Neutral Posture's commercial warranty applies.

#### 16. Export Packing Charges

Contact Customer Service for quote.

#### 17. Terms and Conditions of Government Purchase Card

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

# 18. Terms and Conditions Of Rental, Maintenance, and Repair

Not applicable

#### 19. Terms and Conditions of Installation

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

#### 20. Terms and Conditions of Repair Parts

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

#### 20a. Terms and Conditions for Any Other Services

GSA has accepted all of our standard terms and conditions as noted on page 6–8.

#### 21. List of Service and Distribution Points

Not applicable

#### 22. List of Dealers

Please contact Customer Service, or visit NeutralPosture. com for the name of your nearest authorized Dealer.

#### 23. Preventive Maintenance

Not offered or applicable

#### 24. Environmental Attributes

Not applicable

#### 25. Other Information

Tax Identification Number (TIN):74-2983577Unique Entity IDEYTGAM8GGLJ3DUNS:61-0339723Cage Code:0UTL8NAICS:337214

#### 26. SAM

NP is registered in System For Award Management (SAM).

**NOTE:** It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

# **Wall Mounting**

#### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a customer's site wall. Wall specification/construction is the responsibility of the customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the

Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the customer should always consult local code agencies.

# **New Construction**

# **Existing Construction**

'		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud,
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%6" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud. #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud.  #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

# **Finishes**

A		WIDTH
Blueprint	Mayer	66"
Cipher	Mayer	66"
Code	Mayer	66"
Forte	Mayer	54"
В		
Sprite	Guilford of Maine	66"
Strata	Mayer	66"
Tweed	Guilford of Maine	66"
C		
Cape Cod	Guilford of Maine	66"
Cross Check	Mayer	54"
Infinity C-Zero	Momentum	57"
Marathon C-Zero	Momentum	57"
Metallation	Guilford of Maine	66"
Metro	Guilford of Maine	66"
Millennium C-Zero	Momentum	56"
Odyssey C-Zero	Momentum	56"
Quattro	Mayer	54"
Rattan	Guilford of Maine	66"
Tradition C-Zero	Momentum	56"
D		
Fedora	Mayer	54"
E		
Echo	Mayer	54"
Pact	Momentum	66"

LAMINATES		EDGE BANDS	
L1			
Casual Linen	SS-CLN	Asian Sand	EB-ASD
Grey Mesh	SP-GRM	Astro Strandz	EB-AST
Linen	SS-LN	Beige	EB-BEI
Mangalore Mango	SW-MGM	Biltmore Cherry	EB-BCH
Mission Maple	SW-MNM	Casual Linen	EB-CLN
Nickle Ev	SS-NEV	Cosmic Strandz	EB-CST
Organic Cotton	SS-OC	Custom Laminate	EB-COL
Sterling Ash	SW-STA	Empire Mahogany	EB-EMH
		Fashion Grey	EB-FGR
L2		Fired Steel	EB-FIS
Asian Sand	PW-ASD	Forged Steel	EB-FOR
Astro Strandz	PP-AST	Grey	EB-GRY
Biltmore Cherry	PW-BCH	Grey Mesh	EB-GRM
Cosmic Strandz	PP-CST	Khaki Brown	EB-BRN
Empire Mahogany	PW-EMH	Linen	EB-LN
Fired Steel	PP-FIS	Mangalore Mango	EB-MGN
Forged Steel	PP-FOS	Mission Maple	EB-MNN
Shaker Cherry	PW-SCH	Nickle Ev	EB-NEV
Silver Alchemy	PW-SAL	Organic Cotton	EB-OC
Studio Teak	PW-STK	Pepperdust	EB-PPR
Vapor Strandz	PP-VST	Platinum	EB-PLT
		Sand	EB-SND
		Shadow	EB-SHD
		Shaker Cherry	EB-SCH
		Silver Alchemy	EB-SAL
		Slate Grey	EB-SGR
		Soft Gold Mesh	EB-SGM
		Sterling Ash	EB-STA
		Studio Teak	EB-STK
		Vapor Strandz	EB-VST

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

Virtual Design Laminate

EB-VL

PAINTS	
P1	
Cream	201T
Designer Beige	202T
Grey	203T
Jet Black	204T
Sky White	200T
P2	
Brass	303
Champagne	301
Platinum	302

PLEXIGLASS	
Clear	CL
Ice	IC
Frost (Not Available on Insert Panels)	LF
Smoked	SM
Translucent	TR

GLASS	
Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

# **DESIGNER GLASS**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call Customer Service for a quote 979.778.0502 ext 301.

# **Custom Finishes Program**

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

# **CUSTOMER'S OWN FABRIC**

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any supplier in the industry. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOMER'S OWN LAMINATE**

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for premium laminates and L3 for custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact Customer Service for more information.

We can also grade-in any laminate from any other supplier. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

# **CUSTOM RAL PAINT FINISHES**

Whether it is an 8 person or 1,000 person project, use any RAL powder coat color on your metal products. If you have any questions, please contact Customer Service for more information.

#### **HOW TO PRICE**

For Each Order

# Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES		LEGACY – EDGE BANI	OS
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

LEGACY - PAINTS & PLAS	TICS
P1	
Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	Н
Light Tan Metallic	W
P3	
Bright White	118
Silver	613

# NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

# Panels General Info

#### Step 1 - Model #

	Тор Сар	Panel Type	W	Н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP	N	FA	36	29	К

Ston	2	Surface	Einich
Step	<b>4</b> –	Surrace	FINISE

Step 3 - Trim Finish

Fabric	Paint
F298 Forte	301 Champagne
•	
F200	201
F298	301

	r	ĿΑ	ΙU	K	E۵
--	---	----	----	---	----

# HEIGHTS

29" H

36" H

41" H 49" H

54" H

61" H

66" H

81" H

#### **WIDTHS**

12" W

18" W

24" W 30" W

36" W

42" W

48" W

60" W

#### **THICKNESS**

1 ½"

#### **TOP CAP**





3 – Beveled

l N – Flat

#### RACEWAY

(K) with knockouts (N) without knockouts

# PANEL RATINGS

NRC	.75
STC	15

# **CONSTRUCTION**

#### **FABRIC PANEL FRAME**

Galvaneal roll formed steel frame

#### **FABRIC PANEL CORE**

Mineral wool

Fiberglass backer

#### **INSERT PANEL FRAME**

Extruded aluminum

#### **INSERT PANEL CORE**

1/4" Laminate

1/4" Perforated aluminum

1/4" Plexiglass

Open Frame

# TOP CAP, SLOTTED STANDARD

Cold rolled, roll formed steel

#### **TOP CAP CLIP**

Spring steel

# RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled, roll formed steel

#### **RACEWAY STANCHIONS**

Pressed & folded steel

# PANEL HOOKS

Steel

#### **POSTS**

Steel tube

#### **POST CONNECTORS**

Diecast aluminum

#### **SHROUDS**

Pressed & folded steel

# **SURFACE MATERIALS**

#### **ALL PANELS**

Trim – paint

#### **FABRIC PANELS (FA)**

Fabric

#### **INSERT PANELS**

DI.		/	DC)
rie	XIGI	ass (	PG)

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

#### Glass (GL)

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

#### **Designer Glass (DG)**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

#### Laminate (LM)

Laminate

#### Perforated Aluminum (PA)

Paint


# Open Frame (OF)


Paint

#### **POSTS, CONNECTORS & SHROUDS**

Paint

# **PANELS**





29" H			FABRIC								
W	MODEL#	A									
12"	EP(3/N)FA1229(K/N)	\$570	\$600	\$640	\$690	\$750	\$820	\$900	\$990	+ \$33	+ \$66
18"	EP(3/N)FA1829(K/N)	\$638	\$668	\$708	\$758	\$818	\$888	\$968	\$1,058	+ \$33	+ \$66
24"	EP(3/N)FA2429(K/N)	\$702	\$732	\$772	\$822	\$882	\$952	\$1,032	\$1,122	+ \$33	+ \$66
30"	EP(3/N)FA3029(K/N)	\$770	\$800	\$840	\$890	\$950	\$1,020	\$1,100	\$1,190	+ \$33	+ \$66
36"	EP(3/N)FA3629(K/N)	\$862	\$922	\$1,002	\$1,102	\$1,222	\$1,362	\$1,522	\$1,702	+ \$33	+ \$66
42"	EP(3/N)FA4229(K/N)	\$916	\$976	\$1,056	\$1,156	\$1,276	\$1,416	\$1,576	\$1,756	+ \$33	+ \$66
48"	EP(3/N)FA4829(K/N)	\$969	\$1,029	\$1,109	\$1,209	\$1,329	\$1,469	\$1,629	\$1,809	+ \$33	+ \$66
60"	EP(3/N)FA6029(K/N)	\$1,021	\$1,081	\$1,161	\$1,261	\$1,381	\$1,521	\$1,681	\$1,861	+ \$33	+ \$66

# 41" H

12"	EP(3/N)FA1241(K/N)	\$638	\$678	\$728	\$788	\$868	\$958	\$1,068	\$1,198	+ \$33	+ \$66
18"	EP(3/N)FA1841(K/N)	\$702	\$742	\$792	\$852	\$932	\$1,022	\$1,132	\$1,262	+ \$33	+ \$66
24"	EP(3/N)FA2441(K/N)	\$770	\$810	\$860	\$920	\$1,000	\$1,090	\$1,200	\$1,330	+ \$33	+ \$66
30"	EP(3/N)FA3041(K/N)	\$836	\$876	\$926	\$986	\$1,066	\$1,156	\$1,266	\$1,396	+ \$33	+ \$66
36"	EP(3/N)FA3641(K/N)	\$929	\$1,009	\$1,109	\$1,229	\$1,389	\$1,579	\$1,819	\$2,109	+ \$33	+ \$66
42"	EP(3/N)FA4241(K/N)	\$995	\$1,075	\$1,175	\$1,295	\$1,455	\$1,645	\$1,885	\$2,175	+ \$33	+ \$66
48"	EP(3/N)FA4841(K/N)	\$1,062	\$1,142	\$1,242	\$1,362	\$1,522	\$1,712	\$1,952	\$2,242	+ \$33	+ \$66
60"	EP(3/N)FA6041(K/N)	\$1,128	\$1,208	\$1,308	\$1,428	\$1,588	\$1,778	\$2,018	\$2,308	+ \$33	+ \$66

# 49" H

12"	EP(3/N)FA1249(K/N)	\$717	\$757	\$807	\$867	\$947	\$1,047	\$1,167	\$1,317	+ \$33	+ \$66
18"	EP(3/N)FA1849(K/N)	\$783	\$823	\$873	\$933	\$1,013	\$1,113	\$1,233	\$1,383	+ \$33	+ \$66
24"	EP(3/N)FA2449(K/N)	\$850	\$890	\$940	\$1,000	\$1,080	\$1,180	\$1,300	\$1,450	+ \$33	+ \$66
30"	EP(3/N)FA3049(K/N)	\$916	\$956	\$1,006	\$1,066	\$1,146	\$1,246	\$1,366	\$1,516	+ \$33	+ \$66
36"	EP(3/N)FA3649(K/N)	\$1,009	\$1,089	\$1,189	\$1,309	\$1,479	\$1,689	\$1,959	\$2,279	+ \$33	+ \$66
42"	EP(3/N)FA4249(K/N)	\$1,075	\$1,155	\$1,255	\$1,375	\$1,545	\$1,755	\$2,025	\$2,345	+ \$33	+ \$66
48"	EP(3/N)FA4849(K/N)	\$1,141	\$1,221	\$1,321	\$1,441	\$1,611	\$1,821	\$2,091	\$2,411	+ \$33	+ \$66
60"	EP(3/N)FA6049(K/N)	\$1,234	\$1,314	\$1,414	\$1,534	\$1,704	\$1,914	\$2,184	\$2,504	+ \$33	+ \$66

# 54" H

	•										
12"	EP(3/N)FA1254(K/N)	\$783	\$823	\$873	\$943	\$1,043	\$1,153	\$1,283	\$1,443	+ \$33	+ \$66
18"	EP(3/N)FA1854(K/N)	\$850	\$890	\$940	\$1,010	\$1,110	\$1,220	\$1,350	\$1,510	+ \$33	+ \$66
24"	EP(3/N)FA2454(K/N)	\$916	\$956	\$1,006	\$1,076	\$1,176	\$1,286	\$1,416	\$1,576	+ \$33	+ \$66
30"	EP(3/N)FA3054(K/N)	\$983	\$1,023	\$1,073	\$1,143	\$1,243	\$1,353	\$1,483	\$1,643	+ \$33	+ \$66
36"	EP(3/N)FA3654(K/N)	\$1,089	\$1,179	\$1,279	\$1,419	\$1,629	\$1,859	\$2,129	\$2,459	+ \$33	+ \$66
42"	EP(3/N)FA4254(K/N)	\$1,155	\$1,245	\$1,345	\$1,485	\$1,695	\$1,925	\$2,195	\$2,525	+ \$33	+ \$66
48"	EP(3/N)FA4854(K/N)	\$1,222	\$1,312	\$1,412	\$1,552	\$1,762	\$1,992	\$2,262	\$2,592	+ \$33	+ \$66
60"	EP(3/N)FA6054(K/N)	\$1,314	\$1,404	\$1,504	\$1,644	\$1,854	\$2,084	\$2,354	\$2,684	+ \$33	+ \$66

# Specify

- 1. Model #
- 2. Fabric
- 3. Paint

# **Application Notes**

The panel is fabric covered. If two different fabrics are used on one panel, the price will reflect the cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


# Top Cap Styles

3 – Beveled

N – Flat







61"	Н	FABRIC								PAINT	
W	MODEL#	А	В	C	D	E	F	G	Н	P2	P3
12"	EP(3/N)FA1261(K/N)	\$850	\$900	\$960	\$1,040	\$1,150	\$1,270	\$1,410	\$1,580	+ \$33	+ \$66
18"	EP(3/N)FA1861(K/N)	\$916	\$966	\$1,026	\$1,106	\$1,216	\$1,336	\$1,476	\$1,646	+ \$33	+ \$66
24"	EP(3/N)FA2461(K/N)	\$983	\$1,033	\$1,093	\$1,173	\$1,283	\$1,403	\$1,543	\$1,713	+ \$33	+ \$66
30"	EP(3/N)FA3061(K/N)	\$1,048	\$1,098	\$1,158	\$1,238	\$1,348	\$1,468	\$1,608	\$1,778	+ \$33	+ \$66
36"	EP(3/N)FA3661(K/N)	\$1,141	\$1,241	\$1,361	\$1,521	\$1,751	\$2,001	\$2,281	\$2,621	+ \$33	+ \$66
42"	EP(3/N)FA4261(K/N)	\$1,207	\$1,307	\$1,427	\$1,587	\$1,817	\$2,067	\$2,347	\$2,687	+ \$33	+ \$66
48"	EP(3/N)FA4861(K/N)	\$1,274	\$1,374	\$1,494	\$1,654	\$1,884	\$2,134	\$2,414	\$2,754	+ \$33	+ \$66
60"	EP(3/N)FA6061(K/N)	\$1,393	\$1,493	\$1,613	\$1,773	\$2,003	\$2,253	\$2,533	\$2,873	+ \$33	+ \$66

# 66" H


12"	EP(3/N)FA1266(K/N)	\$876	\$926	\$986	\$1,066	\$1,186	\$1,316	\$1,466	\$1,646	+ \$33	+ \$66
18"	EP(3/N)FA1866(K/N)	\$942	\$992	\$1,052	\$1,132	\$1,252	\$1,382	\$1,532	\$1,712	+ \$33	+ \$66
24"	EP(3/N)FA2466(K/N)	\$1,009	\$1,059	\$1,119	\$1,199	\$1,319	\$1,449	\$1,599	\$1,779	+ \$33	+ \$66
30"	EP(3/N)FA3066(K/N)	\$1,075	\$1,125	\$1,185	\$1,265	\$1,385	\$1,515	\$1,665	\$1,845	+ \$33	+ \$66
36"	EP(3/N)FA3666(K/N)	\$1,181	\$1,291	\$1,421	\$1,581	\$1,831	\$2,111	\$2,431	\$2,821	+ \$33	+ \$66
42"	EP(3/N)FA4266(K/N)	\$1,248	\$1,358	\$1,488	\$1,648	\$1,898	\$2,178	\$2,498	\$2,888	+ \$33	+ \$66
48"	EP(3/N)FA4866(K/N)	\$1,314	\$1,424	\$1,554	\$1,714	\$1,964	\$2,244	\$2,564	\$2,954	+ \$33	+ \$66
60"	EP(3/N)FA6066(K/N)	\$1,434	\$1,544	\$1,674	\$1,834	\$2,084	\$2,364	\$2,684	\$3,074	+ \$33	+ \$66

# 81" H

	<del>-</del>										
12"	EP(3/N)FA1281(K/N)	\$942	\$1,002	\$1,062	\$1,152	\$1,302	\$1,472	\$1,662	\$1,882	+ \$33	+ \$66
18"	EP(3/N)FA1881(K/N)	\$1,009	\$1,069	\$1,129	\$1,219	\$1,369	\$1,539	\$1,729	\$1,949	+ \$33	+ \$66
24"	EP(3/N)FA2481(K/N)	\$1,075	\$1,135	\$1,195	\$1,285	\$1,435	\$1,605	\$1,795	\$2,015	+ \$33	+ \$66
30"	EP(3/N)FA3081(K/N)	\$1,141	\$1,201	\$1,261	\$1,351	\$1,501	\$1,671	\$1,861	\$2,081	+ \$33	+ \$66
36"	EP(3/N)FA3681(K/N)	\$1,381	\$1,501	\$1,621	\$1,811	\$2,141	\$2,511	\$2,921	\$3,381	+ \$33	+ \$66
42"	EP(3/N)FA4281(K/N)	\$1,541	\$1,661	\$1,781	\$1,971	\$2,301	\$2,671	\$3,081	\$3,541	+ \$33	+ \$66
48"	EP(3/N)FA4881(K/N)	\$1,659	\$1,779	\$1,899	\$2,089	\$2,419	\$2,789	\$3,199	\$3,659	+ \$33	+ \$66
60"	EP(3/N)FA6081(K/N)	\$1,779	\$1,899	\$2,019	\$2,209	\$2,539	\$2,909	\$3,319	\$3,779	+ \$33	+ \$66

#### UPCHARGE (NET) Guardian® Panel Option BULLET RESISTANT PANEL HEIGHT 29" 41" 49" 54" 61" 66" 81" 30" \$289 \$418 \$488 \$536 \$607 \$656 \$806 • NIJ Level IIIA compliant Protection against handguns up to .44 Magnum WIDTH 36" \$346 \$501 \$585 \$644 \$729 \$788 \$968 42" \$404 \$585 \$684 \$753 \$851 \$919 \$1,128 • Inconspicuous – looks like a regular panel 48" \$462 \$668 \$781 \$860 \$971 \$1,051 \$1,290

NOTE: To specify a Guardian Panel add a "G" to the end of the panels model number.



29" H			C	LASS INSERT		LAI	MINATE INSE	RT	PAII	NT
w	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP(3/N)()1229(K/N)	\$925	\$1,125	\$1,244	\$1,456	\$1,191	\$1,310	\$1,429	+ \$33	+ \$66
18"	EP(3/N)()1829(K/N)	\$939	\$1,151	\$1,284	\$1,589	\$1,257	\$1,382	\$1,508	+ \$33	+ \$66
24"	EP(3/N)()2429(K/N)	\$951	\$1,178	\$1,323	\$1,722	\$1,296	\$1,425	\$1,555	+ \$33	+ \$66
30"	EP(3/N)()3029(K/N)	\$977	\$1,217	\$1,377	\$1,854	\$1,337	\$1,470	\$1,604	+ \$33	+ \$66
36"	EP(3/N)()3629(K/N)	\$1,005	\$1,270	\$1,444	\$1,975	\$1,403	\$1,543	\$1,683	+ \$33	+ \$66
42"	EP(3/N)()4229(K/N)	\$1,031	\$1,337	\$1,509	\$2,107	\$1,470	\$1,617	\$1,764	+ \$33	+ \$66
48"	EP(3/N)()4829(K/N)	\$1,058	\$1,416	\$1,589	\$2,253	\$1,549	\$1,703	\$1,858	+ \$33	+ \$66
60"	EP(3/N)()6029(K/N)	\$1,111	\$1,509	\$1,683	\$2,479	\$1,642	\$1,806	\$1,970	+ \$33	+ \$66
41" H										

11	ш	Ш
41		п

12"	EP(3/N)()1241(K/N)	\$977	\$1,257	\$1,403	\$1,642	\$1,257	\$1,382	\$1,508	+ \$33	+ \$66
18"	EP(3/N)()1841(K/N)	\$992	\$1,284	\$1,430	\$1,762	\$1,390	\$1,529	\$1,668	+ \$33	+ \$66
24"	EP(3/N)()2441(K/N)	\$1,005	\$1,323	\$1,482	\$1,908	\$1,444	\$1,588	\$1,732	+ \$33	+ \$66
30"	EP(3/N)()3041(K/N)	\$1,031	\$1,377	\$1,549	\$2,081	\$1,509	\$1,659	\$1,810	+ \$33	+ \$66
36"	EP(3/N)()3641(K/N)	\$1,058	\$1,444	\$1,615	\$2,214	\$1,576	\$1,733	\$1,891	+ \$33	+ \$66
42"	EP(3/N)()4241(K/N)	\$1,084	\$1,523	\$1,695	\$2,359	\$1,656	\$1,821	\$1,987	+ \$33	+ \$66
48"	EP(3/N)()4841(K/N)	\$1,111	\$1,615	\$1,801	\$2,599	\$1,762	\$1,938	\$2,114	+ \$33	+ \$66
60"	EP(3/N)()6041(K/N)	\$1,163	\$1,722	\$1,921	\$2,984	\$1,881	\$2,069	\$2,257	+ \$33	+ \$66

# 49" H

12"	EP(3/N)()1249(K/N)	\$992	\$1,284	\$1,430	\$1,668	\$1,323	\$1,455	\$1,587	+ \$33	+ \$66
18"	EP(3/N)()1849(K/N)	\$1,005	\$1,323	\$1,470	\$1,801	\$1,430	\$1,573	\$1,716	+ \$33	+ \$66
24"	EP(3/N)()2449(K/N)	\$1,018	\$1,377	\$1,536	\$1,961	\$1,497	\$1,646	\$1,796	+ \$33	+ \$66
30"	EP(3/N)()3049(K/N)	\$1,045	\$1,444	\$1,615	\$2,173	\$1,576	\$1,733	\$1,891	+ \$33	+ \$66
36"	EP(3/N)()3649(K/N)	\$1,071	\$1,523	\$1,695	\$2,385	\$1,656	\$1,821	\$1,987	+ \$33	+ \$66
42"	EP(3/N)()4249(K/N)	\$1,098	\$1,615	\$1,788	\$2,612	\$1,749	\$1,923	\$2,098	+ \$33	+ \$66
48"	EP(3/N)()4849(K/N)	\$1,125	\$1,722	\$1,895	\$2,851	\$1,854	\$2,039	\$2,224	+ \$33	+ \$66
60"	EP(3/N)()6049(K/N)	\$1,178	\$1,868	\$2,068	\$3,157	\$2,028	\$2,230	\$2,433	+ \$33	+ \$66

# 54" H

<b>J</b>										
12"	EP(3/N)()1254(K/N)	\$1,031	\$1,296	\$1,444	\$1,683	\$1,390	\$1,529	\$1,668	+ \$33	+ \$66
18"	EP(3/N)()1854(K/N)	\$1,045	\$1,349	\$1,497	\$1,828	\$1,456	\$1,601	\$1,747	+ \$33	+ \$66
24"	EP(3/N)()2454(K/N)	\$1,058	\$1,416	\$1,576	\$2,002	\$1,536	\$1,689	\$1,843	+ \$33	+ \$66
30"	EP(3/N)()3054(K/N)	\$1,084	\$1,497	\$1,668	\$2,226	\$1,630	\$1,793	\$1,956	+ \$33	+ \$66
36"	EP(3/N)()3654(K/N)	\$1,111	\$1,589	\$1,762	\$2,453	\$1,722	\$1,894	\$2,066	+ \$33	+ \$66
42"	EP(3/N)()4254(K/N)	\$1,137	\$1,695	\$1,868	\$2,692	\$1,828	\$2,010	\$2,193	+ \$33	+ \$66
48"	EP(3/N)()4854(K/N)	\$1,163	\$1,816	\$2,002	\$2,957	\$1,961	\$2,157	\$2,353	+ \$33	+ \$66
60"	EP(3/N)()6054(K/N)	\$1,217	\$1,961	\$2,161	\$3,250	\$2,120	\$2,332	\$2,544	+ \$33	+ \$66

#### Specify

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint

**NOTE: Power duplexes cannot** be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

# Plexiglass Finishes

CL ..Clear

**IC** . . . lce

SM..Smoked  ${\bf TR}$  . . Translucent

# **Glass Finishes**

**CL** . . Clear

**GR** . . Grey SM..Smoked

TR . . Translucent

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with multiple insert options or as an open frame for complete accessibility through the panel.

# Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components

#### **Top Cap Styles**

3 - Beveled

N – Flat






\$3,277

+ \$33

\$3,004

+ \$66



61" H			G	LASS INSERT		LA	MINATE INSE	RT	PAINT	
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP(3/N)()1261(K/N)	\$1,045	\$1,311	\$1,470	\$1,735	\$1,416	\$1,557	\$1,699	+ \$33	+ \$66
18"	EP(3/N)()1861(K/N)	\$1,058	\$1,377	\$1,536	\$1,868	\$1,482	\$1,630	\$1,778	+ \$33	+ \$66
24"	EP(3/N)()2461(K/N)	\$1,071	\$1,456	\$1,630	\$2,068	\$1,576	\$1,733	\$1,891	+ \$33	+ \$66
30"	EP(3/N)()3061(K/N)	\$1,098	\$1,549	\$1,735	\$2,306	\$1,683	\$1,851	\$2,019	+ \$33	+ \$66
36"	EP(3/N)()3661(K/N)	\$1,125	\$1,656	\$1,842	\$2,545	\$1,788	\$1,966	\$2,145	+ \$33	+ \$66
42"	EP(3/N)()4261(K/N)	\$1,151	\$1,775	\$1,975	\$2,811	\$1,921	\$2,113	\$2,305	+ \$33	+ \$66
48"	EP(3/N)()4861(K/N)	\$1,178	\$1,908	\$2,120	\$3,091	\$2,068	\$2,274	\$2,481	+ \$33	+ \$66
60"	EP(3/N)()6061(K/N)	\$1,244	\$2,054	\$2,280	\$3,528	\$2,226	\$2,448	\$2,671	+ \$33	+ \$66
66" H										
12"	EP(3/N)()1266(K/N)	\$1,058	\$1,323	\$1,482	\$1,749	\$1,430	\$1,573	\$1,716	+ \$33	+ \$66
18"	EP(3/N)()1866(K/N)	\$1,071	\$1,403	\$1,563	\$1,921	\$1,509	\$1,659	\$1,810	+ \$33	+ \$66
24"	EP(3/N)()2466(K/N)	\$1,084	\$1,497	\$1,668	\$2,134	\$1,615	\$1,776	\$1,938	+ \$33	+ \$66
30"	EP(3/N)()3066(K/N)	\$1,111	\$1,602	\$1,788	\$2,385	\$1,735	\$1,908	\$2,082	+ \$33	+ \$66
36"	EP(3/N)()3666(K/N)	\$1,137	\$1,722	\$1,908	\$2,638	\$1,854	\$2,039	\$2,224	+ \$33	+ \$66
42"	EP(3/N)()4266(K/N)	\$1,163	\$1,854	\$2,054	\$2,917	\$2,002	\$2,202	\$2,402	+ \$33	+ \$66
48"	EP(3/N)()4866(K/N)	\$1,191	\$2,002	\$2,214	\$3,209	\$2,161	\$2,377	\$2,593	+ \$33	+ \$66
60"	EP(3/N)()6066(K/N)	\$1,257	\$2,161	\$2,373	\$3,634	\$2,319	\$2,550	\$2,782	+ \$33	+ \$66
81" H										
12"	EP(3/N)()1281(K/N)	\$1,137	\$1,576	\$1,762	\$2,054	\$1,709	\$1,879	\$2,050	+ \$33	+ \$66
18"	EP(3/N)()1881(K/N)	\$1,151	\$1,709	\$1,895	\$2,293	\$1,842	\$2,026	\$2,210	+ \$33	+ \$66
24"	EP(3/N)()2481(K/N)	\$1,163	\$1,842	\$2,028	\$2,559	\$1,975	\$2,172	\$2,370	+ \$33	+ \$66
30"	EP(3/N)()3081(K/N)	\$1,191	\$1,975	\$2,161	\$2,824	\$2,107	\$2,317	\$2,528	+ \$33	+ \$66
36"	EP(3/N)()3681(K/N)	\$1,217	\$2,107	\$2,293	\$3,091	\$2,240	\$2,464	\$2,688	+ \$33	+ \$66
42"	EP(3/N)()4281(K/N)	\$1,244	\$2,240	\$2,426	\$3,356	\$2,373	\$2,610	\$2,847	+ \$33	+ \$66
48"	EP(3/N)()4881(K/N)	\$1,270	\$2,400	\$2,586	\$3,648	\$2,533	\$2,786	\$3,039	+ \$33	+ \$66


\$1,364 \$2,599 \$2,785 \$4,445 \$2,731

	Тор Сар	Panel Type	w	н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	29	K With knockouts  N Without knockouts
EP	N	PG	36	29	К

EP(3/N)()6081(K/N)

60"

# **Insert Panels Perforated Aluminum**



29" H							
<u> </u>			ı	NSERT PAINT		FRAME	PAINT
W	MODEL #	PA	P1	P2	Р3	P2	P3
12"	EP(3/N)PA1229(K/N)	\$1,058	\$1,108	\$1,118	\$1,128	+ \$33	+ \$66
18"	EP(3/N)PA1829(K/N)	\$1,071	\$1,131	\$1,151	\$1,171	+ \$33	+ \$66
24"	EP(3/N)PA2429(K/N)	\$1,098	\$1,158	\$1,188	\$1,218	+ \$33	+ \$66
30"	EP(3/N)PA3029(K/N)	\$1,137	\$1,197	\$1,227	\$1,267	+ \$33	+ \$66
36"	EP(3/N)PA3629(K/N)	\$1,191	\$1,251	\$1,281	\$1,321	+ \$33	+ \$66
42"	EP(3/N)PA4229(K/N)	\$1,244	\$1,314	\$1,354	\$1,394	+ \$33	+ \$66
48"	EP(3/N)PA4829(K/N)	\$1,323	\$1,393	\$1,443	\$1,493	+ \$33	+ \$66
60"	EP(3/N)PA6029(K/N)	\$1,416	\$1,486	\$1,546	\$1,606	+ \$33	+ \$66

4	1	"	Н

12"	EP(3/N)PA1241(K/N)	\$1,163	\$1,233	\$1,253	\$1,273	+ \$33	+ \$66
18"	EP(3/N)PA1841(K/N)	\$1,191	\$1,261	\$1,281	\$1,311	+ \$33	+ \$66
24"	EP(3/N)PA2441(K/N)	\$1,230	\$1,300	\$1,330	\$1,370	+ \$33	+ \$66
30"	EP(3/N)PA3041(K/N)	\$1,284	\$1,354	\$1,394	\$1,444	+ \$33	+ \$66
36"	EP(3/N)PA3641(K/N)	\$1,349	\$1,419	\$1,469	\$1,529	+ \$33	+ \$66
42"	EP(3/N)PA4241(K/N)	\$1,416	\$1,496	\$1,556	\$1,626	+ \$33	+ \$66
48"	EP(3/N)PA4841(K/N)	\$1,509	\$1,589	\$1,669	\$1,739	+ \$33	+ \$66
60"	EP(3/N)PA6041(K/N)	\$1,615	\$1,695	\$1,795	\$1,885	+ \$33	+ \$66

# 49" H

12"	EP(3/N)PA1249(K/N)	\$1,191	\$1,261	\$1,281	\$1,301	+ \$33	+ \$66
18"	EP(3/N)PA1849(K/N)	\$1,230	\$1,300	\$1,330	\$1,360	+ \$33	+ \$66
24"	EP(3/N)PA2449(K/N)	\$1,284	\$1,354	\$1,404	\$1,444	+ \$33	+\$66
30"	EP(3/N)PA3049(K/N)	\$1,349	\$1,419	\$1,479	\$1,529	+ \$33	+ \$66
36"	EP(3/N)PA3649(K/N)	\$1,416	\$1,496	\$1,566	\$1,636	+ \$33	+\$66
42"	EP(3/N)PA4249(K/N)	\$1,509	\$1,589	\$1,669	\$1,759	+ \$33	+ \$66
48"	EP(3/N)PA4849(K/N)	\$1,615	\$1,695	\$1,795	\$1,895	+ \$33	+ \$66
60"	EP(3/N)PA6049(K/N)	\$1,762	\$1,842	\$1,962	\$2,072	+ \$33	+ \$66

# 54" H

12"	EP(3/N)PA1254(K/N)	\$1,204	\$1,274	\$1,294	\$1,314	+ \$33	+ \$66	+ \$60
18"	EP(3/N)PA1854(K/N)	\$1,257	\$1,327	\$1,357	\$1,387	+ \$33	+ \$66	+ \$60
24"	EP(3/N)PA2454(K/N)	\$1,323	\$1,393	\$1,443	\$1,493	+ \$33	+ \$66	+ \$60
30"	EP(3/N)PA3054(K/N)	\$1,390	\$1,470	\$1,530	\$1,590	+ \$33	+ \$66	+ \$60
36"	EP(3/N)PA3654(K/N)	\$1,482	\$1,562	\$1,642	\$1,722	+ \$33	+ \$66	+ \$60
42"	EP(3/N)PA4254(K/N)	\$1,589	\$1,669	\$1,759	\$1,849	+ \$33	+ \$66	+ \$60
48"	EP(3/N)PA4854(K/N)	\$1,709	\$1,789	\$1,889	\$1,989	+ \$33	+ \$66	+ \$60
60"	EP(3/N)PA6054(K/N)	\$1,854	\$1,934	\$2,064	\$2,194	+ \$33	+ \$66	+ \$60

#### Specify

- 1. Model#
- 2. Insert paint
- 3. Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered multiple insert options or as an open frame for complete accessibility through the panel.

#### Assembly

### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components

#### **Top Cap Styles**


3 - Beveled

N – Flat





# Insert Panels Perforated Aluminum



48"

60"

EP(3/N)PA4881(K/N)

EP(3/N)PA6081(K/N)

· · · · · · · · · · · · · · · · · · ·						•••••••••	
61" H			I	NSERT PAINT		FRAME	PAINT
W	MODEL#	PA	P1	P2	Р3	P2	P3
12"	EP(3/N)PA1261(K/N)	\$1,217	\$1,287	\$1,307	\$1,337	+ \$33	+ \$66
18"	EP(3/N)PA1861(K/N)	\$1,284	\$1,354	\$1,394	\$1,434	+ \$33	+ \$66
24"	EP(3/N)PA2461(K/N)	\$1,349	\$1,429	\$1,479	\$1,529	+ \$33	+ \$66
30"	EP(3/N)PA3061(K/N)	\$1,444	\$1,524	\$1,584	\$1,654	+ \$33	+ \$66
36"	EP(3/N)PA3661(K/N)	\$1,549	\$1,629	\$1,709	\$1,789	+ \$33	+ \$66
42"	EP(3/N)PA4261(K/N)	\$1,668	\$1,748	\$1,838	\$1,938	+ \$33	+ \$66
48"	EP(3/N)PA4861(K/N)	\$1,801	\$1,881	\$1,981	\$2,101	+ \$33	+ \$66
60"	EP(3/N)PA6061(K/N)	\$2,240	\$2,300	\$2,420	\$2,560	+ \$33	+ \$66
66" H							
12"	EP(3/N)PA1266(K/N)	\$1,230	\$1,300	\$1,330	\$1,360	+ \$33	+ \$66
18"	EP(3/N)PA1866(K/N)	\$1,311	\$1,381	\$1,421	\$1,471	+ \$33	+ \$66
24"	EP(3/N)PA2466(K/N)	\$1,390	\$1,470	\$1,520	\$1,580	+ \$33	+ \$66
30"	EP(3/N)PA3066(K/N)	\$1,497	\$1,577	\$1,647	\$1,717	+ \$33	+ \$66
36"	EP(3/N)PA3666(K/N)	\$1,615	\$1,695	\$1,785	\$1,875	+ \$33	+ \$66
42"	EP(3/N)PA4266(K/N)	\$1,735	\$1,825	\$1,925	\$2,025	+ \$33	+ \$66
48"	EP(3/N)PA4866(K/N)	\$1,854	\$1,964	\$2,084	\$2,204	+ \$33	+ \$66
60"	EP(3/N)PA6066(K/N)	\$2,267	\$2,437	\$2,567	\$2,717	+ \$33	+ \$66
81" H							
12"	EP(3/N)PA1281(K/N)	\$1,444	\$1,544	\$1,584	\$1,634	+ \$33	+ \$66
18"	EP(3/N)PA1881(K/N)	\$1,576	\$1,676	\$1,736	\$1,816	+ \$33	+ \$66
24"	EP(3/N)PA2481(K/N)	\$1,709	\$1,809	\$1,889	\$1,989	+ \$33	+ \$66
30"	EP(3/N)PA3081(K/N)	\$1,975	\$2,075	\$2,175	\$2,295	+ \$33	+ \$66
36"	EP(3/N)PA3681(K/N)	\$2,107	\$2,207	\$2,327	\$2,467	+ \$33	+ \$66
42"	EP(3/N)PA4281(K/N)	\$2,187	\$2,287	\$2,447	\$2,597	+ \$33	+ \$66

\$2,253

\$2,353

\$2,917 \$3,117 \$3,367

\$2,563

\$2,723

\$3,567

+ \$33


+ \$33

+ \$66

+ \$66

	Тор Сар	Panel Type	w	н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	PA Perforated Aluminum	36	29	K With knockouts  N Without knockouts
EP	N	PA	36	29	К

# **Tequity™ Panels**



29" H			PAINT		
W	MODEL#	P1	P2	P3	
12"	EP(3/N)TQ1229	\$437	\$487	\$512	
18"	EP(3/N)TQ1829	\$504	\$554	\$579	
24"	EP(3/N)TQ2429	\$570	\$620	\$645	
30"	EP(3/N)TQ3029	\$638	\$688	\$713	
36"	EP(3/N)TQ3629	\$730	\$780	\$805	
42"	EP(3/N)TQ4229	\$783	\$833	\$858	
48"	EP(3/N)TQ4829	\$836	\$886	\$911	
60"	EP(3/N)TQ6029	\$889	\$939	\$964	
1" H					
12"	EP(3/N)TQ1241	\$504	\$554	\$579	
18"	EP(3/N)TQ1841	\$570	\$620	\$645	
24"	EP(3/N)TQ2441	\$638	\$688	\$713	
30"	EP(3/N)TQ3041	\$702	\$752	\$777	
36"	EP(3/N)TQ3641	\$797	\$847	\$872	
42"	EP(3/N)TQ4241	\$862	\$912	\$937	
48"	EP(3/N)TQ4841	\$929	\$979	\$1,004	
60"	EP(3/N)TQ6041	\$995	\$1,045	\$1,070	
9" H					
12"	EP(3/N)TQ1249	\$584	\$634	\$659	
18"	EP(3/N)TQ1849	\$650	\$700	\$725	
24"	EP(3/N)TQ2449	\$717	\$767	\$792	
30"	EP(3/N)TQ3049	\$783	\$833	\$858	
36"	EP(3/N)TQ3649	\$876	\$926	\$951	
42"	EP(3/N)TQ4249	\$942	\$992	\$1,017	
48"	EP(3/N)TQ4849	\$1,009	\$1,059	\$1,084	
60"	EP(3/N)TQ6049	\$1,102	\$1,152	\$1,177	
54" H					
12"	EP(3/N)TQ1254	\$650	\$700	\$725	
4.011	EP(3/N)TQ1854	\$717	\$767	\$792	
18"	(, 4				
18" 24"	EP(3/N)TQ2454	\$783	\$833	\$858	

c	-	-:4	٠.
3	De	CII	v

36"

42"

48"

60"

EP(3/N)TQ3654

EP(3/N)TQ4254

EP(3/N)TQ4854

EP(3/N)TQ6054

- 1. Model#
- 2. Paint

# **Application Notes**

Tequity panels are constructed with a 16 gauge welded steel frame.

# Worksurface Support w/Tequity Panels

When specifying worksurfaces use panel to worksurface brackets to support each corner.

# Assembly

# Included • Panel

• Top cap

#### **Ordered Separately**

- Posts
- Panel connectors

# Top Cap Styles

\$1,005

\$1,071

\$1,139

\$1,231

\$955

\$1,021

\$1,089

\$1,181

3 – Beveled






\$1,030

\$1,096

\$1,164

\$1,256

# **Tequity™ Panels**



42"

48"

60"

EP(3/N)TQ4281

EP(3/N)TQ4881

EP(3/N)TQ6081

				•••••
61" H			PAINT	
W	MODEL#	P1	P2	P3
12"	EP(3/N)TQ1261	\$717	\$767	\$792
18"	EP(3/N)TQ1861	\$783	\$833	\$858
24"	EP(3/N)TQ2461	\$850	\$900	\$925
30"	EP(3/N)TQ3061	\$916	\$966	\$991
36"	EP(3/N)TQ3661	\$1,009	\$1,059	\$1,084
42"	EP(3/N)TQ4261	\$1,075	\$1,125	\$1,150
48"	EP(3/N)TQ4861	\$1,141	\$1,191	\$1,216
60"	EP(3/N)TQ6061	\$1,261	\$1,311	\$1,336
66" H				
12"	EP(3/N)TQ1266	\$743	\$793	\$818
18"	EP(3/N)TQ1866	\$809	\$859	\$884
24"	EP(3/N)TQ2466	\$876	\$926	\$951
30"	EP(3/N)TQ3066	\$942	\$992	\$1,017
36"	EP(3/N)TQ3666	\$1,048	\$1,098	\$1,123
42"	EP(3/N)TQ4266	\$1,115	\$1,165	\$1,190
48"	EP(3/N)TQ4866	\$1,181	\$1,231	\$1,256
60"	EP(3/N)TQ6066	\$1,301	\$1,351	\$1,376
81" H				
12"	EP(3/N)TQ1281	\$743	\$793	\$818
18"	EP(3/N)TQ1881	\$809	\$859	\$884
24"	EP(3/N)TQ2481	\$876	\$926	\$951
30"	EP(3/N)TQ3081	\$942	\$992	\$1,017
36"	EP(3/N)TQ3681	\$1,048	\$1,098	\$1,123

\$1,115

\$1,181

\$1,301

\$1,165

\$1,231

\$1,351

\$1,190

\$1,256

\$1,376

	Тор Сар	Panel Type	W	Н
EP Equity Panel	3 Beveled <b>N Flat</b>	TQ Tequity	36	29
EP	N	TQ	36	29

# **Sliding Doors**





			,	<b>,</b>			• · · · · · · · · · · · · · · · · · · ·	
49" H			INSERT TYPE	LA	MINATE INSE	RT	PAII	NT
OPENING	ACTUAL OPENING	MODEL#	PG	L1	L2	L3	P2	P3
36"	34.5"	EDR( )3649(L/R)B	\$2,094	\$2,002	\$2,202	\$2,402	+ \$33	+ \$66
54" H								
36"	34.5"	EDR( )3654(L/R)B	\$2,200	\$2,226	\$2,448	\$2,671	+ \$33	+ \$66
			•	<b>,</b>			• • • • • • • • • • • • • • • • • • • •	
61" H			INSERT TYPE	LA	MINATE INSE	RT	PAINT	
36"	34.5"	EDR( )3661(L/R)B	\$2,293	\$2,492	\$2,741	\$2,990	+ \$33	+ \$66
66" H								
36"	34.5"	EDR( )3666(L/R)B	\$2,426	\$2,492	\$2,741	\$2,990	+ \$33	+ \$66


	Insert Type	W	н	Door Open	Door Handle
EDR Equity Door	PG Plexiglass	36	61	L Left	B Bar
	LM Laminate			R Right	
:					
:	:	:		_ :	_ :
EDR	LM	36	61	L	В

#### Application Notes Plexiglass Finishes Specify Insert Type Assembly 1. Model# Sliding doors can mount PG . . Plexiglass CL ...Clear Included $\textbf{IC} \dots \mathsf{lce}$ LM..Laminate 2. Insert type on an end or corner post • Door 3. Insert color and require a straight, SM..Smoked Hardware 4. Paint unobstructed panel run of ${\bf TR}$ . . Translucent at least 42" for their open $\textbf{LF} \dots Frost$ position. Left/Right refers to opening direction. **NOTE: Sliding doors are only**


compatible with N (flat) top caps.







Metal Shrouds — fo		PAINT		
DESCRIPTION	MODEL#	P1	P2	P3
Door – Straight Pair	EP3DSP	\$72	\$78	\$86
Door – L Outside Right	EP3DLR	\$48	\$51	\$55
Door – L Outside Left	EP3DLL	\$48	\$51	\$55



Sp	ecify	
1	Model #	

2. Laminate

3. Paint

4. Door Hardware Finish

Hardware Finishes (Hingea Doors)
HDHAB Aged Bronze
<b>HDHBC</b> Bright Chrome
HDHMB . Matte Black
HDHSC Satin Chrome
HDHSN Satin Nickel
HDHSSS . Satin Stainless
Steel

	Top Cap	W H	Door
EDR Equity Door	3 Beveled N Flat	36 81	<b>L Left</b> R Right
EHDR	N	36 81	L

# **Post Assemblies**



Stra	ight		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29S	\$196	\$204	\$212
41"	EP(3/N)P41S	\$199	\$207	\$215
49"	EP(3/N)P49S	\$201	\$209	\$217
54"	EP(3/N)P54S	\$204	\$212	\$220
61"	EP(3/N)P61S	\$206	\$214	\$222
66"	EP(3/N)P66S	\$209	\$217	\$225
81"	EP(3/N)P81S	\$232	\$240	\$248



			•••••••	• • • • • • • • • • • • • • • • • • • •
2-wa	ay L		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29L	\$196	\$204	\$212
41"	EP(3/N)P41L	\$199	\$207	\$215
49"	EP(3/N)P49L	\$202	\$210	\$218
54"	EP(3/N)P54L	\$207	\$215	\$223
61"	EP(3/N)P61L	\$217	\$225	\$233
66"	EP(3/N)P66L	\$227	\$235	\$243
81"	EP(3/N)P81L	\$245	\$253	\$261



# 2-way 120

_ '''	.,u			
29"	EP3P29120	\$210	\$218	\$226
41"	EP3P41120	\$222	\$230	\$238
49"	EP3P49120	\$226	\$234	\$242
54"	EP3P54120	\$232	\$240	\$248
61"	EP3P61120	\$243	\$251	\$259
66"	EP3P66120	\$251	\$259	\$267
81"	EP3P81120	\$268	\$276	\$284

_			٠,	
•	n	ec	п	v
_	Р.		•••	,

- 1. Model #
- 2. Paint

# **Application Notes**

Used to connect panels of the same height.

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

#### Assembly

# Included

- Single height postPanel connector
- Appropriate metal shroud

# Top Cap Styles

3 – Beveled

N – Flat







29"         EP(3/N)P29T         \$196         \$204         \$212           41"         EP(3/N)P41T         \$199         \$207         \$213           49"         EP(3/N)P49T         \$201         \$209         \$215           54"         EP(3/N)P54T         \$204         \$212         \$226           61"         EP(3/N)P61T         \$207         \$215         \$225           66"         EP(3/N)P66T         \$216         \$224         \$233			,			
29" EP(3/N)P29T \$196 \$204 \$212 41" EP(3/N)P41T \$199 \$207 \$213 49" EP(3/N)P49T \$201 \$209 \$217 54" EP(3/N)P54T \$204 \$212 \$220 61" EP(3/N)P61T \$207 \$215 \$225 66" EP(3/N)P66T \$216 \$224 \$235	3-wa	ау Т			PAINT	
41"       EP(3/N)P41T       \$199       \$207       \$21:         49"       EP(3/N)P49T       \$201       \$209       \$21:         54"       EP(3/N)P54T       \$204       \$212       \$220:         61"       EP(3/N)P61T       \$207       \$215       \$22:         66"       EP(3/N)P66T       \$216       \$224       \$23:	Н	MODEL#		P1	P2	Р3
49"         EP(3/N)P49T         \$201         \$209         \$217           54"         EP(3/N)P54T         \$204         \$212         \$220           61"         EP(3/N)P61T         \$207         \$215         \$221           66"         EP(3/N)P66T         \$216         \$224         \$233	29"	EP(3/N)P29T		\$196	\$204	\$212
54"         EP(3/N)P54T         \$204         \$212         \$226           61"         EP(3/N)P61T         \$207         \$215         \$222           66"         EP(3/N)P66T         \$216         \$224         \$232	41"	EP(3/N)P41T		\$199	\$207	\$215
61" <b>EP(3/N)P61T</b> \$207 \$215 \$22: 66" <b>EP(3/N)P66T</b> \$216 \$224 \$23:	49"	EP(3/N)P49T		\$201	\$209	\$217
66" <b>EP(3/N)P66T</b> \$216 \$224 \$23	54"	EP(3/N)P54T		\$204	\$212	\$220
	61"	EP(3/N)P61T		\$207	\$215	\$223
81" <b>EP(3/N)P81T</b> \$233 \$241 \$245	66"	EP(3/N)P66T		\$216	\$224	\$232
	81"	EP(3/N)P81T		\$233	\$241	\$249



l-w	ay X		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29X	\$196	\$204	\$212
41"	EP(3/N)P41X	\$199	\$207	\$215
49"	EP(3/N)P49X	\$201	\$209	\$217
54"	EP(3/N)P54X	\$204	\$212	\$220
61"	EP(3/N)P61X	\$206	\$214	\$222
66"	EP(3/N)P66X	\$209	\$217	\$225
81"	EP(3/N)P81X	\$226	\$234	\$242



# 3-way 120

_	wu	y 120			
	29"	EP(3/N)P29Y	\$23	6 \$246	\$256
4	1"	EP(3/N)P41Y	\$23	9 \$249	\$259
4	19"	EP(3/N)P49Y	\$24	3 \$253	\$263
5	54"	EP(3/N)P54Y	\$24	5 \$255	\$265
6	51"	EP(3/N)P61Y	\$24	8 \$258	\$268
6	6"	EP(3/N)P66Y	\$25	5 \$265	\$275
8	31"	EP(3/N)P81Y	\$27	2 \$282	\$292



# **Carpet Gripper**

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	FP1CG12	\$49

	Top Cap		Н		Connection Type		Options Shroud
EP Equity Panel	3 Beveled <b>N Flat</b>	P Post	29	E L T <b>S</b> X	2-way 120 End w/post 2-way L 3-way T <b>Straight</b> 4-way 3-way 120	NS	No Shroud (Tequity Only)
EP	N	Р	29	S			



End w/Post			PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29E	\$210	\$218	\$226
41"	EP(3/N)P41E	\$216	\$224	\$232
49"	EP(3/N)P49E	\$223	\$231	\$239
54"	EP(3/N)P54E	\$226	\$234	\$242
61"	EP(3/N)P61E	\$238	\$246	\$254
66"	EP(3/N)P66E	\$246	\$254	\$262
81"	EP(3/N)P81E	\$262	\$270	\$278

# End w/Post

# Specify

- 1. Model#
- 2. Paint

# Application Notes

Used to finish a panel end that is not being connected to another panel.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

# Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

# Top Cap Styles

3 – Beveled





# **Wall Starter/Wall Mounted Channel**

					,		
Panel \	Wall St	arter		PAINT			
W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	Р3
1 1/2"	1/2"	29"	23"	EP(3/N)PWS29	\$58	\$59	\$62
1 1/2"	1/2"	41"	35"	EP(3/N)PWS41	\$58	\$59	\$62
1 1/2"	1/2"	49"	43"	EP(3/N)PWS49	\$63	\$65	\$70
1 1/2"	1/2"	54"	49"	EP(3/N)PWS54	\$66	\$71	\$76
1 1/2"	1/2"	61"	55"	EP(3/N)PWS61	\$66	\$71	\$76
1 1/2"	1/2"	66"	60"	EP(3/N)PWS66	\$68	\$73	\$80
1 ½"	1/2"	81"	75"	EP(3/N)PWS81	\$77	\$82	\$89

# **Wall Mounted Channel**

2	7/8"	3/4"	29"	23"	EP3WMC29	\$147	\$152	\$159
2	7/8"	3/4"	41"	35"	EP3WMC41	\$147	\$152	\$159
2	7/8"	3/4"	49"	43"	EP3WMC49	\$151	\$158	\$166
2	7/8"	3/4"	54"	49"	EP3WMC54	\$154	\$161	\$169
2	7/8"	3/4"	61"	55"	EP3WMC61	\$171	\$177	\$188
2	7/8"	3/4"	66"	60"	EP3WMC66	\$176	\$189	\$194
2	7/8"	3/4"	81"	75"	EP3WMC81	\$214	\$221	\$232
2	7/8"	3/4"	120"	120"	EP3WMC120	\$330	\$345	\$361

# **Panel Wall Starter**

#### Specify

- 1. Model #
- 2. Paint

# Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

# **Wall Mounted Channel**

#### Specify

- 1. Model #
- 2. Paint

#### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

#### Assembly

#### Included

- Panel top & bottom hook
- Panel connector

#### **Not Included**

• Fasteners to attach to wall

#### **Ordered Separately**

- Post
- Shrouds

# Top Cap Styles

3 – Beveled





N – Flat

#### Assembly

#### Included

• Extruded aluminum channel

Single He	eight		PAINT			
Н	MODEL#	P1	P2	P3		
29"	EP3P29	\$122	\$125	\$128		
41"	EP3P41	\$124	\$127	\$130		
49"	EP3P49	\$127	\$130	\$133		
54"	EP3P54	\$130	\$133	\$136		
61"	EP3P61	\$138	\$141	\$144		
66"	EP3P66	\$141	\$144	\$147		
81"	EP3P81	\$155	\$158	\$161		

D	ual	He	ia	ht

Dual licig				
29"/41"	EP3DP2941	\$205	\$216	\$227
29"/49"	EP3DP2949	\$217	\$228	\$239
29"/54"	EP3DP2954	\$217	\$228	\$239
29"/61"	EP3DP2961	\$232	\$243	\$254
29"/66"	EP3DP2966	\$232	\$243	\$254
29"/81"	EP3DP2981	\$258	\$269	\$280
41"/49"	EP3DP4149	\$217	\$228	\$239
41"/54"	EP3DP4154	\$217	\$228	\$239
41"/61"	EP3DP4161	\$232	\$243	\$254
41"/66"	EP3DP4166	\$232	\$243	\$254
41"/81"	EP3DP4181	\$258	\$269	\$280
49"/54"	EP3DP4954	\$217	\$228	\$239
49"/61"	EP3DP4961	\$232	\$243	\$254
49"/66"	EP3DP4966	\$232	\$243	\$254
49"/81"	EP3DP4981	\$258	\$269	\$280
54"/61"	EP3DP5461	\$232	\$243	\$254
54"/66"	EP3DP5466	\$232	\$243	\$254
54"/81"	EP3DP5481	\$258	\$269	\$280
61"/66"	EP3DP6166	\$232	\$243	\$254
61"/81"	EP3DP6181	\$258	\$269	\$280
66"/81"	EP3DP6681	\$258	\$269	\$280

		!				
Triple Heig		PAINT				
Н	MODEL#	P1	P2	P3		
29"/41"/49"	EP3TP294149	\$258	\$269	\$280		
29"/41"/54"	EP3TP294154	\$258	\$269	\$280		
29"/41"/61"	EP3TP294161	\$266	\$277	\$288		
29"/41"/66"	EP3TP294166	\$266	\$277	\$288		
29"/41"/81"	EP3TP294181	\$304	\$315	\$326		
29"/49"/54"	EP3TP294954	\$258	\$269	\$280		
29"/49"/61"	EP3TP294961	\$266	\$277	\$288		
29"/49"/66"	EP3TP294966	\$266	\$277	\$288		
29"/49"/81"	EP3TP294981	\$304	\$315	\$326		
29"/54"/61"	EP3TP295461	\$266	\$277	\$288		
29"/54"/66"	EP3TP295466	\$266	\$277	\$288		
29"/54"/81"	EP3TP295481	\$304	\$315	\$326		
29"/61"/66"	EP3TP296166	\$266	\$277	\$288		
29"/61"/81"	EP3TP296181	\$304	\$315	\$326		
41"/49"/54"	EP3TP414954	\$258	\$269	\$280		
41"/49"/61"	EP3TP414961	\$266	\$277	\$288		
41"/49"/66"	EP3TP414966	\$266	\$277	\$288		
41"/49"/81"	EP3TP414981	\$304	\$315	\$326		
41"/54"/61"	EP3TP415461	\$266	\$277	\$288		
41"/54"/66"	EP3TP415466	\$266	\$277	\$288		
41"/54"/81"	EP3TP415481	\$304	\$315	\$326		
41"/61"/66"	EP3TP416166	\$266	\$277	\$288		
41"/61"/81"	EP3TP416181	\$304	\$315	\$326		
49"/54"/61"	EP3TP495461	\$266	\$277	\$288		
49"/54"/66"	EP3TP495466	\$266	\$277	\$288		
49"/54"/81"	EP3TP495481	\$304	\$315	\$326		
49"/61"/66"	EP3TP496166	\$266	\$277	\$288		
49"/61"/81"	EP3TP496181	\$304	\$315	\$326		
54"/61"/66"	EP3TP546166	\$266	\$277	\$288		
54"/61"/81"	EP3TP546181	\$304	\$315	\$326		

# Specify

- 1. Model#
- 2. Paint

# **Application Notes**

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

#### **Dual Height Posts**

Used where 2 monolithic panels of 2 different heights intersect.

**Triple Height Posts**Used where 3 monolithic panels of 3 different heights intersect.

#### Assembly

# IncludedMuti-height post

#### Ordered Separately

- Panel connectors
- Metal shrouds

# **Connectors/Shrouds**

		·····	· · · · · · · · · · · · · · · · · · ·	
Connectors			PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EP(3/N)PCS	\$48	\$51	\$54
2-way L	EP(3/N)PCL	\$48	\$51	\$54
2-way 120	EP(3/N)PC120	\$48	\$51	\$54
2-way adjustable angle	EPNPCA	\$62	\$65	\$68
3-way T	EP(3/N)PCT	\$62	\$65	\$68
3-way Y 120	EP(3/N)PCY	\$62	\$65	\$68
4-way X	EP(3/N)PCX	\$62	\$65	\$68
End	EP(3/N)PCEP	\$48	\$51	\$54
Multi-height filler	EP(3/N)PCMF	\$48	\$51	\$54
Trim filler	EPNPCT	\$48	\$51	\$54





2-way L

**2-way** Adjustable angle







3-way T

3-way Y 120

4-way X







er Trim filler

Metal Shrouds			PAINT	
DESCRIPTION	MODEL#	P1	P2	P3
Straight	EP3SS	\$36	\$39	\$43
L outside	EP3SL	\$48	\$51	\$55
120 outside	EP3SO120	\$48	\$51	\$55
120 inside	EP3SI120	\$48	\$51	\$55
End	EP3SEP	\$62	\$65	\$69







Straight

L outside

120 outside






120 inside

side



- 1. Model#
- 2. Paint







# **COMPONENTS**

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

## STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per linear inch.

## STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


# STACK-ON PANEL CONNECTORS

## STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


## **EXTENDED STACK-ON POST**

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.





# SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and stack-on panel MUST have flat (N) profile.




# **Stack-On Configurations** Using Standard Stack-on Posts









### **FLAT TOP CAP BEVELED TOP CAP**























# Stack-On Configurations Using Standard Stack-on Posts







**BEVELED TOP CAP** 


**FLAT TOP CAP** 






















**Fabric with Slots** 



12"	<b>H</b> FABRIC									PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1212	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$27	+ \$53
18"	EP1SF1812	\$557	\$577	\$607	\$647	\$687	\$732	\$782	\$837	+ \$27	+ \$53
24"	EP1SF2412	\$584	\$604	\$634	\$674	\$714	\$759	\$809	\$864	+ \$27	+ \$53
30"	EP1SF3012	\$610	\$630	\$660	\$700	\$740	\$785	\$835	\$890	+ \$27	+ \$53
36"	EP1SF3612	\$638	\$668	\$708	\$758	\$828	\$908	\$998	\$1,108	+ \$27	+ \$53
42"	EP1SF4212	\$664	\$694	\$734	\$784	\$854	\$934	\$1,024	\$1,134	+ \$27	+ \$53
48"	EP1SF4812	\$690	\$720	\$760	\$810	\$880	\$960	\$1,050	\$1,160	+ \$27	+ \$53
60"	EP1SF6012	\$717	\$747	\$787	\$837	\$907	\$987	\$1,077	\$1,187	+ \$27	+ \$53

13"	Н			
12"	EP1SF1213	\$557	\$577	
18"	EP1SF1813	\$584	\$604	
24"	EP1SF2413	\$610	\$630	
30"	FP1SF3013	\$638	\$678	

12"	EP1SF1213	\$557	\$577	\$607	\$647	\$687	\$732	\$782	\$837	+ \$27	+ \$53
18"	EP1SF1813	\$584	\$604	\$634	\$674	\$714	\$759	\$809	\$864	+ \$27	+ \$53
24"	EP1SF2413	\$610	\$630	\$660	\$700	\$740	\$785	\$835	\$890	+ \$27	+ \$53
30"	EP1SF3013	\$638	\$678	\$728	\$788	\$858	\$948	\$1,048	\$1,168	+ \$27	+ \$53
36"	EP1SF3613	\$664	\$704	\$754	\$814	\$884	\$974	\$1,074	\$1,194	+ \$27	+ \$53
42"	EP1SF4213	\$690	\$730	\$780	\$840	\$910	\$1,000	\$1,100	\$1,220	+ \$27	+ \$53
48"	EP1SF4813	\$717	\$757	\$807	\$867	\$937	\$1,027	\$1,127	\$1,247	+ \$27	+ \$53
60"	EP1SF6013	\$743	\$783	\$833	\$893	\$963	\$1,053	\$1,153	\$1,273	+ \$27	+ \$53

### 15" H 12" EP1SF1215 \$584 \$604 \$634 \$674 \$719 \$769 \$824 \$884 + \$28 EP1SF1815 \$630 \$660 \$700 \$850 \$910 18" \$610 \$745 \$795 + \$28 24" EP1SF2415 \$638 \$658 \$688 \$728 \$773 \$823 \$878 \$938 + \$28 \$664 30" EP1SF3015 \$704 \$754 \$814 \$884 \$984 \$1,094 \$1,214 + \$28 \$1,240 36" EP1SF3615 \$690 \$730 \$780 \$840 \$910 \$1,010 \$1,120 + \$28 \$1,267 42" EP1SF4215 \$717 \$757 \$807 \$867 \$937 \$1,037 \$1,147 + \$28 48" EP1SF4815 \$743 \$783 \$833 \$893 \$963 \$1,063 \$1,173 \$1,293 + \$28

\$920

\$990

\$1,090

\$1,200

\$1,320

+ \$28

_			٠,	
3	n	ec	11	v
_	г.		•••	,

60"

EP1SF6015

\$770

\$810

\$860

- 1. Model#
- 2. Fabric
- 3. Paint

# Assembly

# Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

## Not Included

• Top cap (use top cap from base panel)

# **Ordered Separately**

- Stack-on posts
- Panel connectors



Top Cap Styles

3 - Beveled



+ \$54

+ \$54

+ \$54


+ \$54

+ \$54

+ \$54

+ \$54

+ \$54




		······································	•••••••••••••••••••••••••••••••••••••••	• • • • • • • • • • • • • • • • • • • •	•••••••••••	• • • • • • • • • • • • • • • • • • • •	•••••••••••	••••••••••••		· · · · · · · · · · · · · · · · · · ·	
17"	17" H FABRIC								PAIN	PAINT	
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1217	\$610	\$640	\$680	\$725	\$775	\$830	\$890	\$955	+ \$27	+ \$53
18"	EP1SF1817	\$638	\$668	\$708	\$753	\$803	\$858	\$918	\$983	+ \$27	+ \$53
24"	EP1SF2417	\$664	\$694	\$734	\$779	\$829	\$884	\$944	\$1,009	+ \$27	+ \$53
30"	EP1SF3017	\$690	\$740	\$800	\$870	\$960	\$1,070	\$1,190	\$1,320	+ \$27	+ \$53
36"	EP1SF3617	\$717	\$767	\$827	\$897	\$987	\$1,097	\$1,217	\$1,347	+ \$27	+ \$53
42"	EP1SF4217	\$743	\$793	\$853	\$923	\$1,013	\$1,123	\$1,243	\$1,373	+ \$27	+ \$53
48"	EP1SF4817	\$770	\$820	\$880	\$950	\$1,040	\$1,150	\$1,270	\$1,400	+ \$27	+ \$53
60"	EP1SF6017	\$797	\$847	\$907	\$977	\$1,067	\$1,177	\$1,297	\$1,427	+ \$27	+ \$53

# 20" H

12"	EP1SF1220	\$638	\$668	\$708	\$753	\$803	\$858	\$918	\$988	+ \$27	+ \$53
18"	EP1SF1820	\$664	\$694	\$734	\$779	\$829	\$884	\$944	\$1,014	+ \$27	+ \$53
24"	EP1SF2420	\$690	\$720	\$760	\$805	\$855	\$910	\$970	\$1,040	+ \$27	+ \$53
30"	EP1SF3020	\$717	\$767	\$827	\$897	\$997	\$1,127	\$1,267	\$1,417	+ \$27	+ \$53
36"	EP1SF3620	\$743	\$793	\$853	\$923	\$1,023	\$1,153	\$1,293	\$1,443	+ \$27	+ \$53
42"	EP1SF4220	\$770	\$820	\$880	\$950	\$1,050	\$1,180	\$1,320	\$1,470	+ \$27	+ \$53
48"	EP1SF4820	\$809	\$859	\$919	\$989	\$1,089	\$1,219	\$1,359	\$1,509	+ \$27	+ \$53
60"	EP1SF6020	\$836	\$886	\$946	\$1,016	\$1,116	\$1,246	\$1,386	\$1,536	+ \$27	+ \$53

	Insert Type	w	н
EP1S Stack-on Panel	F Fabric	36	20
EP1S	F	36	20

**Fabric without Slots** 



12"	Н		•••••••••••	•••••••••••	FABF			•••••••••••••••••••••••••••••••••••••••		PAIN	т
w	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1212N	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$27	+ \$53
18"	EP1SF1812N	\$557	\$577	\$607	\$647	\$687	\$732	\$782	\$837	+ \$27	+ \$53
24"	EP1SF2412N	\$584	\$604	\$634	\$674	\$714	\$759	\$809	\$864	+ \$27	+ \$53
30"	EP1SF3012N	\$610	\$630	\$660	\$700	\$740	\$785	\$835	\$890	+ \$27	+ \$53
36"	EP1SF3612N	\$638	\$668	\$708	\$758	\$828	\$908	\$998	\$1,108	+ \$27	+ \$53
42"	EP1SF4212N	\$664	\$694	\$734	\$784	\$854	\$934	\$1,024	\$1,134	+ \$27	+ \$53
48"	EP1SF4812N	\$690	\$720	\$760	\$810	\$880	\$960	\$1,050	\$1,160	+ \$27	+ \$53
60"	EP1SF6012N	\$717	\$747	\$787	\$837	\$907	\$987	\$1,077	\$1,187	+ \$27	+ \$53
13"	Н										
12"	EP1SF1213N	\$557	\$577	\$607	\$647	\$687	\$732	\$782	\$837	+ \$27	+ \$53
18"	EP1SF1813N	\$584	\$604	\$634	\$674	\$714	\$759	\$809	\$864	+ \$27	+ \$53
24"	EP1SF2413N	\$610	\$630	\$660	\$700	\$740	\$785	\$835	\$890	+ \$27	+ \$53
30"	EP1SF3013N	\$638	\$678	\$728	\$788	\$858	\$948	\$1,048	\$1,168	+ \$27	+ \$53
36"	EP1SF3613N	\$664	\$704	\$754	\$814	\$884	\$974	\$1,074	\$1,194	+ \$27	+ \$53
42"	EP1SF4213N	\$690	\$730	\$780	\$840	\$910	\$1,000	\$1,100	\$1,220	+ \$27	+ \$53
48"	EP1SF4813N	\$717	\$757	\$807	\$867	\$937	\$1,027	\$1,127	\$1,247	+ \$27	+ \$53
60"	EP1SF6013N	\$743	\$783	\$833	\$893	\$963	\$1,053	\$1,153	\$1,273	+ \$27	+ \$53
<u>15"</u>	Н										
12"	EP1SF1215N	\$584	\$604	\$634	\$674	\$719	\$769	\$824	\$884	+ \$27	+ \$53
18"	EP1SF1815N	\$610	\$630	\$660	\$700	\$745	\$795	\$850	\$910	+ \$27	+ \$53
24"	EP1SF2415N	\$638	\$658	\$688	\$728	\$773	\$823	\$878	\$938	+ \$27	+ \$53
30"	EP1SF3015N	\$664	\$704	\$754	\$814	\$884	\$984	\$1,094	\$1,214	+ \$27	+ \$53
36"	EP1SF3615N	\$690	\$730	\$780	\$840	\$910	\$1,010	\$1,120	\$1,240	+ \$27	+ \$53
42"	EP1SF4215N	\$717	\$757	\$807	\$867	\$937	\$1,037	\$1,147	\$1,267	+ \$27	+ \$53
48"	EP1SF4815N	\$743	\$783	\$833	\$893	\$963	\$1,063	\$1,173	\$1,293	+ \$27	+ \$53
60"	EP1SF6015N	\$770	\$810	\$860	\$920	\$990	\$1,090	\$1,200	\$1,320	+ \$27	+ \$53
<u>17"</u>	Н										
12"	EP1SF1217N	\$610	\$640	\$680	\$725	\$775	\$830	\$890	\$955	+ \$27	+ \$53
18"	EP1SF1817N	\$638	\$668	\$708	\$753	\$803	\$858	\$918	\$983	+ \$27	+ \$53
24"	EP1SF2417N	\$664	\$694	\$734	\$779	\$829	\$884	\$944	\$1,009	+ \$27	+ \$53
30"	EP1SF3017N	\$690	\$740	\$800	\$870	\$960	\$1,070	\$1,190	\$1,320	+ \$27	+ \$53
36"	EP1SF3617N	\$717	\$767	\$827	\$897	\$987	\$1,097	\$1,217	\$1,347	+ \$27	+ \$53
42"	EP1SF4217N	\$743	\$793	\$853	\$923	\$1,013	\$1,123	\$1,243	\$1,373	+ \$27	+ \$53
48"	EP1SF4817N	\$770	\$820	\$880	\$950	\$1,040	\$1,150	\$1,270	\$1,400	+ \$27	+ \$53
60"	EP1SF6017N	\$797	\$847	\$907	\$977	\$1,067	\$1,177	\$1,297	\$1,427	+ \$27	+ \$53

•	_	_		٠	c
٥	D	е	c	1	ľ

- 1. Model #
- 2. Fabric
- 3. Paint

# Assembly

# Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

# Not Included

• Top cap (use top cap from base panel)

# **Ordered Separately**

- Stack-on posts
- Panel connectors


# Top Cap Styles

3 – Beveled

N – Flat








20"	Н		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	FABF	RIC	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		PAIN	т
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1220N	\$638	\$668	\$708	\$753	\$803	\$858	\$918	\$988	+ \$27	+ \$53
18"	EP1SF1820N	\$664	\$694	\$734	\$779	\$829	\$884	\$944	\$1,014	+ \$27	+ \$53
24"	EP1SF2420N	\$690	\$720	\$760	\$805	\$855	\$910	\$970	\$1,040	+ \$27	+ \$53
30"	EP1SF3020N	\$717	\$767	\$827	\$897	\$997	\$1,127	\$1,267	\$1,417	+ \$27	+ \$53
36"	EP1SF3620N	\$743	\$793	\$853	\$923	\$1,023	\$1,153	\$1,293	\$1,443	+ \$27	+ \$53
42"	EP1SF4220N	\$770	\$820	\$880	\$950	\$1,050	\$1,180	\$1,320	\$1,470	+ \$27	+ \$53
48"	EP1SF4820N	\$809	\$859	\$919	\$989	\$1,089	\$1,219	\$1,359	\$1,509	+ \$27	+ \$53
60"	EP1SF6020N	\$836	\$886	\$946	\$1,016	\$1,116	\$1,246	\$1,386	\$1,536	+ \$27	+ \$53
25"	Н										
12"	EP1SF1225N	\$664	\$694	\$734	\$779	\$839	\$909	\$989	\$1,079	+ \$27	+ \$53
18"	EP1SF1825N	\$690	\$720	\$760	\$805	\$865	\$935	\$1,015	\$1,105	+ \$27	+ \$53
24"	EP1SF2425N	\$717	\$747	\$787	\$832	\$892	\$962	\$1,042	\$1,132	+ \$27	+ \$53
30"	EP1SF3025N	\$743	\$793	\$853	\$933	\$1,063	\$1,213	\$1,373	\$1,543	+ \$27	+ \$53
36"	EP1SF3625N	\$770	\$820	\$880	\$960	\$1,090	\$1,240	\$1,400	\$1,570	+ \$27	+ \$53
42"	EP1SF4225N	\$797	\$847	\$907	\$987	\$1,117	\$1,267	\$1,427	\$1,597	+ \$27	+ \$53
48"	EP1SF4825N	\$836	\$886	\$946	\$1,026	\$1,156	\$1,306	\$1,466	\$1,636	+ \$27	+ \$53
60"	EP1SF6025N	\$889	\$939	\$999	\$1,079	\$1,209	\$1,359	\$1,519	\$1,689	+ \$27	+ \$53
32"	Н										
12"	EP1SF1232N	\$690	\$720	\$760	\$805	\$865	\$955	\$1,055	\$1,165	+ \$27	+ \$53
18"	EP1SF1832N	\$717	\$747	\$787	\$832	\$892	\$982	\$1,082	\$1,192	+ \$27	+ \$53
24"	EP1SF2432N	\$743	\$773	\$813	\$858	\$918	\$1,008	\$1,108	\$1,218	+ \$27	+ \$53
30"	EP1SF3032N	\$770	\$820	\$880	\$970	\$1,120	\$1,290	\$1,480	\$1,700	+ \$27	+ \$53
36"	EP1SF3632N	\$797	\$847	\$907	\$997	\$1,147	\$1,317	\$1,507	\$1,727	+ \$27	+ \$53
42"	EP1SF4232N	\$823	\$873	\$933	\$1,023	\$1,173	\$1,343	\$1,533	\$1,753	+ \$27	+ \$53
48"	EP1SF4832N	\$862	\$912	\$972	\$1,062	\$1,212	\$1,382	\$1,572	\$1,792	+ \$27	+ \$53
60"	EP1SF6032N	\$903	\$953	\$1,013	\$1,103	\$1,253	\$1,423	\$1,613	\$1,833	+ \$27	+ \$53
37"	Н										
12"	EP1SF1237N	\$717	\$757	\$807	\$867	\$947	\$1,037	\$1,137	\$1,247	+ \$27	+ \$53
18"	EP1SF1837N	\$743	\$783	\$833	\$893	\$973	\$1,063	\$1,163	\$1,273	+ \$27	+ \$53
24"	EP1SF2437N	\$770	\$810	\$860	\$920	\$1,000	\$1,090	\$1,190	\$1,300	+ \$27	+ \$53
30"	EP1SF3037N	\$797	\$867	\$947	\$1,037	\$1,197	\$1,367	\$1,567	\$1,817	+ \$27	+ \$53
36"	EP1SF3637N	\$823	\$893	\$973	\$1,063	\$1,223	\$1,393	\$1,593	\$1,843	+ \$27	+ \$53
42"	EP1SF4237N	\$850	\$920	\$1,000	\$1,090	\$1,250	\$1,420	\$1,620	\$1,870	+ \$27	+ \$53
48"	EP1SF4837N	\$889	\$959	\$1,039	\$1,129	\$1,289	\$1,459	\$1,659	\$1,909	+ \$27	+ \$53
60"	EP1SF6037N	\$929	\$999	\$1,079	\$1,169	\$1,329	\$1,499	\$1,699	\$1,949	+ \$27	+ \$53

	Insert Type	W	н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
EP1S	F	36		N

**Insert with Slots** 



12" H	2" H		GLASS INSERT			LAMINATE INSERT			NT
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1212	\$859	\$939	\$1,230	\$898	\$987	\$1,077	+ \$27	+ \$53
18"	EP2S()1812	\$885	\$977	\$1,270	\$925	\$1,017	\$1,110	+ \$27	+ \$53
24"	EP2S()2412	\$925	\$1,038	\$1,331	\$971	\$1,068	\$1,165	+ \$27	+ \$53
30"	EP2S()3012	\$951	\$1,078	\$1,395	\$997	\$1,096	\$1,196	+ \$27	+ \$53
36"	EP2S()3612	\$977	\$1,125	\$1,470	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
42"	EP2S()4212	\$1,005	\$1,163	\$1,536	\$1,058	\$1,163	\$1,269	+ \$27	+ \$53
48"	EP2S()4812	\$1,031	\$1,217	\$1,589	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
60"	EP2S()6012	\$1,058	\$1,296	\$1,762	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53

		•						•		
13" H										
12"	EP2S()1213		\$913	\$992	\$1,284	\$951	\$1,046	\$1,141	+ \$27	+ \$53
18"	EP2S()1813		\$939	\$1,031	\$1,323	\$977	\$1,074	\$1,172	+ \$27	+ \$53
24"	EP2S()2413		\$965	\$1,078	\$1,395	\$1,012	\$1,113	\$1,214	+ \$27	+ \$53
30"	EP2S()3013		\$992	\$1,117	\$1,463	\$1,038	\$1,141	\$1,245	+ \$27	+ \$53
36"	EP2S()3613		\$1,018	\$1,163	\$1,536	\$1,071	\$1,178	\$1,285	+ \$27	+ \$53
42"	EP2S()4213		\$1,045	\$1,204	\$1,602	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
48"	EP2S()4813		\$1,071	\$1,257	\$1,709	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
60"	EP2S()6013		\$1,084	\$1,323	\$1,854	\$1,191	\$1,310	\$1,429	+ \$27	+ \$53
15"										

15"									
12"	EP2S()1215	\$939	\$1,018	\$1,311	\$977	\$1,074	\$1,172	+ \$27	+ \$53
18"	EP2S()1815	\$965	\$1,058	\$1,349	\$1,005	\$1,105	\$1,206	+ \$27	+ \$53
24"	EP2S()2415	\$992	\$1,104	\$1,423	\$1,038	\$1,141	\$1,245	+ \$27	+ \$53
30"	EP2S()3015	\$1,018	\$1,145	\$1,490	\$1,064	\$1,170	\$1,276	+ \$27	+ \$53
36"	EP2S()3615	\$1,045	\$1,191	\$1,563	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
42"	EP2S()4215	\$1,071	\$1,230	\$1,630	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
48"	EP2S()4815	\$1,084	\$1,270	\$1,722	\$1,151	\$1,266	\$1,381	+ \$27	+ \$53
60"	EP2S()6015	\$1,111	\$1,349	\$1,881	\$1,217	\$1,338	\$1,460	+ \$27	+ \$53

S	p	e	ci	if	y

- 1. Model#
- 2. Insert type
- 3. Insert color 4. Paint

# **Plexiglass Finishes**

**CL** . . Clear  $\textbf{IC} \dots \mathsf{lce}$ 

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$ 

**TR** . . Translucent

# **Glass Finishes**

**CL** ...Clear  $\textbf{GR} \ldots \mathsf{Grey}$  $\textbf{SM}..\mathsf{Smoked}$ 

**TR** . . Translucent

# Assembly

# Included • Stack-on panel


• Flat (N) top cap attached to the bottom of stack-on panel

# Not Included

• Top cap (use top cap from base panel)

# Ordered Separately

- Stack-on posts
- Panel connectors




		<b>*******</b>					,		
17" H		G	LASS INSER	Г	LAI	AINATE INSE	RT	PAIN	ŧΤ
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1217	\$965	\$1,045	\$1,337	\$992	\$1,091	\$1,190	+ \$27	+ \$53
18"	EP2S()1817	\$992	\$1,084	\$1,403	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
24"	EP2S()2417	\$1,018	\$1,130	\$1,476	\$1,064	\$1,170	\$1,276	+ \$27	+ \$53
30"	EP2S()3017	\$1,045	\$1,171	\$1,543	\$1,091	\$1,200	\$1,309	+ \$27	+ \$53
36"	EP2S()3617	\$1,071	\$1,217	\$1,615	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
42"	EP2S()4217	\$1,084	\$1,244	\$1,695	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
48"	EP2S()4817	\$1,111	\$1,296	\$1,801	\$1,178	\$1,295	\$1,413	+ \$27	+ \$53
60"	EP2S()6017	\$1,137	\$1,377	\$1,961	\$1,244	\$1,368	\$1,492	+ \$27	+ \$53

20" H									
12"	EP2S()1220	\$992	\$1,071	\$1,416	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
18"	EP2S()1820	\$1,018	\$1,111	\$1,456	\$1,058	\$1,163	\$1,269	+ \$27	+ \$53
24"	EP2S()2420	\$1,045	\$1,157	\$1,529	\$1,091	\$1,200	\$1,309	+ \$27	+ \$53
30"	EP2S()3020	\$1,071	\$1,197	\$1,569	\$1,117	\$1,228	\$1,340	+ \$27	+ \$53
36"	EP2S()3620	\$1,084	\$1,230	\$1,683	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
42"	EP2S()4220	\$1,111	\$1,270	\$1,775	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53
48"	EP2S()4820	\$1,137	\$1,323	\$1,881	\$1,204	\$1,324	\$1,444	+ \$27	+ \$53
60"	EP2S()6020	\$1,163	\$1,403	\$2,040	\$1,270	\$1,397	\$1,524	+ \$27	+ \$53

	Insert Type	W H
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36 15
EP2S	PG	36 15

**Insert without Slots** 



12" H			GLASS INSERT			LAMINATE INSERT			NT
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1212N	\$859	\$939	\$1,230	\$898	\$987	\$1,077	+ \$27	+ \$53
18"	EP2S()1812N	\$885	\$977	\$1,270	\$925	\$1,017	\$1,110	+ \$27	+ \$53
24"	EP2S()2412N	\$925	\$1,038	\$1,331	\$971	\$1,068	\$1,165	+ \$27	+ \$53
30"	EP2S()3012N	\$951	\$1,078	\$1,395	\$997	\$1,096	\$1,196	+ \$27	+ \$53
36"	EP2S()3612N	\$977	\$1,125	\$1,470	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
42"	EP2S()4212N	\$1,005	\$1,163	\$1,536	\$1,058	\$1,163	\$1,269	+ \$27	+ \$53
48"	EP2S()4812N	\$1,031	\$1,217	\$1,589	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
60"	EP2S()6012N	\$1,058	\$1,296	\$1,762	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53

# 13" H

12"	EP2S()1213N	\$913	\$992	\$1,284	\$951	\$1,046	\$1,141	+ \$27	+ \$53
18"	EP2S()1813N	\$939	\$1,031	\$1,323	\$977	\$1,074	\$1,172	+ \$27	+ \$53
24"	EP2S()2413N	\$965	\$1,078	\$1,395	\$1,012	\$1,113	\$1,214	+ \$27	+ \$53
30"	EP2S()3013N	\$992	\$1,117	\$1,463	\$1,038	\$1,141	\$1,245	+ \$27	+ \$53
36"	EP2S()3613N	\$1,018	\$1,163	\$1,536	\$1,071	\$1,178	\$1,285	+ \$27	+ \$53
42"	EP2S()4213N	\$1,045	\$1,204	\$1,602	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
48"	EP2S()4813N	\$1,071	\$1,257	\$1,709	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
60"	EP2S()6013N	\$1,084	\$1,323	\$1,854	\$1,191	\$1,310	\$1,429	+ \$27	+ \$53

# 15" H

12"	EP2S( )1215N	\$939	\$1,018	\$1,311	\$977	\$1,074	\$1,172	+ \$27	+ \$53
18"	EP2S()1815N	\$965	\$1,058	\$1,349	\$1,005	\$1,105	\$1,206	+ \$27	+ \$53
24"	EP2S()2415N	\$992	\$1,104	\$1,423	\$1,038	\$1,141	\$1,245	+ \$27	+ \$53
30"	EP2S()3015N	\$1,018	\$1,145	\$1,490	\$1,064	\$1,170	\$1,276	+ \$27	+ \$53
36"	EP2S()3615N	\$1,045	\$1,191	\$1,563	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
42"	EP2S()4215N	\$1,071	\$1,230	\$1,630	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
48"	EP2S()4815N	\$1,084	\$1,270	\$1,722	\$1,151	\$1,266	\$1,381	+ \$27	+ \$53
60"	EP2S()6015N	\$1,111	\$1,349	\$1,881	\$1,217	\$1,338	\$1,460	+ \$27	+ \$53

# 17" H

12"	EP2S()1217N	\$965	\$1,045	\$1,337	\$992	\$1,091	\$1,190	+ \$27	+ \$53
18"	EP2S()1817N	\$992	\$1,084	\$1,403	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
24"	EP2S()2417N	\$1,018	\$1,130	\$1,476	\$1,064	\$1,170	\$1,276	+ \$27	+ \$53
30"	EP2S()3017N	\$1,045	\$1,171	\$1,543	\$1,091	\$1,200	\$1,309	+ \$27	+ \$53
36"	EP2S()3617N	\$1,071	\$1,217	\$1,615	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
42"	EP2S()4217N	\$1,084	\$1,244	\$1,695	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
48"	EP2S()4817N	\$1,111	\$1,296	\$1,801	\$1,178	\$1,295	\$1,413	+ \$27	+ \$53
60"	EP2S()6017N	\$1,137	\$1,377	\$1,961	\$1,244	\$1,368	\$1,492	+ \$27	+ \$53

# Specify

- 1. Model#
- 2. Insert Type 3. Insert color
- 4. Paint

# **Plexiglass Finishes**

**CL** . . Clear  $\textbf{IC} \dots \mathsf{lce}$ 

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$ 

**TR** . . Translucent

# **Glass Finishes**

**CL** ...Clear  $\textbf{GR} \dots \mathsf{Grey}$  $\textbf{SM}..\mathsf{Smoked}$ **TR** . . Translucent

# Assembly

# Included • Stack-on panel

• Flat (N) top cap attached to the bottom of stack-on panel


# Not Included

• Top cap (use top cap from base panel)

# Ordered Separately

- Stack-on posts
- Panel connectors


# Stack-on Panels Insert without Slots



10" H		(	GLASS INSERT		LAMINATE INSERT			PAINT	
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1220N	\$992	\$1,071	\$1,416	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
18"	EP2S()1820N	\$1,018	\$1,111	\$1,456	\$1,058	\$1,163	\$1,269	+ \$27	+ \$53
24"	EP2S()2420N	\$1,045	\$1,157	\$1,529	\$1,091	\$1,200	\$1,309	+ \$27	+ \$53
30"	EP2S()3020N	\$1,071	\$1,197	\$1,569	\$1,117	\$1,228	\$1,340	+ \$27	+ \$53
36"	EP2S()3620N	\$1,084	\$1,230	\$1,683	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
42"	EP2S()4220N	\$1,111	\$1,270	\$1,775	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53
48"	EP2S()4820N	\$1,137	\$1,323	\$1,881	\$1,204	\$1,324	\$1,444	+ \$27	+ \$5
60"	EP2S( )6020N	\$1,163	\$1,403	\$2,040	\$1,270	\$1,397	\$1,524	+ \$27	+ \$53
5" H									
12"	EP2S()1225N	\$1,031	\$1,111	\$1,456	\$1,071	\$1,178	\$1,285	+ \$27	+ \$53
18"	EP2S()1825N	\$1,058	\$1,151	\$1,497	\$1,098	\$1,207	\$1,317	+ \$27	+ \$5
24"	EP2S()2425N	\$1,084	\$1,197	\$1,569	\$1,130	\$1,243	\$1,356	+ \$27	+ \$5
30"	EP2S()3025N	\$1,111	\$1,237	\$1,635	\$1,157	\$1,272	\$1,388	+ \$27	+ \$5
36"	EP2S()3625N	\$1,137	\$1,284	\$1,735	\$1,191	\$1,310	\$1,429	+ \$27	+ \$5
42"	EP2S()4225N	\$1,163	\$1,323	\$1,828	\$1,217	\$1,338	\$1,460	+ \$27	+ \$5
48"	EP2S()4825N	\$1,204	\$1,377	\$1,934	\$1,257	\$1,382	\$1,508	+ \$27	+ \$5
60"	EP2S()6025N	\$1,244	\$1,456	\$2,147	\$1,323	\$1,455	\$1,587	+ \$27	+ \$53
2" H									
12"	EP2S()1232N	\$1,058	\$1,137	\$1,482	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
18"	EP2S()1832N	\$1,084	\$1,178	\$1,549	\$1,125	\$1,237	\$1,350	+ \$27	+ \$5
24"	EP2S()2432N	\$1,111	\$1,224	\$1,622	\$1,157	\$1,272	\$1,388	+ \$27	+ \$5
30"	EP2S()3032N	\$1,137	\$1,263	\$1,741	\$1,183	\$1,301	\$1,419	+ \$27	+ \$5
36"	EP2S()3632N	\$1,163	\$1,311	\$1,868	\$1,217	\$1,338	\$1,460	+ \$27	+ \$5
42"	EP2S()4232N	\$1,191	\$1,349	\$1,987	\$1,244	\$1,368	\$1,492	+ \$27	+ \$5
48"	EP2S( )4832N	\$1,230	\$1,416	\$2,107	\$1,296	\$1,425	\$1,555	+ \$27	+ \$5
60"	EP2S()6032N	\$1,296	\$1,536	\$2,333	\$1,403	\$1,543	\$1,683	+ \$27	+ \$5
7" H									
12"	EP2S( )1237N	\$1,084	\$1,163	\$1,536	\$1,125	\$1,237	\$1,350	+ \$27	+ \$5
18"	EP2S()1837N	\$1,111	\$1,217	\$1,615	\$1,163	\$1,279	\$1,395	+ \$27	+ \$5
24"	EP2S()2437N	\$1,137	\$1,270	\$1,749	\$1,204	\$1,324	\$1,444	+ \$27	+ \$5
30"	EP2S()3037N	\$1,163	\$1,323	\$1,881	\$1,244	\$1,368	\$1,492	+ \$27	+ \$5
36"	EP2S()3637N	\$1,191	\$1,377	\$2,014	\$1,284	\$1,412	\$1,540	+ \$27	+ \$5
42"	EP2S( )4237N	\$1,217	\$1,430	\$2,120	\$1,323	\$1,455	\$1,587	+ \$27	+ \$5
48"	EP2S( )4837N	\$1,257	\$1,497	\$2,240	\$1,377	\$1,514	\$1,652	+ \$27	+ \$5
60"	EP2S()6037N	\$1,323	\$1,589	\$2,519	\$1,456	\$1,601	\$1,747	+ \$27	+ \$5

	Insert Type	w	Н	Slots
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15	N Without Slots
EP2S	PG	36	15	N

# **Perforated Aluminum Insert with Slots**



12" H			I	NSERT PAINT		PAII	NT
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1212	\$859	\$909	\$929	\$949	+ \$27	+ \$53
18"	EP2SPA1812	\$885	\$935	\$955	\$975	+ \$27	+ \$53
24"	EP2SPA2412	\$925	\$975	\$995	\$1,015	+ \$27	+ \$53
30"	EP2SPA3012	\$951	\$1,011	\$1,031	\$1,051	+ \$27	+ \$53
36"	EP2SPA3612	\$977	\$1,037	\$1,057	\$1,077	+ \$27	+ \$53
42"	EP2SPA4212	\$1,005	\$1,065	\$1,085	\$1,105	+ \$27	+ \$53
48"	EP2SPA4812	\$1,031	\$1,091	\$1,111	\$1,131	+ \$27	+ \$53
60"	EP2SPA6012	\$1,058	\$1,138	\$1,168	\$1,198	+ \$27	+ \$53

		1.,555	7 . ,	4 . /	4 .,		. ,
13" H							
12"	EP2SPA1213	\$913	\$963	\$983	\$1,003	+ \$27	+ \$53
18"	EP2SPA1813	\$939	\$989	\$1,009	\$1,029	+ \$27	+ \$53
24"	EP2SPA2413	\$965	\$1,025	\$1,045	\$1,065	+ \$27	+ \$53
30"	EP2SPA3013	\$992	\$1,052	\$1,072	\$1,092	+ \$27	+ \$53
36"	EP2SPA3613	\$1,018	\$1,078	\$1,098	\$1,118	+ \$27	+ \$53
42"	EP2SPA4213	\$1,045	\$1,105	\$1,125	\$1,145	+ \$27	+ \$53
48"	EP2SPA4813	\$1,071	\$1,131	\$1,151	\$1,181	+ \$27	+ \$53
60"	EP2SPA6013	\$1,084	\$1,174	\$1,204	\$1,244	+ \$27	+ \$53
15"							

15"							
12"	EP2SPA1215	\$939	\$989	\$1,009	\$1,029	+ \$27	+ \$53
18"	EP2SPA1815	\$965	\$1,015	\$1,035	\$1,055	+ \$27	+ \$53
24"	EP2SPA2415	\$992	\$1,042	\$1,072	\$1,092	+ \$27	+ \$53
30"	EP2SPA3015	\$1,018	\$1,068	\$1,108	\$1,128	+ \$27	+ \$53
36"	EP2SPA3615	\$1,045	\$1,105	\$1,145	\$1,165	+ \$27	+ \$53
42"	EP2SPA4215	\$1,071	\$1,131	\$1,181	\$1,201	+ \$27	+ \$53
48"	EP2SPA4815	\$1,084	\$1,154	\$1,214	\$1,234	+ \$27	+ \$53
60"	EP2SPA6015	\$1,111	\$1,211	\$1,271	\$1,301	+ \$27	+ \$53

S	pe	ci	fy

- 1. Model#
- 2. Insert color
- 3. Paint

# Assembly

- Included • Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel


# Not Included

• Top cap (use top cap from base panel)

# **Ordered Separately**

- Stack-on posts
- Panel connectors

# **Perforated Aluminum Insert with Slots**




			• • • • • • • • • • • • • • • • • • • •	•••••••		• • • • • • • • • • • • • • • • • • • •	
17" H			II	NSERT PAIN	г	PAII	NT
w	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1217	\$965	\$1,015	\$1,035	\$1,055	+ \$27	+ \$53
18"	EP2SPA1817	\$992	\$1,042	\$1,062	\$1,082	+ \$27	+ \$53
24"	EP2SPA2417	\$1,018	\$1,078	\$1,098	\$1,118	+ \$27	+ \$53
30"	EP2SPA3017	\$1,045	\$1,105	\$1,135	\$1,155	+ \$27	+ \$53
36"	EP2SPA3617	\$1,071	\$1,141	\$1,171	\$1,191	+ \$27	+ \$53
42"	EP2SPA4217	\$1,084	\$1,164	\$1,204	\$1,224	+ \$27	+ \$53
48"	EP2SPA4817	\$1,111	\$1,201	\$1,251	\$1,271	+ \$27	+ \$53
60"	EP2SPA6017	\$1,137	\$1,257	\$1,307	\$1,337	+ \$27	+ \$53

### 20" H 12" EP2SPA1220 \$992 \$1,042 \$1,062 \$1,082 + \$27 + \$53 18" EP2SPA1820 \$1,108 + \$53 \$1,018 \$1,068 \$1,088 + \$27 24" EP2SPA2420 \$1,145 \$1,045 \$1,095 \$1,125 + \$27 + \$53 30" EP2SPA3020 \$1,071 \$1,131 \$1,161 \$1,181 + \$27 + \$53 36" EP2SPA3620 \$1,084 \$1,164 + \$53 \$1,204 \$1,224 + \$27 42" \$1,191 EP2SPA4220 \$1,111 \$1,251 \$1,271 + \$27 + \$53 48" EP2SPA4820 \$1,137 \$1,227 \$1,297 \$1,327 + \$27 + \$53 \$1,163 \$1,303 \$1,403 60" EP2SPA6020 \$1,353 + \$53

Insert Type	W	Н
PA Perforated Aluminum	36	15
PA	36	15
	PA Perforated Aluminum	PA Perforated Aluminum 36

# **Perforated Aluminum Insert without Slots**



12" H			ı	NSERT PAINT		PAII	NT
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1212N	\$859	\$909	\$929	\$949	+ \$27	+ \$53
18"	EP2SPA1812N	\$885	\$935	\$955	\$975	+ \$27	+ \$53
24"	EP2SPA2412N	\$925	\$975	\$995	\$1,015	+ \$27	+ \$53
30"	EP2SPA3012N	\$951	\$1,011	\$1,031	\$1,051	+ \$27	+ \$53
36"	EP2SPA3612N	\$977	\$1,037	\$1,057	\$1,077	+ \$27	+ \$53
42"	EP2SPA4212N	\$1,005	\$1,065	\$1,085	\$1,105	+ \$27	+ \$53
48"	EP2SPA4812N	\$1,031	\$1,091	\$1,111	\$1,131	+ \$27	+ \$53
60"	EP2SPA6012N	\$1,058	\$1,138	\$1,168	\$1,198	+ \$27	+ \$53

13"	Н
12"	

12"	EP2SPA1213N	\$913	\$963	\$983	\$1,003	+ \$27	+ \$53
18"	EP2SPA1813N	\$939	\$989	\$1,009	\$1,029	+ \$27	+ \$53
24"	EP2SPA2413N	\$965	\$1,025	\$1,045	\$1,065	+ \$27	+ \$53
30"	EP2SPA3013N	\$992	\$1,052	\$1,072	\$1,092	+ \$27	+ \$53
36"	EP2SPA3613N	\$1,018	\$1,078	\$1,098	\$1,118	+ \$27	+ \$53
42"	EP2SPA4213N	\$1,045	\$1,105	\$1,125	\$1,145	+ \$27	+ \$53
48"	EP2SPA4813N	\$1,071	\$1,131	\$1,151	\$1,181	+ \$27	+ \$53
60"	EP2SPA6013N	\$1,084	\$1,174	\$1,204	\$1,244	+ \$27	+ \$53

# 15" H

12"	EP2SPA1215N	\$939	\$989	\$1,009	\$1,029	+ \$27	+ \$53
18"	EP2SPA1815N	\$965	\$1,015	\$1,035	\$1,055	+ \$27	+ \$53
24"	EP2SPA2415N	\$992	\$1,042	\$1,072	\$1,092	+ \$27	+ \$53
30"	EP2SPA3015N	\$1,018	\$1,068	\$1,108	\$1,128	+ \$27	+ \$53
36"	EP2SPA3615N	\$1,045	\$1,105	\$1,145	\$1,165	+ \$27	+ \$53
42"	EP2SPA4215N	\$1,071	\$1,131	\$1,181	\$1,201	+ \$27	+ \$53
48"	EP2SPA4815N	\$1,084	\$1,154	\$1,214	\$1,234	+ \$27	+ \$53
60"	EP2SPA6015N	\$1,111	\$1,211	\$1,271	\$1,301	+ \$27	+ \$53

# 17" H

12"	EP2SPA1217N	\$965	\$1,015	\$1,035	\$1,055	+ \$27	+ \$53
18"	EP2SPA1817N	\$992	\$1,042	\$1,062	\$1,082	+ \$27	+ \$53
24"	EP2SPA2417N	\$1,018	\$1,078	\$1,098	\$1,118	+ \$27	+ \$53
30"	EP2SPA3017N	\$1,045	\$1,105	\$1,135	\$1,155	+ \$27	+ \$53
36"	EP2SPA3617N	\$1,071	\$1,141	\$1,171	\$1,191	+ \$27	+ \$53
42"	EP2SPA4217N	\$1,084	\$1,164	\$1,204	\$1,224	+ \$27	+ \$53
48"	EP2SPA4817N	\$1,111	\$1,201	\$1,251	\$1,271	+ \$27	+ \$53
60"	EP2SPA6017N	\$1,137	\$1,257	\$1,307	\$1,337	+ \$27	+ \$53

# Specify

- 1. Model#
- 2. Insert color
- 3. Paint

# Assembly

# Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel


# Not Included

• Top cap (use top cap from base panel)

# **Ordered Separately**

- Stack-on posts
- Panel connectors

# **Stack-on Panels**Perforated Aluminum Insert without Slots



20" H			ı	NSERT PAINT		PAIN	١T
W	MODEL#	PA	P1	P2	Р3	P2	P3
12"	EP2SPA1220N	\$992	\$1,042	\$1,062	\$1,082	+ \$27	+ \$53
18"	EP2SPA1820N	\$1,018	\$1,068	\$1,088	\$1,108	+ \$27	+ \$53
24"	EP2SPA2420N	\$1,045	\$1,095	\$1,125	\$1,145	+ \$27	+ \$53
30"	EP2SPA3020N	\$1,071	\$1,131	\$1,161	\$1,181	+ \$27	+ \$53
36"	EP2SPA3620N	\$1,084	\$1,164	\$1,204	\$1,224	+ \$27	+ \$53
42"	EP2SPA4220N	\$1,111	\$1,191	\$1,251	\$1,271	+ \$27	+ \$53
48"	EP2SPA4820N	\$1,137	\$1,227	\$1,297	\$1,327	+ \$27	+ \$53
60"	EP2SPA6020N	\$1,163	\$1,303	\$1,353	\$1,403	+ \$27	+ \$53
25" H							
12"	EP2SPA1225N	\$1,031	\$1,081	\$1,101	\$1,121	+ \$27	+ \$53
18"	EP2SPA1825N	\$1,058	\$1,108	\$1,138	\$1,158	+ \$27	+ \$53
24"	EP2SPA2425N	\$1,084	\$1,144	\$1,174	\$1,194	+ \$27	+ \$53
30"	EP2SPA3025N	\$1,111	\$1,171	\$1,221	\$1,241	+ \$27	+ \$53
36"	EP2SPA3625N	\$1,137	\$1,207	\$1,267	\$1,287	+ \$27	+ \$5
42"	EP2SPA4225N	\$1,163	\$1,243	\$1,313	\$1,333	+ \$27	+ \$5
48"	EP2SPA4825N	\$1,204	\$1,294	\$1,364	\$1,394	+ \$27	+ \$5
60"	EP2SPA6025N	\$1,244	\$1,384	\$1,424	\$1,464	+ \$27	+ \$53
32" H							
12"	EP2SPA1232N	\$1,058	\$1,108	\$1,128	\$1,148	+ \$27	+ \$53
18"	EP2SPA1832N	\$1,084	\$1,134	\$1,164	\$1,184	+ \$27	+ \$53
24"	EP2SPA2432N	\$1,111	\$1,171	\$1,201	\$1,221	+ \$27	+ \$53
30"	EP2SPA3032N	\$1,137	\$1,227	\$1,257	\$1,277	+ \$27	+ \$5
36"	EP2SPA3632N	\$1,163	\$1,273	\$1,313	\$1,333	+ \$27	+ \$5
42"	EP2SPA4232N	\$1,191	\$1,311	\$1,371	\$1,391	+ \$27	+ \$5
48"	EP2SPA4832N	\$1,230	\$1,350	\$1,430	\$1,450	+ \$27	+ \$5
60"	EP2SPA6032N	\$1,296	\$1,456	\$1,536	\$1,566	+ \$27	+ \$5
87" H							
12"	EP2SPA1237N	\$1,084	\$1,134	\$1,154	\$1,174	+ \$27	+ \$53
18"	EP2SPA1837N	\$1,111	\$1,161	\$1,191	\$1,211	+ \$27	+ \$5
24"	EP2SPA2437N	\$1,137	\$1,197	\$1,227	\$1,257	+ \$27	+ \$5
30"	EP2SPA3037N	\$1,163	\$1,263	\$1,293	\$1,323	+ \$27	+ \$5
36"	EP2SPA3637N	\$1,191	\$1,321	\$1,351	\$1,391	+ \$27	+ \$5
42"	EP2SPA4237N	\$1,217	\$1,357	\$1,407	\$1,457	+ \$27	+ \$5
48"	EP2SPA4837N	\$1,257	\$1,407	\$1,467	\$1,527	+ \$27	+ \$5

	Insert Type	W	Н	Slots
EP2S Stack-on panel	PA Perforated Aluminum	36	15	N Without Slots
EP2S	PA	36	15	N

\$1,323 \$1,523

\$1,643

\$1,583

60"

EP2SPA6037N



		······	•••••	•••••		
<b>Standard</b>			PAINT			
Н	MODEL#	P1	P2	Р3		
12"	EP1SPC12	\$165	\$170	\$175		
13"	EP1SPC13	\$179	\$184	\$189		
15"	EP1SPC15	\$191	\$196	\$201		
17"	EP1SPC17	\$205	\$210	\$215		
20"	EP1SPC20	\$232	\$242	\$252		
25"	EP1SPC25	\$251	\$261	\$271		
32"	EP1SPC32	\$266	\$276	\$286		
37"	EP1SPC37	\$278	\$288	\$298		
Panel connectors must be ordered separately.						



# **Extended**

=///Cilar	<b>-</b>						
12"	EP1SPC12E		\$165	\$170	\$175		
13"	EP1SPC13E		\$179	\$184	\$189		
15"	EP1SPC15E		\$191	\$196	\$201		
17"	EP1SPC17E		\$205	\$210	\$215		
20"	EP1SPC20E		\$232	\$242	\$252		
25"	EP1SPC25E		\$251	\$261	\$271		
32"	EP1SPC32E		\$266	\$276	\$286		
37"	EP1SPC37E		\$278	\$288	\$298		
Panel connectors must be ordered separately.							

# Specify

- 1. Model#
- 2. Paint

# **Application Notes**

Stack-on post must be used between adjacent stack-on panels.

# Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

# Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



# **Coat Hook Straight**

DESCRIPTION	W	D	Н	MODEL#	BLACK OR MATTE ALUM
5 Pack	1/8"	1 3/8"	2 3/8"	EP3MMCH (B/P)	\$187



# **Coat Hook Postless End**

5 Pack	1 3/8"	3/8"	2 3/8"	EP3MMCHPE (R/L)(B/P)	\$187
J I dell	1 /0	70	2 /0	21 Junio 2 (172)(D/17)	7107

# Specify


- 1. Model#
- 2. Paint

# **Coat Hook**

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.


# Available in two colors

Black (B) Matte Aluminum (P)




# 8" H

W	Н	MODEL#	LIST
12"	8"	EPFLGL1208	\$185
18"	8"	EPFLGL1808	\$251
24"	8"	EPFLGL2408	\$319
30"	8"	EPFLGL3008	\$385
36"	8"	EPFLGL3608	\$452
42"	8"	EPFLGL4208	\$517
48"	8"	EPFLGL4808	\$584
60"	8"	EPFLGL6008	\$650
66"	8"	EPFLGL6608	\$717
72"	8"	EPFLGL7208	\$783



# 12" H

w	Н	MODEL#	LIST
12"	12"	EPFLGL1212	\$251
18"	12"	EPFLGL1812	\$331
24"	12"	EPFLGL2412	\$411
30"	12"	EPFLGL3012	\$478
36"	12"	EPFLGL3612	\$544
42"	12"	EPFLGL4212	\$610
48"	12"	EPFLGL4812	\$676
60"	12"	EPFLGL6012	\$743
66"	12"	EPFLGL6612	\$809
72"	12"	EPFLGL7212	\$876



# 14" H

W	Н	MODEL#	LIST
12"	14"	EPFLGL1214	\$292
18"	14"	EPFLGL1814	\$398
24"	14"	EPFLGL2414	\$504
30"	14"	EPFLGL3014	\$610
36"	14"	EPFLGL3614	\$717
42"	14"	EPFLGL4214	\$823
48"	14"	EPFLGL4814	\$929
60"	14"	EPFLGL6014	\$1,036
66"	14"	EPFLGL6614	\$1,141
72"	14"	EPFLGL7214	\$1.248

Sp	ecify	
1.	Model #	

2. Glass finish

# Glass Finishes

CL .. Clear GR .. Grey SM .. Smoked TR .. Translucent

# **Application Notes**

Glass is a single-pane, %" tempered safety glass. Frameless glass can span multiple panels with one piece of glass.

# Assembly

## Not Included

• Attachment connectors

			Тор Сар	Туре	W	Н
Ī	EP	Equity Panel	FL Frameless	GL Glass	48	12
:					•	
:					:	
:					:	
:					:	
:		:	:	<b>.</b>		
:	EP		FL	GL	48	12
:		·:	• • • • • • • • • • • • • • • • • • • •	<b>.</b>	<b>::</b>	

# **Frameless Glass**

Frameless Connectors			PAINT		
DESCRIPTION	MODEL#		P1	P2	Р3
Straight	EPFLCS		\$79	\$85	\$92
2-way L	EPFLCL		\$85	\$92	\$99
3-way T	EPFLCT		\$85	\$92	\$99
3-way Y 120	EPFLCY		\$85	\$92	\$99
4-way X	EPFLCX		\$85	\$92	\$99
End	EPFLCE		\$79	\$85	\$92







2-way L **EPFLCL** 



3-way T **EPFLCT** 



3-way Y 120 **EPFLCY** 



4-way X **EPFLCX** 



End **EPFLCE** 

-			•
	n٥	ď	hv.
•	μc	u	ıу

Model #
 Paint

Application Notes

Frameless glass mounts to panels on either end thru connectors that screw into the top of the panel's posts.

# Assembly

## Included

• Attachment hardware

	тор Сар	туре	VV	
EP Equity Panel	FL Frameless	C Connector	S	Straight
			L	2-way L
			Т	3-way T
			Υ	3-way Y
			Χ	4-way X
			E	End
	:			
EP	FI	c	ς	
				•



Add-d	n Screens			PAINT	
W	Н	MODEL#	P1	P2	P3
12"	15"	EP3AOPG1215	\$799	\$824	\$841
18"	15"	EP3AOPG1815	\$906	\$931	\$948
24"	15"	EP3AOPG2415	\$941	\$966	\$983
30"	15"	EP3AOPG3015	\$994	\$1,019	\$1,036
36"	15"	EP3AOPG3615	\$1,059	\$1,084	\$1,101
42"	15"	EP3AOPG4215	\$1,174	\$1,199	\$1,216
48"	15"	EP3AOPG4815	\$1,282	\$1,307	\$1,324
60"	15"	EP3AOPG6015	\$1,312	\$1,337	\$1,354

pecify	Plexiglass Finishes	Application Notes	
. Model # 2. Plexiglass finish 3. Paint	CL Clear IC Ice SM Smoked TR Translucent LF Frost	Add-on screens mount on the slotted standard with two (2) die cast stanchion brackets that are included.	Add-on screens are compatible with flat (N) and beveled (3) top caps.
	EI I I I OSC	Two add-on screens may not be mounted next to	Assembly
		each other on the inside corner of a 90° connection.	Included  • Attachment hardware



Slat R	ail — p	anel mounted			PAINT	•••••
W	Н	MODEL #	MATTE ALUM	P1	P2	P3
12"	6"	SR612	\$159	\$189	\$207	\$226
18"	6"	SR618	\$171	\$201	\$221	\$241
24"	6"	SR624	\$199	\$229	\$251	\$274
30"	6"	SR630	\$212	\$242	\$266	\$290
36"	6"	SR636	\$225	\$255	\$280	\$306
42"	6"	SR642	\$238	\$278	\$305	\$333
48"	6"	SR648	\$266	\$306	\$336	\$367
60"	6"	SR660	\$278	\$328	\$360	\$393

Slat R	Rail Ac	cessori	ies				PAINT	
w	Н	D	MODEL#	DESCRIPTION	MATTE ALUM	P1	P2	Р3
12 1/4"	4"	2 ¾"	SRAFLH	File hanger	\$92	\$126	\$138	\$151
13 1/4"	7/8"	9 5/8"	SRAPAT	Paper tray	\$106	\$140	\$154	\$168
3 1/4"	3 ½"	1 ½"	SRAUPT	Upright tray	\$79	\$113	\$124	\$135
2 ¾"	7/8"	3 ¾"	SRASMT	Small tray	\$66	\$100	\$110	\$120
7 3/4"	7/8"	3 3/8"	SRAPNH	Pencil holder	\$66	\$100	\$110	\$120



File Hanger **SRAFLH** 



Paper Tray **SRAPAT** 



Pencil Holder **SRAPNH** 



Small Tray SRASMT




Upright Tray **SRAUPT** 

# Specify

- 1. Model #
- 2. Paint

# Electrical How to Order

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.




## SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
   One for each point of connection to the building power supply.
   Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
   Shrouds are included when post assemblies are ordered.
   Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- 5. Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

## **Calculate Correct Jumper Length**

- 1) Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



 Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

## A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

# **B. Duplex Receptacles**Always specified separately according to circuit access.

## C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


# **SPECIAL CONSIDERATIONS**

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

# **ELECTRICAL**



# Electrical

## **BASE INFEED MODULE**

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4' 6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 63.

Connecting to the building power source must be performed by a licensed electrician.

## **CEILING INFEED MODULE**

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

# RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten %" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

## **CABLE CAPACITY**

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

## 8-WIRE SYSTEM

### 2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


### 3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.


## **10-WIRE SYSTEM**

### 3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.







# **COMPATIBILITY**

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

# **Electrical**Ceiling Infeeds



Ceili	ng In	feed	s		PAINT	
W	D	Н	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM49M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM54M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM61M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM66M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM81M	\$789	\$829	\$871

# **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$630
E-Series 8-wire	EE1CH-8	\$517

# Specify

- 1. Model #
- 2. Paint

Fabric cover modules are not available.

## Configurations

## 8-wire

2 + 2

3 + 1

### 10-wire

3 + 3

## **Application Notes**

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

# Ceiling Infeeds

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.


Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.

Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.



# **Base Infeeds**

DESCRIPTION	W	MODEL #	LIST
8-wire (right handed)	54"	EE1BI-8	\$308
8-wire (right handed)	72"	EE1BI72-8	\$380
10-wire (right handed)	54"	EE1BI-10	\$372
10-wire (right handed)	72"	EE1BI72-10	\$452
8-wire (left handed)	54"	EE1BI-8-L	\$308
8-wire (left handed)	72"	EE1BI72-8-L	\$380
10-wire (left handed)	54"	EE1BI-10-L	\$372
10-wire (left handed)	72"	EE1BI72-10-L	\$452



# Base Infeeds – New York

10-wire	EE1BI-10N	\$468
8-wire	EE1BI-8N	\$383



# Base Infeeds – San Francisco

8-wire (non-handed)	54"	EE1BI-8SF	\$308
8-wire (non-handed)	72"	EE1BI72-8SF	\$380
10-wire (non-handed)	54"	EE1BI-10SF	\$372
10-wire (non-handed)	72"	EE1BI72-10SF	\$452



# **Jumper End Base Infeeds**

10-wire (w/ground)	72"	EE1BIJ-10G	\$519
8-wire (w/ground)	72"	EE1BIJ-8G	\$430
8-wire	72"	EE1BIJ-8	\$394
10-wire	72"	EE1BIJ-10	\$487

Configuration	ons
8-wire	
2 + 2	
3 + 1	
10-wire	

3 + 3

## Base Infeeds

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

## Jumper End Base Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.

# **Electrical** Components







		***********			
Duplex Receptacle		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1		•		\$62
Circuit #2	EE1R2		•		\$62
Circuit #3 dedicated for 2+2	EE1R3D				\$62
Circuit #3 for 3+1	EE1R3				\$62
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D		•		\$62
Circuit #5 dedicated circuit for 3+3	EE1R5D				\$62
Circuit #6 dedicated circuit for 3+3	EE1R6D				\$62



Duplex Receptacle (10 Pack)		8-WIRE		10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1 P10				\$519
Circuit #2	EE1R2 P10				\$519
Circuit #3 dedicated for 2+2	EE1R3D P10				\$519
Circuit #3 for 3+1	EE1R3 P10				\$519
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10		•		\$519
Circuit #5 dedicated circuit for 3+3	EE1R5D P10				\$519
Circuit #6 dedicated circuit for 3+3	EE1R6D P10				\$519



Receptacle – Side Mount		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
10 Pack	FF1SMRR10				\$315

Data Shield			/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Terminal block shield	EE15BR				\$96



# **Knock-out Replacement Cover**

DESCRIPTION	MODEL#	LIST
10 Pack	EE1KC10	\$85

## Application Notes

Receptacles are black only.


## Terminal Block

A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

## Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.



Jumper			8-WIRE	10-WIRE
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL#	- Unite	
18"	11 ½"	EE1C18-(8/10)	\$137	\$162
21"	14 ½"	EE1C21-(8/10)	\$141	\$166
24"	17 ½"	EE1C24-(8/10)	\$146	\$170
27"	20 ½"	EE1C27-(8/10)	\$147	\$181
30"	23 ½"	EE1C30-(8/10)	\$151	\$183
33"	26 ½"	EE1C33-(8/10)	\$155	\$191
36"	29 ½"	EE1C36-(8/10)	\$156	\$194
39"	32 ½"	EE1C39-(8/10)	\$163	\$203
42"	35 ½"	EE1C42-(8/10)	\$167	\$209
45"	38 ½"	EE1C45-(8/10)	\$171	\$212
48"	41 ½"	EE1C48-(8/10)	\$178	\$214
51"	44 ½"	EE1C51-(8/10)	\$183	\$224
54"	47 ½"	EE1C54-(8/10)	\$183	\$224
57"	50 ½"	EE1C57-(8/10)	\$194	\$233
60"	53 ½"	EE1C60-(8/10)	\$198	\$239
63"	56 ½"	EE1C63-(8/10)	\$204	\$243
66"	59 ½"	EE1C66-(8/10)	\$207	\$254
69"	62 ½"	EE1C69-(8/10)	\$207	\$254
72"	65 ½"	EE1C72-(8/10)	\$214	\$261
75"	68 1/2"	EE1C75-(8/10)	\$216	\$265
78"	71 ½"	EE1C78-(8/10)	\$220	\$272
81"	74 ½"	EE1C81-(8/10)	\$223	\$273
84"	77 ½"	EE1C84-(8/10)	\$224	\$276
87"	80 ½"	EE1C87-(8/10)	\$234	\$289
90"	83 ½"	EE1C90-(8/10)	\$239	\$292
93"	86 ½"	EE1C93-(8/10)	\$242	\$297
96"	89 1/2"	EE1C96-(8/10)	\$250	\$304
99"	92 ½"	EE1C99-(8/10)	\$255	\$308
102"	95 ½"	EE1C102-(8/10)	\$258	\$314
105"	98 ½"	EE1C105-(8/10)	\$261	\$319
108"	101 ½"	EE1C108-(8/10)	\$262	\$321
111"	104 ½"	EE1C111-(8/10)	\$272	\$326
114"	107 ½"	EE1C114-(8/10)	\$278	\$335
120"	113 ½"	EE1C120-(8/10)	\$290	\$350
126"	119 ½"	EE1C126-(8/10)	\$295	\$357
132"	125 ½"	EE1C132-(8/10)	\$300	\$368
144"	137 ½"	EE1C144-(8/10)	\$319	\$388

# Configurations

**8-wire** 2 + 2

3 + 1

**10-wire** 3 + 3


# Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

## Calculate the Correct Length

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





# **Terminal Block**





# **Duplex Receptacles**

- aprex metebrasies		
	EE1RIIIN	\$72
	EE1RIIN	\$72
	EE1RIN	\$72
	EE1RIVN	\$72



# **Duplex Receptacles (10 pack)**

EE1RIIIN P10	\$552
EE1RIIN P10	\$552
EE1RIN P10	\$552
EE1RIVN P10	\$552



# **Base Infeeds**

NOMINAL LENGTH	MODEL#	LIST
54"	EE1BI-(N3/N4)	\$393
72"	EE1BI72-(N3/N4)	\$416



# Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$393
72"	EE1BI72-(N3/N4)SF	\$416

# **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 8-wire	EE1CH-N3	\$863
E-Series 10-wire	EE1CH-N4	\$1,032

## Specification Information

## 8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

# 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

# **Application Notes**


## **Jumpers**

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.


## Calculate the Correct Length

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.



# **Jumper**



NOMINAL LENGTH	MODEL #	LIST
18"	EE1C18-(N3/N4)	\$167
21"	EE1C21-(N3/N4)	\$178
24"	EE1C24-(N3/N4)	\$182
27"	EE1C27-(N3/N4)	\$191
30"	EE1C30-(N3/N4)	\$198
33"	EE1C33-(N3/N4)	\$203
36"	EE1C36-(N3/N4)	\$204
39"	EE1C39-(N3/N4)	\$211
42"	EE1C42-(N3/N4)	\$220
45"	EE1C45-(N3/N4)	\$224
48"	EE1C48-(N3/N4)	\$225
51"	EE1C51-(N3/N4)	\$236
54"	EE1C54-(N3/N4)	\$236
57"	EE1C57-(N3/N4)	\$243
60"	EE1C60-(N3/N4)	\$255
63"	EE1C63-(N3/N4)	\$259
66"	EE1C66-(N3/N4)	\$262
69"	EE1C69-(N3/N4)	\$262
72"	EE1C72-(N3/N4)	\$276
75"	EE1C75-(N3/N4)	\$281
78"	EE1C78-(N3/N4)	\$287
81"	EE1C81-(N3/N4)	\$290
84"	EE1C84-(N3/N4)	\$292
87"	EE1C87-(N3/N4)	\$304
90"	EE1C90-(N3/N4)	\$308
93"	EE1C93-(N3/N4)	\$312
96"	EE1C96-(N3/N4)	\$319
99"	EE1C99-(N3/N4)	\$322
102"	EE1C102-(N3/N4)	\$326
105"	EE1C105-(N3/N4)	\$335
108"	EE1C108-(N3/N4)	\$337
111"	EE1C111-(N3/N4)	\$349
114"	EE1C114-(N3/N4)	\$354
120"	EE1C120-(N3/N4)	\$369
126"	EE1C126-(N3/N4)	\$376
132"	EE1C132-(N3/N4)	\$385
144"	EE1C144-(N3/N4)	\$407

## Specification Information

# 8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

# 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

# **Application Notes**


# Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

## **Calculate the Correct Length**

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





# **Charge Spot**

DESCRIPTION	MODEL#	LIST
Wireless device charger	AWDC1	\$542
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,834



# **Charge Spot Dongles**

Apple Lightning dongle	AWDCSA	\$97
mUSB dongle	AWDCSU	\$97

# **Charge Spot Replacement Power**

Single unit power supply	AWDCRPS1	\$71
Multi unit power supply	AWDCRPS4	\$326



# **Ashley** Duo

DESCRIPTION	W	D	Н	MODEL#	LIST
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$480
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$492



# **Ashley Duo Air**

In-surface pop-up power	7"	5"	EPUPM72	\$628
In-surface pop-up power	7"	5"	EPUPM120	\$641

# **Ashley 202**









Clamp					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM72	\$451
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM120	\$464
Under Worksurface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW72	\$388
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW120	\$400
In Surface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS72	\$451
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS120	\$464

# Specify

- 1. Model # 2. Model #
- Specify Ashley Duo
  - 3. Metal trim finish
  - 4. Plastic finish
  - 5. For Hardwired add **HW** to end of model number and add **\$85** to list price

# Ashley Duo

# Specifications

- 2 15A, 120V AC Power Outlets
- 2 2.1A/10.5W USB Charging Ports
- 6' or 10' Cord and Hardwire Options
- Meets USB.org Battery Charging 1.2 Specifications
- Accommodates surfaces
   1" to 1 ¾" thick.

# **Data Wiring**

Data wiring and keystones provided by customer's cabling contractor.

# **Ashley Trio**



Clamp					
72" cord length	8"	3 %"	2"	EE4WSATRIOCM72	\$960
120" cord length	8"	3 %"	2"	EE4WSATRIOCM120	\$993



Under Worksurface					
72" cord length	8"	3 %"	2"	EE4WSATRIOUW72	\$861
120" cord length	8"	3 %"	2"	EE4WSATRIOUW120	\$894



In Surface					
72" cord length	8 1/8"	3 1/8"	2"	EE4WSATRIOIS72	\$920
120" cord length	8 %"	3 %"	2"	EE4WSATRIOIS120	\$953

# **Ashley Quad**



Under Worksurface					
4 AC outlets, 2 USB, 2 Data	10 %"	3 %"	1 3/4"	EE4UWSAQ2D72	\$830
4 AC outlets, 2 USB, 2 Data	10 %"	3 %"	1 3/4"	EE4UWSAQ2D120	\$855
In Surface					
4 AC outlets, 2 USB, 2 Data	10 %"	3 %"	1 3/4"	EE4ISAQ2D72	\$944
4 AC outlets, 2 USB, 2 Data	10 %"	3 1/8"	1 3/4"	EE4ISAQ2D120	\$970



# **Desktop Power**

108" Cord length	3 ¾"	4 1/2"	EE4WSME108	\$207
72" Cord length	3 ¾"	4 1/2"	EE4WSME72	\$234



# **Desktop Data**

3 ¾" 2 ½" 5" **EE4WSMC** \$176



# **Desktop Power & Data**

108" Cord length	EE4WSMED108	\$460
72" Cord length	EE4WSMED72	\$502

# Specify Ashley

- 1. Model#
- 2. Metal trim finish
- 3. Plastic finish
- 4. For Hardwired add **HW** to end of model number and add **\$85** to list price.

# Ashley 202

# Specifications

- 2 15A, 120V AC Power Outlets
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option
- Accommodates surfaces 1" to 1 ¾" thick.

# Ashley Trio

## Specifications

- 3- 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 6' or 10' Cord or
- Hardwire Option
   1 Data Insert for HDMI,
- RJ45 or VGA ports1 Data Port Adapter Kit Comes Standard

# **Ashley Quad**

## Specifications

- 4 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option

## **Metal Trim Finishes**

MBLK .... Black MWHT ... White MSIL ... Silver

## **Plastic Finishes**

**PBLK**......Black **PWHT**.....White **PSIL** .....Silver

# Worksurfaces

**General Info** 

Step 1 - Model #

					Op	tions		
Worksurface Type	W	D		Wiring			Extended En	ıds
EW1 Rectangle	48	24	G	Grommets	\$33	Е	One End	\$28
			G2	Scallop	\$68	EE	Both Ends	\$57
EW1	48	24	G			Е		

Step 2 - Surface Finish

Step 3 – Edge Finish Laminate **Edge Band** PW-STK Studio Teak EB-STK Studio Teak **PW-STK EB-STK** 

# **FEATURES**

## **DEPTHS** 20" 24"

30" 36"

## WIDTHS

24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 114" 120"

# **THICKNESS**

1 1/8"

# **WIRING & CABLING**

## **GROMMET**



When a standard grommet is specified it is in a rear, centered location and is available in black only. Corner worksurfaces provide two edge grommets.

## **SCALLOP**



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

## **CABLE DROP**

3/8" Cable management gap

# **EDGE DETAIL**

# **STANDARD**

3mm ABS

## WOODGRAIN

2mm PVC

# **SURFACE MATERIALS**

# STANDARD WORKSURFACE

High pressure laminate

# **CASCADE WORKSURFACE**

Thermafoil (available on Cascade edge only)


# **EDGEBAND**

Available matching or contrasting. Upcharge may be applicable.

## **SUPPORTS**

Under worksurface — black powdercoat Countercap supports — paint

# **WORKSURFACES**



# Worksurface General Information

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page (page 14) at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.

#### **D&PTOPS**

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

#### **WORKSURFACE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1 ½" narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1½" to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "EE", extending the surface by 3" from the standard. Adjustable height work surfaces, page 88, are 2" narrower than a standard surface to meet anti-pinch point requirements around their perimeter.

**E**.... Covers 1 post **EE**... Covers 2 posts


#### 24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".


(T) - Available on

W	Н	W (actual)	
48"	24"	43 1/4"	EW14824T
54"	24"	49 1/4"	EW15424T
60"	24"	55 1/4"	EW16024T
66"	24"	61 1/4"	EW16624T
72"	24"	67 1/4"	EW17224T
78"	24"	73 1/4"	EW17824T
84"	24"	79 1/4"	EW18424T




#### MOUNTING CORNER WORKSURFACES

**USING ALL CANTILEVERS** 



USING 2 CANTILEVERS AND 1 PANEL TO WORKSURFACE BRACKET



## Worksurface Support Information


Worksurf	ace Sizes	Cantile	ver-C	Adjustable Bar	Support-S	Supporting Pedestal	Supporting Pedestal
W	D	EB1C20	(L/R)	EB1SR(	S/L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	2S	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C	_	+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"	_		378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	-		432 lbs	2S/2C	-	+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"	_		486 lbs	2S/2C	_	+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
	30"			540 lbs	2S/2C		+3 Support

- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
   As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.

INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.


# Worksurface Grain Direction



W3	W6	W13
	W7	T3
W4	W11	T4
W5	W12	T5



<u> 20" [</u>	)eep				LAMINATE				
W	D	HA AVAILABLE	MODEL#	L1	L2	L3			
24"	20"		EW12420	\$430	\$473	\$516			
30"	20"		EW13020	\$465	\$511	\$558			
36"	20"		EW13620	\$506	\$556	\$607			
42"	20"		EW14220	\$541	\$595	\$649			
48"	20"		EW14820	\$583	\$641	\$699			
54"	20"		EW15420	\$617	\$678	\$740			
60"	20"		EW16020	\$660	\$726	\$792			
66"	20"		EW16620	\$694	\$763	\$832			
72"	20"		EW17220	\$708	\$778	\$849			
78"	20"		EW17820	\$735	\$808	\$882			
84"	20"		EW18420	\$777	\$854	\$932			
90"	20"		EW19020	\$811	\$892	\$973			
96"	20"		EW19620	\$853	\$938	\$1,023			
102"	20"		EW110220	\$888	\$976	\$1,065			
108"	20"		EW110820	\$930	\$1,023	\$1,116			
114"	20"		EW111420	\$965	\$1,061	\$1,158			
120"	20"		EW112020	\$1,006	\$1,106	\$1,207			



# 24" Deep


W	D	HA AVAILABLE	MODEL#	L1	L2	L3
24"	24"		EW12424	\$471	\$518	\$565
30"	24"		EW13024	\$499	\$548	\$598
36"	24"		EW13624	\$528	\$580	\$633
42"	24"	•	EW14224	\$555	\$610	\$666
48"	24"	•	EW14824	\$583	\$641	\$699
54"	24"	•	EW15424	\$624	\$686	\$748
60"	24"	•	EW16024	\$700	\$770	\$840
66"	24"	•	EW16624	\$771	\$848	\$925
72"	24"	•	EW17224	\$784	\$862	\$940
78"	24"		EW17824	\$806	\$886	\$967
84"	24"		EW18424	\$819	\$900	\$982
90"	24"		EW19024	\$833	\$916	\$999
96"	24"		EW19624	\$882	\$970	\$1,058
102"	24"		EW110224	\$930	\$1,023	\$1,116
108"	24"		EW110824	\$965	\$1,061	\$1,158
114"	24"		EW111424	\$1,006	\$1,106	\$1,207
120"	24"		EW112024	\$1,041	\$1,145	\$1,249

# 24" DEEP STRAIGHTS **& 15" TOWERS**




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

					Options							
		W	D		Wiring			Extended En	ds		Height Adjustable	
EW1	Rectangle	48	24	<b>G</b> G2	<b>Grommet</b> Scallop	<b>\$33</b> \$68	E EE	One End Both Ends	<b>\$28</b> \$57	HA	4 HAT Supports	\$0
EW1		48	24	G			Е			НА		



				:	:					
30" [	)eep				LAMINATE					
W	D	HA AVAILABLE	MODEL#	L1	L2	L3				
24"	30"		EW12430	\$541	\$595	\$649				
30"	30"		EW13030	\$583	\$641	\$699				
36"	30"		EW13630	\$617	\$678	\$740				
42"	30"	•	EW14230	\$660	\$726	\$792				
48"	30"	•	EW14830	\$679	\$746	\$814				
54"	30"	•	EW15430	\$790	\$869	\$948				
60"	30"	•	EW16030	\$853	\$938	\$1,023				
66"	30"	•	EW16630	\$909	\$999	\$1,090				
72"	30"	•	EW17230	\$958	\$1,053	\$1,149				
78"	30"		EW17830	\$985	\$1,083	\$1,182				
84"	30"		EW18430	\$1,041	\$1,145	\$1,249				
90"	30"		EW19030	\$1,096	\$1,205	\$1,315				
96"	30"		EW19630	\$1,131	\$1,244	\$1,357				
102"	30"		EW110230	\$1,250	\$1,375	\$1,500				
108"	30"		EW110830	\$1,312	\$1,443	\$1,574				
114"	30"		EW111430	\$1,361	\$1,497	\$1,633				
120"	30"		EW112030	\$1,417	\$1,558	\$1,700				



# 36" Deep

W	D	HA AVAILABLE	MODEL#	L1	L2	L3
48"	36"		EW14836	\$944	\$1,038	\$1,132
54"	36"		EW15436	\$979	\$1,076	\$1,174
60"	36"		EW16036	\$1,020	\$1,122	\$1,224
66"	36"		EW16636	\$1,076	\$1,183	\$1,291
72"	36"		EW17236	\$1,152	\$1,267	\$1,382
78"	36"		EW17836	\$1,215	\$1,336	\$1,458
84"	36"		EW18436	\$1,250	\$1,375	\$1,500
90"	36"		EW19036	\$1,312	\$1,443	\$1,574
96"	36"		EW19636	\$1,389	\$1,527	\$1,666
102"	36"		EW110236	\$1,466	\$1,612	\$1,759
108"	36"		EW110836	\$1,548	\$1,702	\$1,857
114"	36"		EW111436	\$1,632	\$1,795	\$1,958
120"	36"		EW112036	\$1,701	\$1,871	\$2,041

#### Specify

- 1. Model#
- Options
   Laminate
- 4. Edge band

# **Grain Direction**

# Wiring & Cabling **G2** G

\$68

#### Grommet \$33 Scallop

## **Support Information**

All supports must be ordered separately. See page 84 – 85.


**Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.


Worksurfaces

# **Worksurfaces**

**Corners** 



Strai	ight	Front		LAMINATE			
Α	L	R	MODEL #	L1	L2	L3	
36"	20"	20"	EW1C3620	\$784	\$862	\$940	
36"	24"	24"	EW1C3624	\$784	\$862	\$940	
36"	30"	30"	EW1C3630	\$882	\$970	\$1,058	
42"	20"	20"	EW1C4220	\$993	\$1,092	\$1,191	
42"	24"	24"	EW1C4224	\$993	\$1,092	\$1,191	
42"	30"	30"	EW1C4230	\$1,076	\$1,183	\$1,291	
48"	20"	20"	EW1C4820	\$1,188	\$1,306	\$1,425	
48"	24"	24"	EW1C4824	\$1,188	\$1,306	\$1,425	
48"	30"	30"	EW1C4830	\$1,208	\$1,328	\$1,449	




# **Curved Front**

36	5" 24	4" 24	" EW1CC3624		\$861	\$947	\$1,033
42	2" 24	4" 24	" EW1CC4224	\$	\$1,096	\$1,205	\$1,315
48	3" 24	4" 24	" EW1CC4824	5	\$1,306	\$1,436	\$1,567
60	)" 24	4" 24	" EW1CC6024		\$1,458	\$1,603	\$1,749




# **Corner with Cutout**

48"	24"	24"	EW1C4824K	\$1,180	\$1,298	\$1,416



#### **Different Returns**

36"	24"	30"	EW1C362430	\$1,056	\$1,161	\$1,267	
36"	30"	24"	EW1C363024	\$1,056	\$1,161	\$1,267	
42"	24"	30"	EW1C422430	\$1,188	\$1,306	\$1,425	
42"	30"	24"	EW1C423024	\$1,188	\$1,306	\$1,425	
48"	24"	30"	EW1C482430	\$1,312	\$1,443	\$1,574	
48"	30"	24"	EW1C483024	\$1,312	\$1,443	\$1,574	



Split Corner — all hardware included				LAMINATE		PAINT (CANTILEVERS ONLY)		
A	L	R	MODEL#	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$2,619	\$2,880	\$3,142	+ \$19	+ \$40
42"	24"	24"	EW1SC4224	\$2,689	\$2,957	\$3,226	+ \$19	+ \$40
42"	30"	30"	EW1SC4230	\$2,730	\$3,003	\$3,276	+ \$19	+ \$40
48"	24"	24"	EW1SC4824	\$2,841	\$3,125	\$3,409	+ \$19	+ \$40
48"	30"	30"	EW1SC4830	\$3,030	\$3,333	\$3,636	+ \$19	+ \$40

Paint option is for cantilevers only. All other hardware is only available in black.

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Grain direction

# Grain Direction



Insert the desired direction after the laminate finish code.

NOTE: Add \$33 to list price for diagonal grain (D).

#### Wiring & Cabling





Grommet \$33 Scal

Scallop

## **Application Notes**


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

#### Support Information


All supports must be ordered separately. See page 84 – 85.

# Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	t Ha	nd					LAMINATE	
L	Α	В	R	HA AVAILABLE	MODEL#	L1	L2	L3
24"	36"	60"	24"		EW1BS3660S(X/L/R/B)	\$1,173	\$1,290	\$1,407
24"	48"	60"	24"	•	EW1BS4860S(X/L/R/B)	\$1,201	\$1,321	\$1,441
24"	48"	66"	24"	•	EW1BS4866S(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	36"	72"	24"	•	EW1BS3672S(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	48"	72"	24"	•	EW1BS4872S(X/L/R/B)	\$1,291	\$1,420	\$1,549
24"	48"	60"	30"		EW1BS4860D(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	48"	66"	30"		EW1BS4866D(X/L/R/B)	\$1,263	\$1,389	\$1,515
24"	48"	72"	30"		EW1BS4872D(X/L/R/B)	\$1,339	\$1,472	\$1,606
30"	48"	60"	24"		EW1BD4860S(X/L/R/B)	\$1,236	\$1,359	\$1,483
30"	48"	66"	24"		EW1BD4866S(X/L/R/B)	\$1,243	\$1,367	\$1,491
30"	48"	72"	24"		EW1BD4872S(X/L/R/B)	\$1,306	\$1,436	\$1,567



# **Left Hand**

24"	60"	36"	24"		EW1BS6036S(X/L/R/B)	\$1,173	\$1,290	\$1,407
24"	60"	48"	24"	•	EW1BS6048S(X/L/R/B)	\$1,208	\$1,328	\$1,449
24"	66"	48"	24"	•	EW1BS6648S(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	72"	36"	24"	•	EW1BS7236S(X/L/R/B)	\$1,243	\$1,367	\$1,491
24"	72"	48"	24"	•	EW1BS7248S(X/L/R/B)	\$1,291	\$1,420	\$1,549
24"	60"	48"	30"		EW1BS6048D(X/L/R/B)	\$1,208	\$1,328	\$1,449
24"	66"	48"	30"		EW1BS6648D(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	72"	48"	30"		EW1BS7248D(X/L/R/B)	\$1,306	\$1,436	\$1,567
30"	60"	48"	24"		EW1BD6048S(X/L/R/B)	\$1,208	\$1,328	\$1,449
30"	66"	48"	24"		EW1BD6648S(X/L/R/B)	\$1,263	\$1,389	\$1,515
30"	72"	48"	24"		EW1BD7248S(X/L/R/B)	\$1,339	\$1,472	\$1,606

											Optio	ns
	L	Α	В		R		Posts Covered		Wiring			Height Adj.
EW1B Blended Worksurface	<b>S 24</b> D 30	36	72	S	<b>24</b> 30	X	No posts covered	<b>G</b> G2	Grommet	\$33	HA	4 HAT Supports
	D 30			D	30	R B	Left side post covered Right side post covered Both side posts covered	G2	Scallop	\$68		
EW1B	S		72	s		Х		G			НА	

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band



# Wiring & Cabling

Grommet \$33

G

# G2 Scallop \$68

#### **Application Notes**

Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

#### Support Information


All supports must be ordered separately. See page 84.


**Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.

# Worksurfaces Corner Peninsulas








#### Left Hand

LCIC	IIIIII	М				
60"	48"	24"	EW1BP6048SL	\$1,354	\$1,489	\$1,624
72"	48"	24"	EW1BP7248SL	\$1,382	\$1,520	\$1,658
72"	48"	30"	EW1BP7248DL	\$1,417	\$1,558	\$1,700
78"	48"	24"	EW1BP7848SL	\$1,445	\$1,589	\$1,734
78"	48"	30"	EW1BP7848DL	\$1,445	\$1,589	\$1,734
84"	48"	24"	EW1BP8448SL	\$1,701	\$1,871	\$2,041
84"	48"	30"	EW1BP8448DL	\$1,736	\$1,909	\$2,083

	Α	В	С	Posts Covered
EW1BP Blended Peninsula	36	72	S 24" Deep	L Left side post covered
			D 30" Deep	R Right side post covered
EW1BP	36	72	: - :	L

#### Specify

- 1. Model #
- 2. Options
- 3. Laminate
- 4. Edge band



#### Grommet


Blended peninsulas do not come with a grommet. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

#### Support Information


All supports must be ordered separately. See page 84 – 85.

# **Worksurface Loading & Support** See page 73.

Center support must be used for all surfaces which exceed 48" in length.



D Pe	ninsu	ıla	LAMINATE			
W	D	MODEL#	L1	L2	L3	
60"	30"	EW1D6030	\$763	\$839	\$915	
72"	30"	EW1D7230	\$1,326	\$1,458	\$1,591	
72"	36"	EW1D7236	\$1,548	\$1,702	\$1,857	
84"	30"	EW1D8430	\$1,736	\$1,909	\$2,083	
84"	36"	EW1D8436	\$1,931	\$2,124	\$2,317	



## 9 & P Peninsula


72"	30"	EW1(9/P)7230	\$1,326	\$1,458	\$1,591
72"	36"	EW1(9/P)7236	\$1,548	\$1,702	\$1,857
84"	30"	EW1(9/P)8430	\$1,736	\$1,909	\$2,083
84"	36"	EW1(9/P)8436	\$1,931	\$2,124	\$2,317

		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula	:	:
EW1P	P Peninsula		:
			:
			:
EW1BP		72	30

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate





#### **Application Notes**

Designed for use as primary worksurfaces and for conferencing in small groups.

NOTE: P and D worksurfaces cannot be panel wrapped.


#### **Support Information**

Column bases and adjustable bar supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

84" wide D, P and 9 worksurfaces include a V support bar mounted on the underside for additional stability.

# **Worksurfaces Half-Round & Linking**



Half	Rour	nd without Notch		LAMINATE	
W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830	\$1,034	\$1,137	\$1,240
60"	36"	EW1HR6036	\$1,298	\$1,427	\$1,557



# **Half Round with Notch**

ĺ	W	D	MODEL#	L1	L2	L3
	48"	30"	EW1HR4830N	\$1,034	\$1,137	\$1,240
	60"	36"	EW1HR6036N	\$1,298	\$1,427	\$1,557



# **Quarter Round**

D	MODEL#	L1	L2	L3
24"	EW1CR24	\$465	\$511	\$558
30"	EW1CR30	\$506	\$556	\$607

	w	_	Options
EW1HR Half Round	36	72	Notch N Round Notch
EW1HR	36	72	N

#### Specify

- 1. Model#
- 2. Options

3. Laminate 4. Edge band



#### **Half Round Without Notches**

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

#### **Half Round With Notches**

## Included


Splice plates

#### Not Included nor Required


• Bar support

#### Support Information

All supports must be ordered separately. See page 84 – 85.




Blended Double Corner			LAMINATE			
A	В	C	MODEL#	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,736	\$1,909	\$2,083



#### 135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	EW11353624	\$1,736	\$1,909	\$2,083
42"	24"	EW11354224	\$1,590	\$1,749	\$1,908
48"	24"	EW11354824	\$1,829	\$2,011	\$2,194



# 135° Cluster Core

A	MODEL#	L1	L2	L3
36"	EW1135C36	\$812	\$893	\$974
42"	EW1135C42	\$898	\$987	\$1,077
48"	EW1135C48	\$986	\$1,084	\$1,183

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band

# **Wiring & Cabling** G

Grommet \$33 Scallop

# **Grain Direction**



#### **Double Corner**

Double corner worksurface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

#### 135° Curved Cluster

Used in 135° planning configurations.

#### Support Information

All supports must be ordered separately. See page 84 – 85.

# **Worksurfaces**

**Supports** 



Cantilever				•	PAINT	
DESCRIPTION	D	MODEL#	BLACK	P1	P2	Р3
Left hand	20"	EB1C20L	\$118	\$199	\$218	\$238
Left hand (10 pack)	20"	EB1C20L10	\$929	\$1,328	\$1,460	\$1,593
Right hand	20"	EB1C20R	\$118	\$199	\$218	\$238
Right hand (10 pack)	20"	EB1C20R10	\$929	\$1,328	\$1,460	\$1,593



#### 120 Cantilever

Left hand 60°	18"	EB3C18L60	\$121	\$201	\$221	\$241
Left hand 90°	18"	EB3C18L90	\$121	\$201	\$221	\$241
Right hand 60°	18"	EB3C18R60	\$121	\$201	\$221	\$241
Right hand 90°	18"	EB3C18R90	\$121	\$201	\$221	\$241




# **Splice Plate**

20" Flat bracket (20" & 24" tops)	EB1F24	\$59	N/A	N/A	N/A
26" Flat bracket (30" & 36" tops)	EB1F30	\$68	N/A	N/A	N/A
Alignment plate 📀	EB1APW	\$18	N/A	N/A	N/A



# **Bracket**

Panel to worksurface bracket	EB1PWS(L/R)	\$19	\$66	\$72	\$79
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$38	\$118	\$129	\$141



# **V Channel Support**

54"	VS54	\$165	N/A	N/A	N/A
100"	VS100	\$319	N/A	N/A	N/A

# **Worksurface Support Rail**

ACTUAL WIDTH	MAX WORKSURFACE WIDTH					
46"	60"	WSR46	\$106	N/A	N/A	N/A
57"	72"	WSR57	\$125	N/A	N/A	N/A

#### Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

#### Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Adjustable Bar Support				PAINT	
DESCRIPTION	MODEL#	BLACK	P1	P2	Р3
24", 30" and 36"	EB1SRS	\$266	\$331	\$364	\$397
24", 30" and 36" (10 pack)	EB1SRS10	\$2,523	\$3,187	\$3,505	\$3,824
42", 48" and 60"	EB1SRL	\$298	\$365	\$401	\$438
42", 48" and 60" (10 pack)	EB1SRL10	\$2,656	\$3,454	\$3,799	\$4,144



Desk Er	nd Panels		• • • • • • • • • • • • • • • • • • •	LAMINATE	
Н	W	MODEL#	L1	L2	L3
29"	20"	EB1DEP20	\$812	\$893	\$974
29"	24"	EB1DEP24	\$829	\$911	\$994
29"	30"	EB1DEP30	\$877	\$964	\$1.052

#### Specify

- 1. Model#
- 2. Paint

#### Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1"increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.



Column Bases		PAINT			
DESCRIPTION	Н	MODEL#	P1	P2	P3
Fixed height support column	27 ¾"	EB1FCOL	\$386	\$420	\$436



# **Tapered Legs**

Single leg	27 ¾"	TBTL	\$422	\$462	\$502
Single leg w/caster	27 ¾"	TBTLC	\$453	\$493	\$533
Set of 2	27 ¾"	TBTL2	\$725	\$794	\$863
Set of 2 w/casters	27 ¾"	TBTL2C	\$784	\$853	\$922
Set of 4	27 ¾"	TBTL4	\$1,388	\$1,520	\$1,652
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,509	\$1,641	\$1,773
Bar height single leg	40 1/2"	TBTLBH	\$953	\$1,068	\$1,183
Bar height set of 2	40 ½"	TBTLBH2	\$1,811	\$2,156	\$2,242
Bar height set of 4	40 ½"	TBTLBH4	\$3,260	\$3,605	\$4,065

# **Round Legs**



Single leg	27 ¾"	TBRL	\$235.00	\$275	\$315
Single leg w/caster	27 ¾"	TBRLC	\$265.00	\$305	\$345
Set of 2	27 ¾"	TBRL2	\$403.00	\$443	\$483
Set of 2 w/casters	27 ¾"	TBRL2C	\$463.00	\$503	\$543
Set of 4	27 ¾"	TBRL4	\$776.00	\$816	\$856
Set of 4 w/casters	27 3/4"	TBRL4C	\$896.00	\$936	\$976



# Round Legs — (Bar Height)

Single leg	40 ¾"	TBRLBH	\$422	\$462	\$502
Single leg w/caster	40 ¾"	TBRLBHC	\$453	\$493	\$533
Set of 2	40 ¾"	TBRLBH2	\$725	\$794	\$863
Set of 2 w/casters	40 ¾"	TBRLBH2C	\$784	\$853	\$922
Set of 4	40 ¾"	TBRLBH4	\$1,388	\$1,520	\$1,652
Set of 4 w/casters	40 ¾"	TBRLBH4C	\$1,509	\$1,641	\$1,773

# Specify

- 1. Model # 2. Paint



0 Legs		PAINT			
DESCRIPTION	Н	MODEL#	P1	P2	P3
24" Deep	27 ¾"	TBOLL24	\$720	\$792	\$864
30" Deep	27 ¾"	TBOLL30	\$733	\$806	\$880
24" Deep (set of 2)	27 ¾"	TBOLL242	\$1,421	\$1,563	\$1,705
30" Deep (set of 2)	27 ¾"	TBOLL302	\$1,445	\$1,590	\$1,734



## T Leas

3-					
20" Deep	27 ¾"	TBTLL20	\$406	\$447	\$487
26" Deep	27 ¾"	TBTLL26	\$419	\$461	\$503
36" Deep	27 ¾"	TBTLL36	\$443	\$487	\$532
42" Deep	27 ¾"	TBTLL42	\$540	\$594	\$648
48" Deep	27 ¾"	TBTLL48	\$636	\$700	\$763
20" Deep (set of 2)	27 ¾"	TBTLL202	\$793	\$872	\$952
26" Deep (set of 2)	27 ¾"	TBTLL262	\$817	\$899	\$980
36" Deep (set of 2)	27 ¾"	TBTLL362	\$865	\$952	\$1,038
42" Deep (set of 2)	27 ¾"	TBTLL422	\$1,058	\$1,164	\$1,270
48" Deep (set of 2)	27 ¾"	TBTLL482	\$1,240	\$1,364	\$1,488



# **C** Legs

20" Deep	27 ¾"	TBCLL20	\$406	\$447	\$487
26" Deep	27 ¾"	TBCLL26	\$419	\$461	\$503
32" Deep	27 ¾"	TBCLL32	\$443	\$487	\$532
20" Deep (set of 2)	27 ¾"	TBCLL202	\$793	\$872	\$952
26" Deep (set of 2)	27 ¾"	TBCLL262	\$817	\$899	\$980
32" Deep (set of 2)	27 ¾"	TBCLL322	\$878	\$966	\$1,054

#### Specify

- 1. Model#
- 2. Paint


#### Levelers

Adjustable height levelers are included at no additional cost on all models.

# Shank Length


C & T-Legs — 3%-16 x 3/4" O-Legs — 3%-16 x 2" Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

# **Height Adjustable Worksurfaces** Worksurface for Height Adjustable Supports



#### Worksurface Only 24" For Height Adjustable Supports LAMINATE WOOD VENEER D MODEL# L1 L2 L3 W1 W2 W3 42" 24" EAW14224WS \$610 \$666 \$555 \$1,112 \$1,223 \$1,334 48" 24" EAW14824WS \$583 \$641 \$699 \$1,167 \$1,283 \$1,400 54" 24" EAW15424WS \$639 \$702 \$1,278 \$1,405 \$1,533 \$766 \$840 60" EAW16024WS \$700 \$770 24" \$1,402 \$1,542 \$1,682 24" EAW17224WS \$784 \$862 \$940 \$1,569 \$1,725 \$1,882

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.



## Worksurface Only 30"

For Height Adjustable Supports

42"	30"	EAW14230WS	\$660	\$726	\$792	\$1,320	\$1,452	\$1,584
48"	30"	EAW14830WS	\$679	\$746	\$814	\$1,361	\$1,497	\$1,633
54"	30"	EAW15430WS	\$763	\$839	\$915	\$1,529	\$1,681	\$1,834
60"	30"	EAW16030WS	\$853	\$938	\$1,023	\$1,708	\$1,878	\$2,049
72"	30"	EAW17230WS	\$958	\$1,053	\$1,149	\$1,918	\$2,109	\$2,301

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.

#### Specify


- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver

#### **Application Notes**

Provides 18" of vertical movement.

#### **Grain Direction**





#### **Specification Guidelines**

Order an adjustable height worksurface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.

There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.

When used as a solitary worksurface perpendicular panels of 18" minimum width must be specified on both sides for stability.

When used in conjunction with a stationary worksurface there should be a perpendicular panel at the free end of the adjustable worksurface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.









# **Electric Height Adjustable Base**

DESCRIPTION	FOOT DEPTH	MODEL#	BLACK OR SILVER
2 legs	23 3/5"	TBAHL224	\$2,651
3 legs	23 3/5"	TBAHL324	\$3,713





#### Specify

- 1. Model#
- 2. Trim color

#### **Application Notes**

**Electric Height Adjustable Base** Adjustable height bases can be used with 24" and 30" deep worksurfaces. Worksurfaces must be between 48" - 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" - 50".

## **Worksurfaces**

120° Planning

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a model number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.


#### Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.

#### Worksurface: W6 (L/R)


In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."



#### Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.








#### Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.












#### Worksurface: W5 (L/R)


With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.


#### Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.










#### Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."





#### Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









#### **Transition Tops**

Transition tops require columns (not included — (page 85)) for support. Flat brackets (not included — (page 84)) are required to attach transition tops to adjacent worksurfaces.



Transition top



Transition top



Transition top



Transition top

#### Peninsula Tops

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — (page 85)).



Peninsula top



Peninsula top: P2 right hand



Peninsula top: P2 left hand

# W


1	W3					LAMINATE	
	W	L	R	MODEL#	L1	L2	L3
	48"	24"	24"	EW1W34824	\$1,417	\$1,558	\$1,700

**Woodgrain Direction** 












48"	24"	24"	EW1W44824	\$1,431	\$1,574	\$1,717
	1 81 41					










48"	24"	24"	EW1W54824L	\$1,354	\$1,489	\$1,624
48"	24"	24"	EW1W54824R	\$1,354	\$1,489	\$1,624

**Woodgrain Direction** 







48"	24"	24"	EW1W64824L	\$1,514	\$1,665	\$1,816
48"	24"	24"	EW1W64824R	\$1,514	\$1,665	\$1,816

**Woodgrain Direction** 



#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

#### **Application Notes**

Refer to the worksurface planning page 90 for worksurface drawings and applications.

#### W3

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the model number and adding \$23 (list).

W3 top may be extended on both ends by adding an "EB" to the end of the model number and adding \$46 (list).





W7					LAMINATE	
	RET	URNS				
W	L	R	MODEL#	ព	L2	L3
48"	24"	24"	EW1W74824L	\$1,507	\$1,657	\$1,808
48"	24"	24"	EW1W74824R	\$1,507	\$1,657	\$1,808
Woodgrain	n Direction	l				





#### W11

	RETURN	S				
w	L	R	MODEL #	L1	L2	L3
48"	24"	18"	EW1W11482418	\$1,778	\$1,955	\$2,133
48"	18"	24"	EW1W11481824	\$1,778	\$1,955	\$2,133

**Woodgrain Direction** 





EW1W12481824 EW1W124824L

EW1W12482418 EW1W124824R

#### W12

	RET	URNS				
W	L	R	MODEL #	L1	L2	L3
48"	24"	18"	EW1W12482418	\$1,889	\$2,077	\$2,266
48"	18"	24"	EW1W12481824	\$1,889	\$2,077	\$2,266
48"	24"	24"	EW1W124824L	\$1,889	\$2,077	\$2,266
48"	24"	24"	EW1W124824R	\$1,889	\$2,077	\$2,266

**Woodgrain Direction** 





EW1W13481824 EW1W13482418
EW1W134824L EW1W134824R

W13

-		RET	URNS				
1	W	L	R	MODEL#	L1	L2	L3
	48"	24"	18"	EW1W13482418	\$1,820	\$2,002	\$2,184
	48"	18"	24"	EW1W13481824	\$1,820	\$2,002	\$2,184
	48"	24"	24"	EW1W134824L	\$1,820	\$2,002	\$2,184
	48"	24"	24"	EW1W134824R	\$1,820	\$2,002	\$2,184
V	Voodgrair	Direction	1				

#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band

#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

#### **Application Notes**

Refer to the worksurface planning page 90 for worksurface drawings and applications.

#### W7

Straight ends are available extended by adding an "E" to the end of the model number and adding \$23 (list).

# **Worksurfaces**

## **Transition Tops**



T2				LAMINATE	
W	RETURN	MODEL#	L1	L2	L3
50"	24"	EW1T224	\$909	\$999	\$1,090
37 ½"	18"	EW1T218	\$853	\$938	\$1,023



**3**26" 24" **EW1T324** \$867 \$953



**T4**26" 24" **EW1T424** \$895 \$984 \$1,074



T5					
37 ½"	18"	EW1T518	\$937	\$1,030	\$1,124
50"	24"	EW1T524	\$917	\$1,008	\$1,100




# **Peninsula Tops**

•	35"	52"	EW1P15235 (L/R)	\$1,006	\$1,106	\$1,207
	36"	38"	EW1P23836(L/R)	\$972	\$1,069	\$1,166

#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band



#### **T2 Transition Top**

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the model number so it is notched for the post.

\$1,040

#### Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately. See page 84 – 85.

#### **CASCADE EDGE**

# Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

#### **AVAILABLE LAMINATES**

#### Solid

114 Folkstone Grey 117 Soft Grey

118 Bright White

119 Pumice

#### Woodgrain

124 Medium Cherry


125 Natural Maple

126 Natural Cherry


127 Walnut

# Worksurfaces

# **Cascade Worksurfaces**



24" [	)eep		LAMI	NATE
W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$308	\$354
30"	24"	ECE1R3024N	\$354	\$405
36"	24"	ECE1R3624N	\$389	\$448
42"	24"	ECE1R4224N	\$448	\$517
48"	24"	ECE1R4824N	\$504	\$580
54"	24"	ECE1R5424N	\$542	\$623
60"	24"	ECE1R6024N	\$588	\$677
66"	24"	ECE1R6624N	\$636	\$729
72"	24"	ECE1R7224N	\$664	\$764
78"	24"	ECE1R7824N	\$715	\$820
84"	24"	ECE1R8424N	\$754	\$867
90"	24"	ECE1R9024N	\$852	\$977
96"	24"	ECE1R9624N	\$930	\$1,069



# 30" Deep

24"	30"	ECE1R2430N	\$391	\$452
30"	30"	ECE1R3030N	\$440	\$504
36"	30"	ECE1R3630N	\$489	\$563
42"	30"	ECE1R4230N	\$531	\$608
48"	30"	ECE1R4830N	\$588	\$677
54"	30"	ECE1R5430N	\$666	\$765
60"	30"	ECE1R6030N	\$733	\$840
66"	30"	ECE1R6630N	\$818	\$940
72"	30"	ECE1R7230N	\$852	\$977
78"	30"	ECE1R7830N	\$908	\$1,043
84"	30"	ECE1R8430N	\$966	\$1,112
90"	30"	ECE1R9030N	\$1,039	\$1,194
96"	30"	ECE1R9630N	\$1,112	\$1,276

# Sample

12"	12"	ECE1R1212G2	\$189	\$220

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate

#### **Extended Ends**

E.... Covers 1 post EE ... Covers 2 posts

\$28

\$57

Edge Profile

**Grain Direction** 



#### Wiring & Cabling



Scallop \$68

#### **Available Laminates**

#### Solid

- 114 Folkstone Grey 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry 125 Natural Maple
- 126 Natural Cherry

# 127 Walnut

#### Support Information


All supports must be ordered separately. See page 84 – 85.

# **Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or larger worksurface.




Corne	er – Cu	ırved Front	LAMINATE		
Α	В	С	MODEL#	SOLID	WOODGRAIN
36"	24"	24"	ECE1L3636SSN	\$770	\$886
42"	24"	24"	ECE1L4242SSN	\$930	\$1,069
42"	24"	30"	ECE1L4242SDN	\$1,105	\$1,267
42"	30"	24"	ECE1L4242DSN	\$1,105	\$1,267
48"	24"	24"	ECE1L4848SSN	\$1,043	\$1,201
48"	24"	30"	ECE1L4848SDN	\$1,251	\$1,438
48"	30"	24"	ECE1L4848DSN	\$1,251	\$1,438
48"	30"	30"	ECE1L4848DDN	\$1,122	\$1,291



# **Right Hand**

42"	60"	24"	24"	ECE1L4260SS()N	\$1,276	\$1,469
42"	66"	24"	24"	ECE1L4266SS()N	\$1,310	\$1,508
42"	72"	24"	24"	ECE1L4272SS()N	\$1,359	\$1,566
42"	78"	24"	24"	ECE1L4278SS()N	\$1,376	\$1,580
48"	60"	24"	24"	ECE1L4860SS()N	\$1,294	\$1,486
48"	66"	24"	24"	ECE1L4866SS()N	\$1,339	\$1,541
48"	72"	24"	24"	ECE1L4872SS()N	\$1,389	\$1,597
48"	78"	24"	24"	ECE1L4878SS()N	\$1,531	\$1,762
48"	84"	24"	24"	ECE1L4884SS()N	\$1,720	\$1,981
48"	60"	24"	30"	ECE1L4860SD()N	\$1,267	\$1,460
48"	66"	24"	30"	ECE1L4866SD()N	\$1,335	\$1,535
48"	72"	24"	30"	ECE1L4872SD()N	\$1,397	\$1,608
48"	60"	30"	24"	ECE1L4860DS()N	\$1,267	\$1,460
48"	66"	30"	24"	ECE1L4866DS()N	\$1,335	\$1,535
48"	72"	30"	24"	ECE1L4872DS()N	\$1,397	\$1,608



# **Left Hand**

	idiid					
60"	42"	24"	24"	ECE1L6042SS( )N	\$1,276	\$1,469
60"	48"	24"	24"	ECE1L6048SS()N	\$1,294	\$1,486
66"	42"	24"	24"	ECE1L6642SS( )N	\$1,310	\$1,508
66"	48"	24"	24"	ECE1L6648SS( )N	\$1,339	\$1,541
72"	42"	24"	24"	ECE1L7242SS( )N	\$1,359	\$1,566
72"	48"	24"	24"	ECE1L7248SS()N	\$1,389	\$1,597
78"	42"	24"	24"	ECE1L7842SS( )N	\$1,376	\$1,580
78"	48"	24"	24"	ECE1L7848SS()N	\$1,531	\$1,762
84"	48"	24"	24"	ECE1L <mark>8448</mark> SS( )N	\$1,720	\$1,981
60"	48"	24"	30"	ECE1L6048SD()N	\$1,267	\$1,460
66"	48"	24"	30"	ECE1L6648SD()N	\$1,335	\$1,535
72"	48"	24"	30"	ECE1L7248SD()N	\$1,397	\$1,608
60"	48"	30"	24"	ECE1L6048DS()N	\$1,267	\$1,460
66"	48"	30"	24"	ECE1L6648DS()N	\$1,335	\$1,535
72"	48"	30"	24"	ECE1L7248DS()N	\$1,397	\$1,608
	60" 60" 66" 72" 72" 78" 84" 60" 66" 72"	60" 48" 66" 42" 66" 48" 72" 42" 72" 48" 78" 42" 78" 48" 84" 48" 60" 48" 72" 48" 66" 48" 66" 48"	60" 42" 24" 60" 48" 24" 66" 42" 24" 66" 48" 24" 72" 42" 24" 72" 48" 24" 78" 42" 24" 84" 48" 24" 60" 48" 24" 66" 48" 24" 60" 48" 24" 60" 48" 30" 66" 48" 30"	60" 42" 24" 24" 60" 48" 24" 24" 66" 42" 24" 24" 66" 48" 24" 24" 72" 42" 24" 24" 72" 48" 24" 24" 78" 42" 24" 24" 78" 48" 24" 24" 60" 48" 24" 30" 66" 48" 24" 30" 66" 48" 30" 24"	60" 42" 24" 24" ECE1L6042SS()N 60" 48" 24" 24" ECE1L6048SS()N 66" 42" 24" 24" ECE1L6642SS()N 66" 48" 24" 24" ECE1L6648SS()N 72" 42" 24" ECE1L6648SS()N 72" 48" 24" 24" ECE1L7242SS()N 78" 42" 24" ECE1L724SSS()N 78" 48" 24" 24" ECE1L784SSS()N 78" 48" 24" 24" ECE1L784SSS()N 60" 48" 24" 24" ECE1L784SSS()N 60" 48" 24" 30" ECE1L6648SD()N 72" 48" 24" 30" ECE1L6048SD()N 72" 48" 24" 30" ECE1L6048SD()N 72" 48" 24" 30" ECE1L6048SD()N 72" 48" 30" ECE1L6048SD()N 60" 48" 30" 24" ECE1L6048SD()N	60"         42"         24"         24"         ECE1L6042SS()N         \$1,276           60"         48"         24"         24"         ECE1L6048SS()N         \$1,294           66"         42"         24"         ECE1L6642SS()N         \$1,310           66"         48"         24"         24"         ECE1L6648SS()N         \$1,339           72"         42"         24"         ECE1L7242SS()N         \$1,359           72"         48"         24"         24"         ECE1L7248SS()N         \$1,389           78"         42"         24"         ECE1L7842SS()N         \$1,376           78"         48"         24"         24"         ECE1L7848SS()N         \$1,531           84"         48"         24"         24"         ECE1L8448SS()N         \$1,720           60"         48"         24"         30"         ECE1L6048SD()N         \$1,335           72"         48"         24"         30"         ECE1L6648SD()N         \$1,397           60"         48"         30"         24"         ECE1L6048DS()N         \$1,267           60"         48"         30"         24"         ECE1L6648DS()N         \$1,267

#### **Application Notes**

#### Center-Located Edge Grommet

To specify, replace the "N" suffix from the model number with "G". Add **\$68**.

Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

 $\boldsymbol{X}_{\cdot}\dots$  No posts covered

 $\textbf{L} \ldots \text{Left post covered}$ 

**R**....Right post covered

**B**.... Both posts covered


Worksurfaces

# **Cascade Worksurfaces**

**Corner Peninsulas** 



Righ	t Hai	nd		LAMINA	TE
Α	C	D	MODEL#	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$1,247	\$1,433
24"	72"	48"	ECE1BD7248SR	\$1,273	\$1,468
24"	78"	48"	ECE1BD7848SR	\$1,472	\$1,692
24"	84"	48"	ECE1BD8448SR	\$1,512	\$1,739
30"	66"	48"	ECE1BD6648DR	\$1,310	\$1,508
30"	72"	48"	ECE1BD7248DR	\$1,358	\$1,563
30"	78"	48"	ECE1BD7848DR	\$1,522	\$1,749
30"	84"	48"	ECE1BD8448DR	\$1,608	\$1,848



#### Left Hand

LCIC	IIIIII	м			
24"	48"	66"	ECE1BD6648SL	\$1,247	\$1,433
24"	48"	72"	ECE1BD7248SL	\$1,273	\$1,468
24"	48"	78"	ECE1BD7848SL	\$1,472	\$1,692
24"	48"	84"	ECE1BD8448SL	\$1,512	\$1,739
30"	48"	66"	ECE1BD6648DL	\$1,310	\$1,508
30"	48"	72"	ECE1BD7248DL	\$1,358	\$1,563
30"	48"	78"	ECE1BD7848DL	\$1,522	\$1,749
30"	48"	84"	ECE1BD8448DL	\$1,608	\$1,848



- 1. Model#
- 2. Options
- 3. Laminate

# Grain Direction

# Edge Profile



#### **Wiring & Cabling**



Scallop \$68

#### Available Laminates

#### Solid


- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain


- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### Support Information

All supports must be ordered separately. See page 84 – 85.




Right	Hand					LAMINATI	E
W	L	R	Α	В	MODEL#	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$827	\$950
42"	24"	30"	9"	15"	ECE1W422430N	\$869	\$1,002
48"	24"	30"	15"	15"	ECE1W482430N	\$931	\$1,071
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$1,186	\$1,361



## **Left Hand**

_								
	36"	30"	24"	15"	1 ½"	ECE1W363024N	\$827	\$950
	42"	30"	24"	15"	7 ½"	ECE1W423024N	\$869	\$1,002
	48"	30"	24"	15"	15"	ECE1W483024N	\$931	\$1,071
	72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$1,186	\$1,361




## 120° Worksurface

48"	48"	24"	24"	ECE1W34824G	\$1,359	\$1,566

\n	ecity
Jb.	,

- 1. Model#
- 2. Options
- 3. Laminate





#### Wiring & Cabling



Scallop \$68

#### Available Laminates

#### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.

# **Cascade Worksurfaces**

Rounds



Half	Round		LAMI	
W	D	MODEL#	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$664	\$764
48"	18"	ECE1H4818PC	\$664	\$764
48"	18"	ECE1H4818PE	\$664	\$764
60"	24"	ECE1H6024P	\$914	\$1,056
60"	24"	ECE1H6024PC	\$914	\$1,056
60"	24"	ECE1H6024PE	\$914	\$1,056



#### **Corner Round**

24"	24"	ECE1CR24L/R	\$354	\$405



# **Corner Round w/Notch**

24"	24"	ECE1CR24N	\$354	\$405

## Specify

- 1. Model #
- 2. Options
- 3. Laminate

#### Half Round

- P Notched for post
- **PE** Notched for postless end
- PC Notched for post with cover

## **Grain Direction**





#### Edge Profile



#### **Available Laminates**

#### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### Support Information

All supports must be ordered separately. See page 84 – 85.



# Cable Sleeve w/Cover

Н	D	MODEL#	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$37




# **Edge Grommet**

Н	W	D	MODEL #	BLACK ONLY
13/8"	2 1/4"	13/8"	EW1WSG	\$37



#### **Personal Drawer**

Н	W	D	MODEL#	BLACK ONLY
2 1/8"	21 ¾"	17 1/4"	SPD22	\$464



## **Cable Canal**

Н	W	D	MODEL#	BLACK ONLY
2"	18"	2"	EWCCNL18	\$394
2"	24"	4"	EWCCNL24	\$457
2"	30"	4"	EWCCNL30	\$546
2"	36"	4"	EWCCNL36	\$585
2"	42"	4"	EWCCNL42	\$762



#### **Cable Channel**

Н	W	D	MODEL#	BLACK ONLY
1 %"	32"	2 3/8"	EWCCHL32	\$77

#### Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.


Available in black only.


#### Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.







#### **Extended One End**

LX tellueu Olle Liiu										
12"	12"	15 1/4"	EW(3/N)1215E	\$457	\$502	\$548	+ \$33	+ \$66		
24"	24"	15 1/4"	EW(3/N)2415E	\$485	\$533	\$582	+ \$33	+ \$66		
30"	30"	15 1/4"	EW(3/N)3015E	\$492	\$541	\$590	+ \$33	+ \$66		
36"	36"	15 1/4"	EW(3/N)3615E	\$499	\$548	\$598	+ \$33	+ \$66		
42"	42"	15 1/4"	EW(3/N)4215E	\$520	\$572	\$624	+ \$33	+ \$66		
48"	48"	15 1/4"	EW(3/N)4815E	\$555	\$610	\$666	+ \$33	+ \$66		
60"	60"	15 1/4"	EW(3/N)6015E	\$603	\$663	\$723	+ \$33	+ \$66		
72"	72"	15 1/4"	EW(3/N)7215E	\$679	\$746	\$814	+ \$33	+ \$66		
84"	84"	15 1/4"	EW(3/N)8415E	\$750	\$825	\$900	+ \$33	+ \$66		
96"	96"	15 1/4"	EW(3/N)9615E	\$806	\$886	\$967	+ \$33	+ \$66		
108"	108"	15 1/4"	EW(3/N)10815E	\$874	\$961	\$1,048	+ \$33	+ \$66		



#### **Extended Both End**

Extended Doth Lind										
12"	13 ½"	15 1/4"	EW(3/N)1215EE	\$471	\$518	\$565	+ \$33	+ \$66		
24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$499	\$548	\$598	+ \$33	+ \$66		
30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$506	\$556	\$607	+ \$33	+ \$66		
36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$513	\$564	\$615	+ \$33	+ \$66		
42"	43 1/2"	15 1/4"	EW(3/N)4215EE	\$533	\$586	\$639	+ \$33	+ \$66		
48"	49 ½"	15 1/4"	EW(3/N)4815EE	\$568	\$624	\$681	+ \$33	+ \$66		
60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$617	\$678	\$740	+ \$33	+ \$66		
72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$694	\$763	\$832	+ \$33	+ \$66		
84"	85 ½"	15 1/4"	EW(3/N)8415EE	\$763	\$839	\$915	+ \$33	+ \$66		
96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$819	\$900	\$982	+ \$33	+ \$66		
108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$888	\$976	\$1,065	+ \$33	+ \$66		

#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

#### **Extended Ends**

**E**....Covers 1 post

**EE** .. Covers 2 posts

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

#### Support Information

Steel cantilevers are supplied.


#### **Top Cap Compatibility**

3 – Beveled

N – Flat








Corner				LAMINATE			PAINT	
W	D	MODEL#	L1	L2	L3	P2	P3	
24"	15 1/4"	EW(3/N)CC2415	\$583	\$641	\$699	+ \$33	+ \$66	
30"	15 1/4"	EW(3/N)CC3015	\$603	\$663	\$723	+ \$33	+ \$66	
36"	15 1/4"	EW(3/N)CC3615	\$624	\$686	\$748	+ \$33	+ \$66	



Extend	led Left						
24"	15 1/4"	EW(3/N)CC2415LHE	\$596	\$655	\$715	+ \$33	+ \$66
30"	15 1/4"	EW(3/N)CC3015LHE	\$617	\$678	\$740	+ \$33	+ \$66
36"	15 1/4"	EW(3/N)CC3615LHE	\$639	\$702	\$766	+ \$33	+ \$66



Ex	tended	Right						
	24"	15 1/4"	EW(3/N)CC2415RHE	\$596	\$655	\$715	+ \$33	+ \$66
	30"	15 1/4"	EW(3/N)CC3015RHE	\$617	\$678	\$740	+ \$33	+ \$66
	36"	15 1/4"	EW(3/N)CC3615RHE	\$639	\$702	\$766	+ \$33	+ \$66



#### **Extended Both** 24" 15 1/4" EW(3/N)CC2415EE \$672 \$733 \$611 + \$33 + \$66 30" 15 1/4" EW(3/N)CC3015EE \$631 \$694 \$757 + \$33 + \$66 EW(3/N)CC3615EE \$717 36" 15 1/4" \$652 \$782 + \$33 + \$66

Specif	y

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

#### Extended Ends

E....Covers 1 post

**EE** . . Covers 2 posts

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

#### Support Information

Steel cantilevers are supplied.

#### Top Cap Compatibility


3 - Beveled

N – Flat





# **Open Shelves**



Full He	ight			PAINT		
W	D	Н	MODEL#	P1	P2	Р3
24"	12 ¾"	10 1/4"	ES2OS24	\$306	\$321	\$331
30"	12 3/8"	10 1/4"	ES2OS30	\$337	\$352	\$362
36"	12 ¾"	10 1/4"	ES2OS36	\$337	\$352	\$362
42"	12 ¾"	10 1/4"	ES2OS42	\$352	\$367	\$377
48"	12 ¾"	10 1/4"	ES2OS48	\$368	\$383	\$393
60"	12 ¾"	10 1/4"	ES2OS60	\$394	\$409	\$419
72"	12 ¾"	10 1/4"	ES2OS72	\$427	\$442	\$452



# **Half Height**

_							
Ī	24"	12 ¾"	7 1⁄4"	ES3OS24	\$371	\$386	\$396
	30"	12 3/8"	7 1/4"	ES3OS30	\$411	\$426	\$436
	36"	12 3/8"	7 1/4"	ES3OS36	\$411	\$426	\$436
	42"	12 3/8"	7 1/4"	ES3OS42	\$427	\$442	\$452
	48"	12 ¾"	7 1/4"	ES3OS48	\$448	\$463	\$473
	60"	12 ¾"	7 1/4"	ES3OS60	\$482	\$497	\$507
	72"	12 3/8"	7 1/4"	ES3OS72	\$520	\$535	\$545



# **Shelf Back**

24"	EC2SB24	\$253	\$263	\$273
30"	EC2SB30	\$278	\$288	\$298
36"	EC2SB36	\$278	\$288	\$298
42"	EC2SB42	\$292	\$302	\$312
48"	EC2SB48	\$304	\$314	\$324
60"	EC2SB60	\$343	\$353	\$363
72"	EC2SB72	\$391	\$401	\$411



Sh	eľ	f D	ivi	de	<u>r –</u>	– 4 pack	

Sneit Divider — 4 pack				BLACK ONLY				
2"	9"	6"	EC2SD		\$176	n/a	n/a	

1. Model#


**Application Notes** Open shelf consists of 2. Paint two steel end panels and one steel shelf.

> **NOTE: Cannot be converted** to an enclosed cabinet.

		Shelf Type	W
Ī	ES2OS	Open Shelf	36
:	ES3OS	Open Shelf – Half Height	
:			
:	ES2OS		36
:		.:	

Shelf Divider

Available in black only.




				<u>:</u>	•••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••	······································	······································	
Full La	minate					LAMINATE		W	OOD VENEER	
W	D	Н	MODEL#		P1	P2	Р3	W1	W2	W3
24"	12 %"	10 1/4"	ES2OSL24		\$470	\$517	\$564	\$940	\$1,034	\$1,128
30"	12 %"	10 1/4"	ES2OSL30		\$480	\$528	\$576	\$960	\$1,056	\$1,152
36"	12 %"	10 1/4"	ES2OSL36		\$489	\$537	\$586	\$978	\$1,074	\$1,172
42"	12 %"	10 1/4"	ES2OSL42		\$504	\$554	\$604	\$1,008	\$1,108	\$1,208
48"	12 %"	10 1/4"	ES2OSL48		\$518	\$569	\$621	\$1,036	\$1,138	\$1,242
60"	12 %"	10 1/4"	ES2OSL60		\$733	\$806	\$879	\$1,466	\$1,612	\$1,758
72"	12 3/8"	10 1/4"	ES2OSL72		\$944	\$1,038	\$1,132	\$1,888	\$2,076	\$2,264


pecify	Ap
. Model #	Ca
. Laminate/Veneer	an

Application Notes
Can not be converted into an enclosed cabinet.


	Shelf Type	W
ES2OSL	Open Shelf Full Laminate	36
ES2OSL	1	36
LJZOJL		



Laminate Front — Side Hinge Door						LAMINATE			PAINT	
	W	D	Н	# DOORS	MODEL#	L1	L2	L3	P2	Р3
	24"	12 ½"	14 1/4"	2	EC2OL24	\$898	\$987	\$1,077	+ \$33	+ \$66
	30"	12 ½"	14 1/4"	2	EC2OL30	\$965	\$1,061	\$1,158	+ \$33	+ \$66
	36"	12 ½"	14 1/4"	2	EC2OL36	\$1,031	\$1,134	\$1,237	+ \$33	+ \$66
	42"	12 ½"	14 1/4"	2	EC2OL42	\$1,098	\$1,207	\$1,317	+ \$33	+ \$66
	48"	12 ½"	14 1/4"	2	EC2OL48	\$1,163	\$1,279	\$1,395	+ \$33	+ \$66
	60"	12 ½"	14 1/4"	4	EC2OL60	\$1,630	\$1,793	\$1,956	+ \$33	+ \$66
	72"	12 ½"	14 1/4"	4	EC2OL72	\$1,762	\$1,938	\$2,114	+ \$33	+ \$66



Painted Steel — Flipper Door						PAINT		
W	D	Н	# DOORS	MODEL#		P1	P2	Р3
24"	12 ½"	14 1/4"	1	EC2OP24		\$799	\$824	\$849
30"	12 ½"	14 1/4"	1	EC2OP30		\$904	\$929	\$954
36"	12 ½"	14 1/4"	1	EC2OP36		\$904	\$929	\$954
42"	12 ½"	14 1/4"	1	EC2OP42		\$1,007	\$1,032	\$1,057
48"	12 ½"	14 1/4"	1	EC2OP48		\$1,063	\$1,088	\$1,113
60"	12 ½"	14 1/4"	1	EC2OP60		\$1,211	\$1,236	\$1,261
72"	12 ½"	14 1/4"	1	EC2OP72		\$1,333	\$1,358	\$1,383
72"	12 ½"	14 1/4"	2	EC2OP272		\$1,618	\$1,643	\$1,668



# **Open**

24"	12 ½"	14 1/4"	EC20024	\$606	\$666	\$727
30"	12 ½"	14 1/4"	EC20030	\$739	\$812	\$886
36"	12 ½"	14 1/4"	EC20036	\$765	\$841	\$918
42"	12 ½"	14 1/4"	EC20042	\$806	\$886	\$967
48"	12 ½"	14 1/4"	EC20048	\$939	\$1,032	\$1,126
60"	12 ½"	14 1/4"	EC20060	\$1,071	\$1,178	\$1,285
72"	12 ½"	14 1/4"	EC20072	\$1,204	\$1,324	\$1,444



# **Overhead Back**

24"	5/8"	14"	EC2CB24	\$253	\$263	\$273
30"	5/8"	14"	EC2CB30	\$278	\$288	\$298
36"	5/8"	14"	EC2CB36	\$278	\$288	\$298
42"	5/8"	14"	EC2CB42	\$292	\$302	\$312
48"	5/8"	14"	EC2CB48	\$304	\$314	\$324
60"	5/8"	14"	EC2CB60	\$343	\$353	\$363
72"	5/8"	14"	EC2CB72	\$391	\$401	\$411

٥	p	e	31	y	

- 1. Model#
- 2. Paint
- 3. Optional Laminate


#### Overhead – Side Hinge

Includes matching ABS edge band.


#### Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

Overhead Type				
EC2OL	Side Hinge	36		
EC2OP	Flipper Door			
EC200	Open			
	:			
ES2OL		36		



Full La	minate -	— Side Hinge	e Door		LAMINATE			WOOD VENEER		
W	D	Н	# DOORS	MODEL#	L1	L2	L3	W1	W2	W3
24"	12 ½"	14 1/4"	2	EC2OCL24D	\$1,843	\$2,027	\$2,211	\$3,686	\$4,054	\$4,422
30"	12 ½"	14 1/4"	2	EC2OCL30D	\$1,874	\$2,061	\$2,248	\$3,748	\$4,122	\$4,496
36"	12 ½"	14 1/4"	2	EC2OCL36D	\$1,907	\$2,097	\$2,288	\$3,814	\$4,194	\$4,576
42"	12 ½"	14 1/4"	2	EC2OCL42D	\$1,954	\$2,149	\$2,344	\$3,908	\$4,298	\$4,688
48"	12 ½"	14 1/4"	2	EC2OCL48D	\$2,003	\$2,203	\$2,403	\$4,006	\$4,406	\$4,806
60"	12 ½"	14 1/4"	4	EC2OCL60D	\$2,720	\$2,992	\$3,264	\$5,440	\$5,984	\$6,528
72"	12 ½"	14 1/4"	4	EC2OCL72D	\$3,437	\$3,780	\$4,124	\$6,874	\$7,560	\$8,248



ABS edge band.

# **Full Laminate Open**

24"	12 ½"	14 ¼"	EC2OCL24	\$1,571	\$1,728	\$1,885	\$3,142	\$3,456	\$3,770
30"	12 ½"	14 1/4"	EC2OCL30	\$1,603	\$1,763	\$1,923	\$3,206	\$3,526	\$3,846
36"	12 ½"	14 1/4"	EC2OCL36	\$1,635	\$1,798	\$1,962	\$3,270	\$3,596	\$3,924
42"	12 ½"	14 1/4"	EC2OCL42	\$1,684	\$1,852	\$2,020	\$3,368	\$3,704	\$4,040
48"	12 ½"	14 1/4"	EC2OCL48	\$1,731	\$1,904	\$2,077	\$3,462	\$3,808	\$4,154
60"	12 ½"	14 1/4"	EC2OCL60	\$2,448	\$2,692	\$2,937	\$4,896	\$5,384	\$5,874
72"	12 ½"	14 1/4"	EC2OCL72	\$3,149	\$3,463	\$3,778	\$6,298	\$6,926	\$7,556


## **SHARED STORAGE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard full laminate overhead is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the full laminate overhead to extend to cover the center of one post you will need to add an "E" to the full laminate overhead item number. This will add ¾" to the width of the shared storage. If you would like the full laminate overhead to extend to cover the center of both posts then you will need to add "EE", extending the full laminate overhead by 1 ½" from the standard.

**E**....Covers center of 1 post

**EE** . . Covers center of 2 posts









						Options
Specify			w	D	Door	Extended Ends
1. Model #	ES20 Equity Overhea	d CL Full Laminate Overhe	ad: 36	14	No Door	E One End \$27
2. Laminate/Veneer					D Door	EE Both Ends \$55
Overhead Includes matching	ES2O	CL	36	14	D	Е

# **Shared Storage**



				······	· · · · · · · · · · · · · · · · · · ·	•••••••
12" H					LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC20Y2412	\$1,296	\$1,425	\$1,555
30"	14"	12"	EC2OY3012	\$1,323	\$1,455	\$1,587
36"	14"	12"	EC20Y3612	\$1,349	\$1,483	\$1,618
42"	14"	12"	EC20Y4212	\$1,390	\$1,529	\$1,668
48"	14"	12"	EC20Y4812	\$1,430	\$1,573	\$1,716
60"	14"	12"	EC20Y6012	\$1,987	\$2,185	\$2,384
72"	14"	12"	EC20Y7212	\$2,571	\$2,828	\$3,085
84"	14"	12"	EC20Y8412	\$3,130	\$3,443	\$3,756



# 14" H

24"	14"	14 1/4"	EC20Y2414	\$1,311	\$1,442	\$1,573
30"	14"	14 1/4"	EC2OY3014	\$1,337	\$1,470	\$1,604
36"	14"	14 1/4"	EC20Y3614	\$1,364	\$1,500	\$1,636
42"	14"	14 1/4"	EC20Y4214	\$1,403	\$1,543	\$1,683
48"	14"	14 1/4"	EC20Y4814	\$1,444	\$1,588	\$1,732
60"	14"	14 1/4"	EC20Y6014	\$2,040	\$2,244	\$2,448
72"	14"	14 1/4"	EC20Y7214	\$2,625	\$2,887	\$3,150
84"	14"	14 1/4"	EC20Y8414	\$3,196	\$3,515	\$3,835

### **SHARED STORAGE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard shared storage is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the shared storage to extend to cover the center of one post you will need to add an "E" to the shared storage item number. This will add ¾" to the width of the shared storage. If you would like the shared storage to extend to cover the center of both posts then you will need to add "EE", extending the shared storage by 1 ½" from the standard.


**E**....Covers center of 1 post **EE**...Covers center of 2 posts








						Optio	ns	
		W	D		Door		Extended Ends	
ES20 Equity Overhead	Y Shared Storage	36	14	<b>D</b> MD	No Door <b>Door</b> Markerboard Door	E EE	One End Both Ends	<b>\$27</b> \$56
ES2O	Υ	36	14	D		Е		



12" H	w/Doors	<b>S</b> — Includes 2	! locks		LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC2OY2412(D/MD)	\$1,482	\$1,630	\$1,778
30"	14"	12"	EC2OY3012(D/MD)	\$1,523	\$1,675	\$1,827
36"	14"	12"	EC2OY3612(D/MD)	\$1,563	\$1,719	\$1,875
42"	14"	12"	EC2OY4212(D/MD)	\$1,602	\$1,762	\$1,922
48"	14"	12"	EC2OY4812(D/MD)	\$1,642	\$1,806	\$1,970
60"	14"	12"	EC2OY6012(D/MD)	\$2,240	\$2,464	\$2,688
72"	14"	12"	EC2OY7212(D/MD)	\$2,824	\$3,106	\$3,388
84"	14"	12"	EC2OY8412(D/MD)	\$3,329	\$3,661	\$3,994



# 14" H w/Doors — Includes 2 locks


24"	14"	14 1/4"	EC2OY2414(D/MD)	\$1,536	\$1,689	\$1,843
30"	14"	14 1/4"	EC2OY3014(D/MD)	\$1,563	\$1,719	\$1,875
36"	14"	14 1/4"	EC2OY3614(D/MD)	\$1,589	\$1,747	\$1,906
42"	14"	14 1/4"	EC2OY4214(D/MD)	\$1,630	\$1,793	\$1,956
48"	14"	14 1/4"	EC2OY4814(D/MD)	\$1,668	\$1,834	\$2,001
60"	14"	14 1/4"	EC2OY6014(D/MD)	\$2,267	\$2,493	\$2,720
72"	14"	14 1/4"	EC2OY7214(D/MD)	\$2,864	\$3,150	\$3,436
84"	14"	14 1/4"	EC2OY8414(D/MD)	\$3,489	\$3,837	\$4,186

# Specify

- 1. Model#
- Options
   Laminate

### Shared Storage

Includes matching ABS edge band.




12" H		•	•	•	FABR	IC			
W	MODEL#	А	В	C	D	E	F	G	Н
24"	EP1TB2412	\$266	\$291	\$316	\$366	\$466	\$566	\$666	\$766
30"	EP1TB3012	\$331	\$356	\$381	\$431	\$531	\$631	\$731	\$831
36"	EP1TB3612	\$398	\$423	\$448	\$498	\$598	\$698	\$798	\$898
42"	EP1TB4212	\$431	\$456	\$481	\$531	\$631	\$731	\$831	\$931
48"	EP1TB4812	\$464	\$489	\$514	\$564	\$664	\$764	\$864	\$964
60"	EP1TB6012	\$531	\$556	\$581	\$631	\$731	\$831	\$931	\$1,031

# 20" H

pins and thumbtacks. Clips attach unit to slotted standards.

24"	EP1TB2420	\$398	\$423	\$448	\$498	\$598	\$698	\$798	\$898
30"	EP1TB3020	\$431	\$456	\$481	\$531	\$631	\$731	\$831	\$931
36"	EP1TB3620	\$464	\$489	\$514	\$564	\$664	\$764	\$864	\$964
42"	EP1TB4220	\$498	\$523	\$548	\$598	\$698	\$798	\$898	\$998
48"	EP1TB4820	\$531	\$556	\$581	\$631	\$731	\$831	\$931	\$1,031
60"	EP1TB6020	\$597	\$622	\$647	\$697	\$797	\$897	\$997	\$1,097



#### 25" H 24" EP1TB2425 \$464 \$489 \$514 \$564 \$664 \$764 \$864 \$964 30" EP1TB3025 \$498 \$523 \$548 \$598 \$698 \$798 \$998 36" EP1TB3625 \$531 \$556 \$581 \$631 \$731 \$831 \$931 \$1,031 42" EP1TB4225 \$588 \$1,063 \$563 \$613 \$663 \$763 \$863 \$963 48" EP1TB4825 \$1,097 \$597 \$622 \$647 \$697 \$797 \$897 \$997 60" EP1TB6025 \$664 \$689 \$714 \$764 \$864 \$964 \$1,064 \$1,164

#### 36" H 24" EP1TB2436 \$531 \$556 \$581 \$631 \$731 \$1,031 \$597 30" EP1TB3036 \$622 \$647 \$697 \$897 \$997 \$1,097 \$797 36" EP1TB3636 \$630 \$655 \$680 \$730 \$830 \$930 \$1,030 \$1,130 42" EP1TB4236 \$664 \$689 \$714 \$764 \$864 \$964 \$1,064 \$1,164 48" EP1TB4836 \$696 \$721 \$746 \$796 \$896 \$996 \$1,096 \$1,196 60" EP1TB6036 \$763 \$788 \$813 \$863 \$963 \$1,063 \$1,163 \$1,263

					Options	
Specify	Application Notes		w	н	Extended Ends	
1. Model #	Specify in areas	EW1 Tackboard	48	20	E One End	\$26
2. Fabric	where heavy tacking application is required.	,	,	,	EE Both Ends	\$52
	Solid core construction will	EP1TB	36	20	Е	

# **Wall Mounted Channel**

					:	••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••
Wall Mo	unted	Channe	e <b>l</b>			PAINT	
W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	P3
2 1/8"	3/4"	29"	23"	EP3WMC29	\$147	\$152	\$159
2 1/8"	3/4"	41"	35"	EP3WMC41	\$147	\$152	\$159
2 1/8"	3/4"	49"	43"	EP3WMC49	\$151	\$158	\$166
2 1/8"	3/4"	54"	49"	EP3WMC54	\$154	\$161	\$169
2 1/8"	3/4"	61"	55"	EP3WMC61	\$171	\$177	\$188
2 1/8"	3/4"	64"	58"	EP3WMC64	\$176	\$189	\$194
2 %"	3/4"	66"	60"	EP3WMC66	\$176	\$189	\$194
2 1/8"	3/4"	81"	75"	EP3WMC81	\$214	\$221	\$232
2 %"	3/4"	120"	120"	EP3WMC120	\$330	\$345	\$361

### Specify – Wall Mounted Channel

- 1. Model#
- 2. Paint

### **Wall Mounted Channel Application Notes**

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

#### Assembly – Wall Mounted Channel

#### Included


- Extruded aluminum channel
- Insert which snaps into place

## LIGHTING


Just as the design of a work environment is important, a company's investment in workplace lighting is equally such. Light empowers a person's work, influences their mood and helps them focus. Workers need well-lit spaces to be productive

and feel their best. Developing a work environment that supports worker well being and performance through the use of lighting will reduce employee stress, absenteeism and accidents while increasing work performance.

# **LIGHTING**




# **Lighting** Task




# REED Premier — Stand alone w/18-watt power supply

DESCRIPTION	Н	W	D	WATTAGE	MODEL#	LIST
Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-SA	\$526
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-SA	\$686



# REED Premier = Stand alone or starter w/60-watt power supply

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-ST	\$632
Suggested shelf size 30" – 42"	1/2"	23 ¼"	2"	12.4	LRPSO-24-ST	\$792
Suggested shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-ST	\$832
Suggested shelf size 54" - 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-ST	\$1,031
Suggested shelf size >=72"	1/2"	57 ½"	2"	31.2	LRPSO-58-ST	\$1,270



### **REED Premier** — Extension

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-EX	\$474
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-EX	\$660
Suggested shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-EX	\$699
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-EX	\$925



# REED Premier — Accessories

Occupancy sensor kit	3/4"	2"	2"	LRP-OS	\$354
----------------------	------	----	----	--------	-------

C'n	•	-if	
วม	e	ш	v
			•

1. Model#

#### **REED Premier**

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory.

The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use (±15 mins).

### Specify Notes

60-watt power supply is required when interlinking.

Total interlinked system wattage cannot exceed 54 watts. See the interlinking combination chart for reference.

Extension fixtures come standard with 8" and 30" interlinking cords.

One occupancy sensor needed per string of interlinked fixtures.


#### Interlinking Combination Chart

17"	24"	31"	44"	58"		17"	24"	31"	44"	58
6	0	0	0	0	•	1	3	0	0	0
5	1	0	0	0		1	2	1	0	0
5	0	0	0	0		1	1	2	0	0
4	1	0	0	0		1	0	2	0	0
4	0	1	0	0		1	0	1	1	0
4	0	0	0	0		1	0	0	1	0
3	2	0	0	0		1	0	0	0	1
3	1	1	0	0		0	4	0	0	0
3	0	1	0	0		0	3	1	0	0
3	0	0	1	0		0	2	1	0	0
3	0	0	0	0		0	1	1	1	0
2	3	0	0	0		0	1	0	0	1
2	2	0	0	0		0	0	3	0	0
2	0	2	0	0		0	0	2	0	0
2	0	1	0	0		0	0	1	1	0
2	0	0	1	0		0	0	1	0	1
2	0	0	0	1		0	0	0	2	0
2	0	0	0	0						



## Tazetta — Black

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24BLK	\$452
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36BLK	\$508
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48BLK	\$544
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60BLK	\$683



## Tazetta — White

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24WHT	\$465
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36WHT	\$523
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48WHT	\$559
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ <mark>60</mark> WHT	\$702



# Tazetta = Gray

DESCRIPTION	Н	W	D	MODEL #	LIST
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24GRY	\$465
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36GRY	\$523
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48GRY	\$559
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ <mark>60</mark> GRY	\$702

Specify	
1. Model #	

Application Notes

Lamp

T5 fluorescent

Color Temperature
3500K

Certifications

ETL listed: compliant to UL 153 & CSA C22.2 No. 250.4; UL 1598; TAA Power Consumption

13" 24" 36" 48" 60"

8W 14W 21W 28W 35W

# **Lighting**Freestanding



# $\ \ \, \textbf{Voyage} - \textbf{Single arm}$

DESCRIPTION	MODEL#	LIST
Freestanding	LVOY-S-FS-(B,W,S)	\$1,058
Freestanding w/occupancy sensor	LVOY-S-FS-(B,W,S)-OS	\$1,296
Freestanding USB	LVOY-S-FSUSB-(B,W,S)	\$1,137
Freestanding USB w/occupancy sensor	LVOY-S-FSUSB-(B,W,S)-OS	\$1,403
Surface mount	LVOY-S-SM-(B,W,S)	\$1,058
Surface mount w/occupancy sensor	LVOY-S-SM-(B,W,S)-OS	\$1,296
Clamp mount	LVOY-S-CM-(B,W,S)	\$1,058
Clamp mount w/occupancy sensor	LVOY-S-CM-(B,W,S)-OS	\$1,296



# Voyage — Double arm

DESCRIPTION	MODEL#	LIST
Freestanding	LVOY-D-FS-(B,W,S)	\$1,163
Freestanding w/occupancy sensor	LVOY-D-FS-(B,W,S)-OS	\$1,403
Freestanding USB	LVOY-D-FSUSB-(B,W,S)	\$1,296
Freestanding USB w/occupancy sensor	LVOY-D-FSUSB-(B,W,S)-OS	\$1,497
Surface mount	LVOY-D-SM-(B,W,S)	\$1,163
Surface mount w/occupancy sensor	LVOY-D-SM-(B,W,S)-OS	\$1,403
Clamp mount	LVOY-D-CM-(B,W,S)	\$1,296
Clamp mount w/occupancy sensor	LVOY-D-CM-(B,W,S)-OS	\$1,403

Specify	Voyage		
1. Model #	Properly diffused light provides a softly blended light pattern that reduces eye strain.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.	Color Options B – Black W – White S – Silver
	A single-touch on/ off and touch and hold continuous dimming pad with last state memory.	The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	

# **Lighting** Freestanding



# Revo — Single arm

MODEL#	LIST
LREV-S-FS-(B,W,S)	\$1,058
LREV-S-FS-(B,W,S)-OS	\$1,296
LREV-S-FSUSB-(B,W,S)	\$1,163
LREV-S-FSUSB-(B,W,S)-OS	\$1,337
LREV-S-SM-(B,W,S)	\$1,058
LREV-S-SM-(B,W,S)-OS	\$1,296
LREV-S-CM-(B,W,S)	\$1,058
LREV-S-CM-(B,W,S)-OS	\$1,296
	LREV-S-FS-(B,W,S)  LREV-S-FS-(B,W,S)-OS  LREV-S-FSUSB-(B,W,S)-OS  LREV-S-FSUSB-(B,W,S)-OS  LREV-S-SM-(B,W,S)  LREV-S-SM-(B,W,S)-OS  LREV-S-CM-(B,W,S)



# Revo — Double Arm

DESCRIPTION	MODEL#	LIST
Freestanding	LREV-D-FS-(B,W,S)	\$1,163
Freestanding w/occupancy sensor	LREV-D-FS-(B,W,S)-OS	\$1,403
Freestanding USB	LREV-D-FSUSB-(B,W,S)	\$1,296
Freestanding USB w/occupancy sensor	LREV-D-FSUSB-(B,W,S)-OS	\$1,497
Surface mount	LREV-D-SM-(B,W,S)	\$1,163
Surface mount w/occupancy sensor	LREV-D-SM-(B,W,S)-OS	\$1,296
Clamp mount	LREV-D-CM-(B,W,S)	\$1,163
Clamp mount w/occupancy sensor	LREV-D-CM-(B,W,S)-OS	\$1,296

Specify	Application Notes		
1. Model #	Properly diffused light source under the round head provides a softly blended light pattern that reduces eye strain.  Single-touch on/off and touch and hold continuous dimming pad with last state memory.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.  The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	Color Options B – Black W – White S – Silver

# **Tables**

Step 1 - Model #

Shape	D	W
R Round	34	69
S Square		
RCT Rectangle		
OT Oval		
RCT	34	69
	R Round S Square RCT Rectangle OT Oval	R Round 34 S Square RCT Rectangle OT Oval

#### Step 2 - Surface Finish

Laı	minate
PW-STK	Studio Teak
:	
:	
•	:
PW-STK	
<b>i</b>	<b>:</b>

Step 3 – Edge Finish

Edge	e Band	Paints				
EB-STK	Studio Teak	301 Champagne				
:						
EB-STK	:	301				
LD-31K	i					

Step 4 - Trim Finish

### **FEATURES**

#### **BASE TYPES**

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

#### **BASE OPTIONS**

- Bar height
- Flip top
- Casters

#### NOTE: Not all options are available on all bases.

### **WORKSURFACE TYPES**

- Round
- Square
- Rectangular
- Oval

#### **LEVELERS**

Adjustable height levelers are included at no additional cost on all models.

#### **Shank Length**

X & Y bases — 3%-16 x 34"
Tapered legs — 3%-16 x 1 34"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

#### SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS48, TBS60, TBOT54120, TBOT60144.

#### **CUSTOM TABLES**

Custom size tables and custom height bases are available upon request, pending Engineering approval. Customization charges may apply. Contact Customer Service for additional information and pricing.

### **CONSTRUCTION**

#### **X BASE**

X bases are made from cast aluminum with 2 1/4" tubing OD x 13 gauge.

#### **Y BASE**

Y base is made from cast aluminum with 2 ¼" steel tube.

#### **X BASE MOUNTING PLATES**

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

#### Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

#### WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All non-woodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/8".

#### **WORKSURFACE HEIGHTS**

Standard	27 ¾"
Bar Height	40 ¾"

### **SURFACE MATERIALS**

#### WORKSURFACE

- Laminate
- Edge band

#### **X BASES**

**Paint** 

#### **Y BASE**

Paint

### **TAPERED LEGS**

Paint

#### **HEIGHT ADJUSTABLE BASE**

Black or silver

# **TABLES**



Round — w/X base						LAMINATE	PAINT		
DESCRIPTION	Н	W	D	MODEL#		L1 L	L3	P2	P3
X base	29"	23 ¾"	23 ¾"	TBR24X	\$1,3	\$1,493	\$1,628	+ \$126	+ \$253
X base	29"	29 ¾"	29 ¾"	TBR30X	\$1,4	\$1,563	\$1,705	+ \$126	+ \$253
X base	29"	35 ¾"	35 ¾"	TBR36X	\$1,4	\$1,598	\$1,744	+ \$126	+ \$253
X base	29"	41 ¾"	41 ¾"	TBR42X	\$1,5	\$1,702	\$1,856	+ \$126	+ \$253
X base	29"	47 ¾"	47 ¾"	TBR48X	\$1,9	908 \$2,099	\$2,290	+ \$126	+ \$253
X base	29"	53 ¾"	53 ¾"	TBR54X	\$3,0	96 \$3,406	\$3,715	+ \$126	+ \$253



# $\textbf{Round} = \textbf{w}/\underline{\textbf{Tapered legs}}$

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered legs	29"	29 ¾"	29 ¾"	TBR30T	\$2,022	\$2,224	\$2,426	+ \$126	+ \$253
4 Tapered legs	29"	35 ¾"	35 ¾"	TBR36T	\$2,053	\$2,258	\$2,464	+ \$126	+ \$253
4 Tapered legs	29"	41 ¾"	41 ¾"	TBR42T	\$2,085	\$2,294	\$2,502	+ \$126	+ \$253
4 Tapered legs	29"	47 ¾"	47 ¾"	TBR48T	\$2,117	\$2,329	\$2,540	+ \$126	+ \$253



# Round — w/Disc base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
Disc base	29"	29 ¾"	29 ¾"	TBR30D	\$2,688	\$2,957	\$3,226	+ \$126	+ \$253
Disc base	29"	35 ¾"	35 ¾"	TBR36D	\$2,815	\$3,097	\$3,378	+ \$126	+ \$253



# Round — w/TT base

) [	DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
-	TT base	29"	59 ¾"	59 ¾"	TBR60TT	\$3,222	\$3,544	\$3,866	+ \$126	+ \$253
	TT base	29"	65 ¾"	65 ¾"	TBR66TT	\$3,286	\$3,615	\$3,943	+ \$126	+ \$253
	TT base	29"	71 ¾"	71 ¾"	TBR72TT	\$3,349	\$3,684	\$4,019	+ \$126	+ \$253

## **Options for Round Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	DISC BASE	TT BASE	UPCHARGE
Bar height	вн	•		•		+ \$126
Casters (set of 4)	С	•	•		•	+ \$126
Flip top	FT	•		•		+ \$253

Specify	Grain Direction		Shape	D	Base
1. Model #		TB Table	R Round	30 X	X base
2. Options			S Square	Т	Tapered legs
3. Laminate			RCT Rectangle	D	Disc base
4. Edge band		<u>:</u>	OT Oval	TT	TT base
5. Base paint					
		ТВ	R	30 X	
		ТВ	R	30 X	<u>i</u>



Square — w/X	base					LAMINATE		PAINT		
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3	
X base	29"	23 ¾"	23 ¾"	TBS24X	\$1,358	\$1,494	\$1,630	+ \$126	+ \$253	
X base	29"	29 ¾"	29 ¾"	TBS30X	\$1,421	\$1,563	\$1,705	+ \$126	+ \$253	
X base	29"	35 ¾"	35 ¾"	TBS36X	\$1,517	\$1,669	\$1,820	+ \$126	+ \$253	
X base	29"	41 ¾"	41 ¾"	TBS42X	\$1,579	\$1,737	\$1,895	+ \$126	+ \$253	
X base	29"	53 ¾"	53 ¾"	TBS54X	\$3,096	\$3,406	\$3,715	+ \$126	+ \$253	



# Square — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
4 Tapered Legs	29"	29 ¾"	29 ¾"	TBS30T	\$2,022	\$2,224	\$2,426	+ \$126	+ \$253
4 Tapered Legs	29"	35 ¾"	35 ¾"	TBS36T	\$2,053	\$2,258	\$2,464	+ \$126	+ \$253
4 Tapered Legs	29"	41 ¾"	41 ¾"	TBS42T	\$2,066	\$2,273	\$2,479	+ \$126	+ \$253
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48T	\$2,085	\$2,294	\$2,502	+ \$126	+ \$253



# Square — w/TT base

≽	DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
	TT base	29"	59 ¾"	59 ¾"	TBS60TT	\$3,222	\$3,544	\$3,866	+ \$126	+ \$253
	TT base	29"	65 ¾"	65 ¾"	TBS66TT	\$3,286	\$3,615	\$3,943	+ \$126	+ \$253
	TT base	29"	71 ¾"	71 ¾"	TBS72TT	\$3,349	\$3,684	\$4,019	+ \$126	+ \$253

# **Options for Square Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	TT BASE	UPCHARGE
Bar height	ВН	•			+ \$126
Casters (set of 4)	c	•	•	•	+ \$126
Flip top	FT	•			+ \$253

Specify	Grain Direction		Shape	D	Base
1. Model #		TB Table	R Round	30 X	X base
2. Options			S Square	Т	Tapered legs
3. Laminate	<b>(</b>	:	RCT Rectangle	П	TT Base
4. Edge band		:	OT Oval		
5. Base paint					
•		ТВ	S	30 X	



<b>Oval</b> — w/Y base						LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL#	រេ	L2	L3	P2	P3
w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672Y	\$4,031	\$4,434	\$4,837	+ \$253	+ \$379
w/stretcher	29"	95 ¾"	47"	TBOT4896Y	\$6,603	\$7,263	\$7,924	+ \$253	+ \$379
w/stretcher	29"	119 ¾"	47"	TBOT48120Y	\$8,082	\$8,890	\$9,698	+ \$253	+ \$379



# **Oval** — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
6 Tapered legs	29"	71 ¾"	35 ¾"	TBOT3672T	\$4,044	\$4,448	\$4,853	+ \$315	+ \$442
6 Tapered legs	29"	95 ¾"	47"	TBOT4896T	\$4,423	\$4,865	\$5,308	+ \$315	+ \$442
6 Tapered legs*	29"	119 ¾"	47"	TBOT48120T	\$4,865	\$5,352	\$5,838	+ \$315	+ \$442
6 Tapered legs*	29"	119 ¾"	53 ¾"	TBOT54120T	\$8,721	\$9,593	\$10,465	+ \$315	+ \$442
6 Tapered legs*	29"	143 ¾"	59 ¾"	TBOT60144T	\$9,479	\$10,427	\$11,375	+ \$315	+ \$442
* Includes a support ra	il								

# **Options for Oval Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	вн	•		+ \$379
Casters (set of 4)	c	•	•	+ \$126
Flip top	FT	•		+ \$379

Specify	Grain Direction				Shape	D	w	Base	
<ol> <li>Model #</li> <li>Options</li> <li>Laminate</li> <li>Edge band</li> </ol>	$\leftarrow$	ТВ	Table	R S RCT <b>OT</b>	Round Square Rectangle <b>Oval</b>	34	69	<b>Y</b> T	<b>Y base</b> Tapered legs
5. Base paint		ТВ		ОТ		34	69	Υ	



Rectangle –	– w/Y base					LAMINATE		PAINT	ī
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048Y	\$1,788	\$1,967	\$2,146	+ \$253	+ \$379
w/stretcher	29"	53 ¾"	23 ¾"	TBRCT2454Y	\$1,738	\$1,912	\$2,086	+ \$253	+ \$379
w/stretcher	29"	59 ¾"	23 ¾"	TBRCT2460Y	\$2,117	\$2,329	\$2,540	+ \$253	+ \$379
w/stretcher	29"	58 ½"	35 ½"	TBRCT3660Y	\$2,572	\$2,829	\$3,086	+ \$253	+ \$379
w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060Y	\$2,179	\$2,397	\$2,615	+ \$253	+ \$379
w/stretcher	29"	65 ¾"	23 ¾"	TBRCT2466Y	\$2,401	\$2,641	\$2,881	+ \$253	+ \$379
w/stretcher*	29"	69 1/4"	34"	TBRCT3469Y	\$3,873	\$4,260	\$4,648	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	23 ¾"	TBRCT2472Y	\$2,464	\$2,710	\$2,957	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	29 ¾"	TBRCT3072Y	\$2,572	\$2,829	\$3,086	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	35 ¾"	TBRCT3672Y	\$3,052	\$3,357	\$3,662	+ \$253	+ \$379
w/stretcher*	29"	79 1/4"	34"	TBRCT3479Y	\$3,873	\$4,260	\$4,648	+ \$253	+ \$379
w/stretcher*	29"	83 ¾"	41 ¾"	TBRCT4284Y	\$4,139	\$4,553	\$4,967	+ \$253	+ \$379
w/stretcher*	29"	95 ¾"	47 ¾"	TBRCT4896Y	\$5,263	\$5,789	\$6,316	+ \$253	+ \$379



# Rectangle — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered legs	29"	47 ¾"	29 ¾"	TBRCT3048T	\$2,401	\$2,641	\$2,881	+ \$315	+ \$442
4 Tapered legs	29"	58 ½"	35 ½"	TBRCT3660T	\$2,780	\$3,058	\$3,336	+ \$315	+ \$442
4 Tapered legs	29"	59 ¾"	29 ¾"	TBRCT3060T	\$2,654	\$2,919	\$3,185	+ \$315	+ \$442
6 Tapered legs	29"	69 1/4"	34"	TBRCT3469T	\$2,907	\$3,198	\$3,488	+ \$315	+ \$442
6 Tapered legs	29"	71 ¾"	29 ¾"	TBRCT3072T	\$2,654	\$2,919	\$3,185	+ \$315	+ \$442
6 Tapered legs	29"	71 ¾"	35 ¾"	TBRCT3672T	\$2,907	\$3,198	\$3,488	+ \$315	+ \$442
6 Tapered legs*	29"	79 1/4"	34"	TBRCT3479T	\$3,160	\$3,476	\$3,792	+ \$315	+ \$442
6 Tapered legs*	29"	83 ¾"	41 ¾"	TBRCT4284T	\$3,475	\$3,823	\$4,170	+ \$315	+ \$442
6 Tapered legs*	29"	95 ¾"	47 ¾"	TBRCT4896T	\$3,601	\$3,961	\$4,321	+ \$315	+ \$442
* Includes a support rai	ı								

# **Options for Rectangle Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$379
Casters (set of 4)	C	•	•	+ \$126
Flip top	FT	•		+ \$379

Specify	Grain Direction				Shape	D	W	Base	
1. Model #		ТВ	Table	R	Round	34	69	Υ	Y base
2. Options	← →			S	Square		i .	Т	Tapered legs
3. Laminate		:		RCT	Rectangle	:	:	:	
4. Edge band				OT	Oval	:			
5. Base paint		•		:					
•		ТВ		RCT		34	69	Υ	



C-Legs -	– 24" D					LAMINATE		PAIN	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	24"	TBRCT2442C		\$1,348	\$1,398	\$1,449	+ \$88	+ \$170
29"	48"	24"	TBRCT2448C		\$1,347	\$1,426	\$1,479	+ \$88	+ \$170
29"	54"	24"	TBRCT2454C	•	\$1,500	\$1,582	\$1,639	+ \$88	+ \$170
29"	60"	24"	TBRCT2460C	•	\$1,569	\$1,658	\$1,722	+ \$88	+ \$170
29"	66"	24"	TBRCT2466C	•	\$1,633	\$1,729	\$1,799	+ \$88	+ \$170
29"	72"	24"	TBRCT2472C	•	\$1,645	\$1,742	\$1,813	+ \$88	+ \$170



C-Legs -	– 30" D					LAMINATE		PAINT		
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3	
29"	42"	30"	TBRCT3042C		\$1,504	\$1,564	\$1,624	+ \$93	+ \$187	
29"	48"	30"	TBRCT3048C		\$1,522	\$1,583	\$1,645	+ \$93	+ \$187	
29"	54"	30"	TBRCT3054C	•	\$1,738	\$1,809	\$1,881	+ \$93	+ \$187	
29"	60"	30"	TBRCT3060C	•	\$1,795	\$1,872	\$1,950	+ \$93	+ \$187	
29"	66"	30"	TBRCT3066C	•	\$1,846	\$1,928	\$2,011	+ \$93	+ \$187	
29"	72"	30"	TBRCT3072C	•	\$1,890	\$1,977	\$2,064	+ \$93	+ \$187	



0-Legs	– 24" D	)				LAMINATE		PAIN	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	24"	TBRCT24420		\$1,952	\$2,002	\$2,053	+ \$148	+ \$297
29"	48"	24"	TBRCT2448O		\$1,977	\$2,030	\$2,083	+ \$148	+ \$297
29"	54"	24"	TBRCT24540	•	\$2,130	\$2,186	\$2,243	+ \$148	+ \$297
29"	60"	24"	TBRCT2460O	•	\$2,199	\$2,262	\$2,326	+ \$148	+ \$297
29"	66"	24"	TBRCT2466O	•	\$2,263	\$2,333	\$2,403	+ \$148	+ \$297
29"	72"	24"	TBRCT24720	•	\$2,275	\$2,346	\$2,417	+ \$148	+ \$297



0-Legs	– 30" D					LAMINATE		PAIN	IT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
29"	42"	30"	TBRCT3042O		\$2,071	\$2,131	\$2,191	+ \$154	+ \$302
29"	48"	30"	TBRCT30480		\$2,063	\$2,150	\$2,212	+ \$154	+ \$302
29"	54"	30"	TBRCT3054O	•	\$2,279	\$2,376	\$2,448	+ \$154	+ \$302
29"	60"	30"	TBRCT3060O	•	\$2,336	\$2,439	\$2,517	+ \$154	+ \$302
29"	66"	30"	TBRCT3066O	•	\$2,387	\$2,495	\$2,578	+ \$154	+ \$302
29"	72"	30"	TBRCT30720	•	\$2,431	\$2,544	\$2,631	+ \$154	+ \$302

Specify	Grain Direction			Shape	D	W	Base
1. Model #		ТВ	Table	RCT Rectangle	24	60	C C-Leg
2. Options	← →					•	O O-Leg
3. Laminate		:			<u>:</u>		:
4. Edge band					•		
5. Base paint		;			;		
·		ТВ	:	RCT	24	60	С



T-Leg	s – 24" D				LAMINATE			PAINT	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	24"	TBRCT2442TL		\$1,348	\$1,398	\$1,449	+ \$88	+ \$170
29"	48"	24"	TBRCT2448TL		\$1,373	\$1,426	\$1,479	+ \$88	+ \$170
29"	54"	24"	TBRCT2454TL	•	\$1,526	\$1,582	\$1,639	+ \$88	+ \$170
29"	60"	24"	TBRCT2460TL	•	\$1,595	\$1,658	\$1,722	+ \$88	+ \$170
29"	66"	24"	TBRCT2466TL	•	\$1,659	\$1,729	\$1,799	+ \$88	+ \$170
29"	72"	24"	TBRCT2472TL	•	\$1,671	\$1,742	\$1,813	+ \$88	+ \$170



T-Legs -	- 30" D					LAMINATE		PAINT		
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3	
29"	42"	30"	TBRCT3042TL		\$1,491	\$1,551	\$1,611	+ \$93	+ \$181	
29"	48"	30"	TBRCT3048TL		\$1,509	\$1,570	\$1,632	+ \$93	+ \$181	
29"	54"	30"	TBRCT3054TL	•	\$1,725	\$1,796	\$1,868	+ \$93	+ \$181	
29"	60"	30"	TBRCT3060TL	•	\$1,782	\$1,859	\$1,937	+ \$93	+ \$181	
29"	66"	30"	TBRCT3066TL	•	\$1,833	\$1,915	\$1,998	+ \$93	+ \$181	
29"	72"	30"	TBRCT3072TL	•	\$1,877	\$1,964	\$2,051	+ \$93	+ \$181	

## **Options for Desks**

DESCRIPTION	OPTION CODE	C-LEGS	O-LEGS	T-LEGS	UPCHARGE
Bar height	вн	•		•	+ \$379
Casters; Carpet (set of 4)	CO	•		•	+ \$126
Casters; Hardfloor (set of 4)	C1	•		•	+ \$126
Flip top	FT	•		•	+ \$379

# **Ganging Kit for Desks**

DESCRIPTION	OPTION CODE	C-LEGS	O-LEGS	T-LEGS	UPCHARGE
Ganging Kit - connects 2 desks together	DSKGK	•		•	\$70

Specify	Grain Direction		Shape	D	w	Base
1. Model #		TB Table	RCT Rectangle	24	60	TL T-Leg
2. Options	<b>←</b>					:
3. Laminate		:		:		:
4. Edge band				į	:	
5. Base paint				į .		
·		ТВ	RCT	24	: ••	TL

# **Sit/Stand Desks**

**Electric Height Adjustable** 



24" D					LAMINATE		V	VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	24"	TBRCT2448H	\$2,751	\$3,026	\$3,301	\$3,283	\$3,611	\$3,939
24" – 50"	54"	24"	TBRCT2454H	\$2,815	\$3,097	\$3,378	\$3,384	\$3,723	\$4,061
24" - 50"	60"	24"	TBRCT2460H	\$2,877	\$3,165	\$3,452	\$3,515	\$3,867	\$4,218
24" – 50"	66"	24"	TBRCT2466H	\$2,941	\$3,235	\$3,529	\$3,643	\$4,007	\$4,371
24" - 50"	72"	24"	TBRCT2472H	\$3,004	\$3,304	\$3,605	\$3,718	\$4,089	\$4,462
24" – 50"	78"	24"	TBRCT2478H	\$3,067	\$3,374	\$3,680	\$3,801	\$4,181	\$4,561
24" - 50"	84"	24"	TBRCT2484H	\$3,130	\$3,443	\$3,756	\$3,876	\$4,264	\$4,651



30" D					LAMINATE		v	OOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	30"	TBRCT3048H	\$2,815	\$3,097	\$3,378	\$3,435	\$3,779	\$4,122
24" – 50"	54"	30"	TBRCT3054H	\$2,877	\$3,165	\$3,452	\$3,598	\$3,958	\$4,317
24" – 50"	60"	30"	TBRCT3060H	\$2,941	\$3,235	\$3,529	\$3,719	\$4,091	\$4,463
24" – 50"	66"	30"	TBRCT3066H	\$3,004	\$3,304	\$3,605	\$3,833	\$4,216	\$4,600
24" – 50"	72"	30"	TBRCT3072H	\$3,067	\$3,374	\$3,680	\$3,940	\$4,334	\$4,728
24" – 50"	78"	30"	TBRCT3078H	\$3,130	\$3,443	\$3,756	\$4,028	\$4,431	\$4,834
24" - 50"	84"	30"	TBRCT3084H	\$3,194	\$3,513	\$3,833	\$4,143	\$4,557	\$4,972

Specify	Grain Direction
1. Model #	
2. Laminate	← →
3. Edge band	
4. Support color	

Black or Silver

Application Notes

Electric Height Adjustable Base

Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" – 84" wide. Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".



24" D						LAMINATE		PAIN	IT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
37"	42"	24"	TBRCT2428SB		\$1,919	\$1,969	\$2,020	+ \$148	+ \$297
37"	48"	24"	TBRCT2448SB		\$1,944	\$1,997	\$2,050	+ \$148	+ \$297
37"	54"	24"	TBRCT2454SB	•	\$2,097	\$2,153	\$2,210	+ \$148	+ \$297
37"	60"	24"	TBRCT2460SB	•	\$2,166	\$2,229	\$2,293	+ \$148	+ \$297
37"	66"	24"	TBRCT2466SB	•	\$2,230	\$2,300	\$2,370	+ \$148	+ \$297
37"	72"	24"	TBRCT2472BS	•	\$2,242	\$2,313	\$2,384	+ \$148	+ \$297



30" D						LAMINATE		PAIN	NT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
37"	42"	30"	TBRCT3042SB		\$2,014	\$2,074	\$2,134	+ \$148	+ \$297
37"	48"	30"	TBRCT3048SB		\$2,032	\$2,093	\$2,155	+ \$148	+ \$297
37"	54"	30"	TBRCT3054SB	•	\$2,248	\$2,319	\$2,391	+ \$148	+ \$297
37"	60"	30"	TBRCT3060SB	•	\$2,305	\$2,382	\$2,460	+ \$148	+ \$297
37"	66"	30"	TBRCT3066SB	•	\$2,356	\$2,438	\$2,521	+ \$148	+ \$297
37"	72"	30"	TBRCT3072SB	•	\$2,400	\$2,487	\$2,574	+ \$148	+ \$297

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		ТВ	Table	RCT	Rectangle	24	60	SB	Stand-biased
2. Options	← →	•					:	•	
3. Laminate		•					:	•	
4. Edge band				:			:		
5. Base paint		;				,	<u>.</u>	:	
·		TB		RCT		24	60	SB	:



Height Adjustable	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,879
SSWSP1500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,879
SSWSP1500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,879
SSWSP1500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,173
SSWSP1500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,173
SSWSP1500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,173



Height Adjustable w/Screens	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,863
SSWSP1500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,863
SSWSP1500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,863
SSWSP1500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$8,067
SSWSP1500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$8,067
SSWSP1500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$8,067



Stand-biased	FIN	FINISHES		
MODEL#	CHAIR	DESK	LIST	
SSWSP1500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,101	
SSWSP1500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,101	
SSWSP1500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,101	
SSWSP1500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,030	
SSWSP1500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,030	
SSWSP1500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,030	

Freight is not included for sit/stand packages. For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes			
1. Model #	Included • 1000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray	Included  • 1000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray  • N-Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.		
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".		



Height Adjustable	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP8500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,012
SSWSP8500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,012
SSWSP8500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,012
SSWSP8500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,306
SSWSP8500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,306
SSWSP8500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,306




Height Adjustable w/Screens	FINI		
MODEL#	CHAIR	CHAIR DESK	
SSWSP8500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,996
SSWSP8500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,996
SSWSP8500-EBY-HATWS-MPL	Cloud 9 – Ebony Maple w/silver legs		\$7,996
SSWSP8500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$8,200
SSWSP8500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$8,200
SSWSP8500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$8,200




Stand-biased		FINISHES		
MODEL#	CHAIR	DESK	LIST	
SSWSP8500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,234	
SSWSP8500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,234	
SSWSP8500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,234	
SSWSP8500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,163	
SSWSP8500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,163	
SSWSP8500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,163	

Freight is not included for sit/stand packages. For sit/stand package discount information contact your Customer Service Representative at customers ervice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes	
1. Model #	Included • 8000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray	Included  • 8000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray  • N-Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".



Priv	acy	& Mod	lesty Panels		SCREEN TYPE	
W	Н	BRACKETS	MODEL#	PG	CR	TC
12"	12"	2	PRVMOD(CR/PG/TC)12	\$390	\$443	\$947
18"	12"	2	PRVMOD(CR/PG/TC)18	\$443	\$550	\$1,293
24"	12"	2	PRVMOD(CR/PG/TC)24	\$522	\$655	\$1,637
30"	12"	2	PRVMOD(CR/PG/TC)30	\$602	\$762	\$1,984
36"	12"	2	PRVMOD(CR/PG/TC)36	\$682	\$869	\$2,356
42"	12"	2	PRVMOD(CR/PG/TC)42	\$762	\$974	\$2,700
48"	12"	2	PRVMOD(CR/PG/TC)48	\$840	\$1,081	\$3,047
60"	12"	3	PRVMOD(CR/PG/TC)60	\$999	\$1,346	\$3,763



# **Privacy Panels**

12"	12"	2	PRV(CR/PG/TC)12	\$194	\$222	\$474
18"	12"	2	PRV(CR/PG/TC)18	\$222	\$275	\$646
24"	12"	2	PRV(CR/PG/TC)24	\$260	\$327	\$818
30"	12"	2	PRV(CR/PG/TC)30	\$301	\$381	\$992
36"	12"	2	PRV(CR/PG/TC)36	\$341	\$434	\$1,178
42"	12"	2	PRV(CR/PG/TC)42	\$381	\$487	\$1,349
48"	12"	2	PRV(CR/PG/TC)48	\$420	\$540	\$1,523
60"	12"	3	PRV(CR/PG/TC)60	\$500	\$673	\$1,881



# **Modesty Panels**

		_				
12"	12"	2	MOD(CR/PG/TC)12	\$194	\$222	\$474
18"	12"	2	MOD(CR/PG/TC)18	\$222	\$275	\$646
24"	12"	2	MOD(CR/PG/TC)24	\$260	\$327	\$818
30"	12"	2	MOD(CR/PG/TC)30	\$301	\$381	\$992
36"	12"	2	MOD(CR/PG/TC)36	\$341	\$434	\$1,178
42"	12"	2	MOD(CR/PG/TC)42	\$381	\$487	\$1,349
48"	12"	2	MOD(CR/PG/TC)48	\$420	\$540	\$1,523
60"	12"	3	MOD(CR/PG/TC)60	\$500	\$673	\$1,881

Specify					
<ol> <li>Model #</li> <li>Insert type</li> <li>Insert color</li> </ol>					
Trim - Brushed nickel only					

Screen Type							
CR Corian							
<b>PG</b> Plexiglass							
TC Textured Corian							

Corian Finishes	
Glacier White	. CR001
Pearl Grey	. CR002
Corian Clay	. CR003
Silver Grey	. CR004
Corian Grey	. CR005


Textured Corian Finishes						
Glacier White	CR001T					
Pearl Grey	CR002T					
Corian Clay	CR003T					
Silver Grey	CR004T					
Corian Grey	CR005T					

Plexiglass Finishes					
IC lce					
SMSmoked					
TR Translucent					
<b>LF</b> Frost					

# Application Notes

Screens are 1/4" thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.



Priv	acy	& Mod	lesty Panels — fabric		•		FAI	BRIC		•••••	
W	Н	BRACKETS	MODEL#	А	В	C	D	E	F	G	Н
24"	27"	2	PRVMODFA24	\$474	\$524	\$554	\$574	\$684	\$804	\$914	\$1,014
30"	27"	2	PRVMODFA30	\$500	\$570	\$600	\$620	\$730	\$850	\$950	\$1,060
36"	27"	2	PRVMODFA36	\$526	\$616	\$646	\$666	\$776	\$896	\$996	\$1,106
42"	27"	2	PRVMODFA42	\$553	\$653	\$693	\$713	\$823	\$933	\$1,043	\$1,153
48"	27"	2	PRVMODFA48	\$646	\$766	\$806	\$816	\$936	\$1,056	\$1,146	\$1,266
60"	27"	3	PRVMODFA60	\$818	\$948	\$998	\$1,008	\$1,108	\$1,238	\$1,338	\$1,448

Specify
<ol> <li>Model #</li> <li>Insert type</li> <li>Insert color</li> </ol>
Trim - Brushed nickel only

Scree	Screen Type					
CR .	. Corian					
PG.	. Plexiglass					
TC .	. Textured Corian					

Corian Finishes	
Glacier White	. CR001
Pearl Grey	CR002
Corian Clay	CR003
Silver Grey	CR004
Corian Grey	. CR005

Textured Corian Finishes						
Glacier White CR001T						
Pearl Grey CR002T						
Corian Clay CR003T						
Silver Grey CR004T						
Corian Grey CR005T						

Plexiglass Finishes					
IC lce					
SMSmoked					
TR Translucent					
<b>LF</b> Frost					
Application Notes					

#### ippiitution itotes

Screens are ¼" thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.



18" H		INSERT	PAI	INT
W	MODEL#	PG	P2	P3
12"	EDTS()1218()	\$474	+ \$33	+ \$66
18"	EDTS()1818()	\$500	+ \$33	+ \$66
24"	EDTS()2418()	\$526	+ \$33	+ \$66
30"	EDTS()3018()	\$553	+ \$33	+ \$66
36"	EDTS()3618()	\$579	+ \$33	+ \$66
42"	EDTS()4218()	\$606	+ \$33	+ \$66
48"	EDTS()4818()	\$632	+ \$33	+ \$66



24" H				
12"	EDTS()1224()	\$500	+ \$33	+ \$66
18"	EDTS()1824()	\$526	+ \$33	+ \$66
24"	EDTS()2424()	\$553	+ \$33	+ \$66
30"	EDTS()3024()	\$579	+ \$33	+ \$66
36"	EDTS()3624()	\$606	+ \$33	+ \$66
42"	EDTS()4224()	\$632	+ \$33	+ \$66
48"	EDTS()4824()	\$660	+ \$33	+ \$66
60"	EDTS()6024()	\$726	+ \$33	+ \$66



30" H				
12"	EDTS()1230()	\$579	+ \$33	+ \$66
18"	EDTS()1830()	\$606	+ \$33	+ \$66
24"	EDTS()2430()	\$632	+ \$33	+ \$66
30"	EDTS()3030()	\$660	+ \$33	+ \$66
36"	EDTS()3630()	\$686	+ \$33	+ \$66
42"	EDTS()4230()	\$712	+ \$33	+ \$66
48"	EDTS()4830()	\$739	+ \$33	+ \$66



36" H				
12"	EDTS()1236()	\$686	+ \$33	+ \$66
18"	EDTS()1836()	\$712	+ \$33	+ \$66
24"	EDTS()2436()	\$739	+ \$33	+ \$66
30"	EDTS()3036()	\$765	+ \$33	+ \$66
36"	EDTS()3636()	\$792	+ \$33	+ \$66
42"	EDTS()4236()	\$818	+ \$33	+ \$66
48"	EDTS()4836()	\$845	+ \$33	+ \$66

Specify						
_			_			

- 1. Model # 2. Insert type 3. Insert color 4. Paint

		w	Н	Mounting
EDTS Equity Desktop Screen	PG Plexiglass Insert	36	18	C Clamp \$66
		:	:	F Freestanding \$0
		:	:	S Screw down \$0
		:	:	
		:	:	
EDTS	PG	36	18	F
120.0	1			ii



61" H		INSERT	PAI	
w	MODEL#	PG	P2	P3
24"	EMS( )2461	\$2,267	+ \$33	+ \$66
30"	EMS()3061	\$2,599	+ \$33	+ \$66
36"	EMS()3661	\$2,997	+ \$33	+ \$66
42"	EMS( )4261	\$3,395	+ \$33	+ \$66
48"	EMS()4861	\$3,661	+ \$33	+ \$66



#### 64" H EMS()2464 \$2,400 + \$33 + \$66 30" EMS()3064 \$2,798 + \$33 + \$66 36" EMS()3664 \$3,196 + \$33 + \$66 42" EMS()4264 \$3,595 + \$33 + \$66 48" EMS()4864 \$3,927 + \$33 + \$66



81" H				
24"	EMS( )2481	\$3,064	+ \$33	+ \$66
30"	EMS()3081	\$3,727	+ \$33	+ \$66
36"	EMS()3681	\$4,259	+ \$33	+ \$66
42"	EMS( )4281	\$4,790	+ \$33	+ \$66
48"	EMS()4881	\$5,189	+ \$33	+ \$66

Specify		
1	Model #	

- Model #
   Insert type
- 3. Insert color
- 4. Paint

			Options
		W H	
EMS Equity Mobile Screen	PG Plexiglass Insert	36 81	C Casters \$132
EMS	PG	36 81	

### **STORAGE**

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.

Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

#### TRUE DIMENSIONS

**Disclaimer:** While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

# **STORAGE**



		PEDESTALS	LATERALS	TOWERS	CREDENZAS	CABINETS	LOCKERS	BOOKCASES
	Pencil tray	•	•	•				
	Drawer dividers	•		•				
	Magnetic label	•	•	•	•			
	Ped drawer front filler	•		•				
	Magnetic drawer dividers		•		•			
	Magnetic shelf divider		•	•	•	•		•
10 July 10 Jul	Lateral file conversion bar		•					
	Worksurface supporting bracket			•				
	Ped accessory package – FF	•		•				
	Ped accessory package – BBF	•		•				
	Ped accessory package – BF	•						









	MODEL #	LIST
Pencil tray	SPTRY	\$22
6" Drawer divider	SBDD	\$22
12" Drawer divider	SFDD	\$50
Magnetic label	SMLB	\$92
Ped drawer front filler	SPFF	\$90
Magnetic drawer dividers	SMDDB	\$133
Magnetic shelf divider	SMSD	\$105
Lateral file conversion bar	SLFCB	\$105





2 – 12" Drawer dividers	SFFA	\$92



### PED ACCESSORY PACKAGE – BBF

2 – 6" Drawer dividers	SBBFA	\$105
1 – 12" Drawer dividers		
1 – Pencil tray		



## PED ACCESSORY PACKAGE – BF

1 – 6" Drawer divider	SBFA	\$92

1 – 12" Drawer divider 1 – Pencil tray

	Pedestal		Drawers	D		Pull
SPED	Freestanding Pedestal	FF	File File	19	J	J Pull
SMPED	Mobile Pedestal	BBF	Box Box File	:	В	Bar Pull
SCMPED	Mobile Pedestal w/Cushion	BF	Box File	:	R	Radiused Pull
SSPED	Suspended Pedestal					
SWSPED	Worksurface Supporting Pedestal			:		
SWSLKR	Worksurface Supporting Locker					
SFC	File Center			:	:	
				:		
SPED		BBF		19	В	

Step 2 - Case Finish

	Paint
301	Champagne
301	
<u>:</u>	
•	
	:
301	
•	••

Step 3 – Front Finish

Not	Not Available w/J Pull			
	Laminate			
PW-STK	Studio Teak			
PW-STK				
***************************************				

### **FEATURES**

### **COUNTER WEIGHTS**

- Freestanding, mobile and cushion pedestals include factory installed counterweights.
- · Counterweights are not necessary for worksurface supporting or suspended pedestals.

#### LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- $\bullet \ \ \text{Include full suspension steel ball-bearing slides}.$
- Drawer fronts include rubber bumpers for quiet operation.

### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 % " adjustment.

#### **CASTERS – MOBILE PEDS**

• 4 Black casters, 2 of which are locking.

### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

#### DRAWER LOAD CAPACITY

Height

Box drawer

30" Deep pedestal

6" Box drawers	50 lbs
12" File drawers	70 lbs

### **DRAWER INNER DIMENSIONS**

File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
22" Deep pedestal	18 1/4"

### **PULL STYLES**









### **SURFACE MATERIALS**

#### **PEDESTAL**

Paint

### **FRONTS**

4 ½"

24 1/4"

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) **Paint** 

#### **DRAWER PULL**

Bar (B) Satin nickel Radiused (R) Satin nickel J (J) Paint

### **MOBILE PED HANDLE**

Satin nickel


#### LOCK

Satin nickel

### **CUSHION TOP**

Upholstery

# **PEDESTALS**







Freest	anding	J			PAINT		LAMINAT	TE FRONT (UPCHAI	RGE)
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
27 ¾"	15 1/4"	21 %"	SPEDFF22(J/B/R)	\$828	\$910	\$993	+ \$360	+ \$396	+ \$432
27 ¾"	15 1/4"	21 %"	SPEDBBF22(J/B/R)	\$884	\$972	\$1,060	+ \$388	+ \$426	+ \$465
27 ¾"	15 1/4"	27 %"	SPEDFF30(J/B/R)	\$940	\$1,034	\$1,128	+ \$375	+ \$506	+ \$637
27 ¾"	15 1/4"	27 %"	SPEDBBF30(J/B/R)	\$968	\$1,064	\$1,161	+ \$386	+ \$521	+ \$656



## Mobile

26 %"	15 ¼"	18 %"	SMPEDFF19(J/B/R)	\$828	\$910	\$993	+ \$360	+ \$396	+ \$432
26 %"	15 1/4"	18 %"	SMPEDBBF19(J/B/R)	\$898	\$987	\$1,077	+ \$394	+ \$433	+ \$473
21 1/8"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$800	\$880	\$960	+ \$346	+ \$380	+ \$415
26 %"	15 ¼"	21 %"	SMPEDFF22(J/B/R)	\$884	\$972	\$1,060	+ \$388	+ \$426	+ \$466
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$940	\$1,034	\$1,128	+ \$416	+ \$457	+ \$499
21 1/8"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$815	\$896	\$978	+ \$346	+ \$380	+ \$415
26 %"	15 1/4"	27 %"	SMPEDFF30(J/B/R)	\$911	\$1,002	\$1,093	+ \$364	+ \$491	+ \$618
26 %"	15 1/4"	27 %"	SMPEDBBF30(J/B/R)	\$954	\$1,049	\$1,144	+ \$381	+ \$514	+ \$647
21 1/8"	15 1/4"	27 %"	SMPEDBF30(J/B/R)	\$843	\$927	\$1,011	+ \$336	+ \$453	+ \$571




Mobil	e Cushi	on			••••••	•		•	FABRIC	•	•	•••••••••••	
Н	W	D	MODEL#		1	2	3	4	5	6	7	8	9
1"	15 1/4"	18 %"	PC19	\$24	19 9	\$279	\$309	\$339	\$409	\$469	\$529	\$619	\$689
1"	15 1/4"	21 %"	PC22	\$24	19 9	\$279	\$309	\$339	\$409	\$469	\$529	\$619	\$689
1"	15 1/4"	27 %"	PC30	\$24	19 9	\$279	\$309	\$339	\$409	\$469	\$529	\$619	\$689

# **Security Pedestal Upgrade**

File/File (FF)	SP	+ \$583
Box/File (BF)	SP	+ \$726
Box/Box/File (BBF)	SP	+ \$869

# Specify

- 1. Model#
- 2. Case finish
- 3. Front finish Laminate not available on J pull



R – Radiused

### **Ordered Separately**

• Pencil tray

### Freestanding Peds

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

#### Mobile Peds

### Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)

# **Pedestals**



Suspe	nded				PAINT		LAMINAT	E FRONT (UPCHAF	RGE)
Н	w	D	MODEL#	P1	P2	Р3	L1	L2	L3
25"	15 1/4"	21 %"	SSPEDFF22(J/B/R)	\$828	\$910	\$993	+ \$360	+ \$396	+ \$432
25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$884	\$972	\$1,060	+ \$388	+ \$426	+ \$466
19 %"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$689	\$757	\$826	+ \$298	+ \$327	+ \$358



# **Worksurface Supporting**

27 ¾"	15 1/4"	17 %"	SWSPEDFF18(J/B/R)	\$800	\$880	\$960	+ \$354	+ \$389	+ \$425
27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$856	\$941	\$1,027	+ \$374	+ \$411	+ \$449
27 ¾"	15 1/4"	21 %"	SWSPEDFF22(J/B/R)	\$800	\$880	\$960	+ \$354	+ \$389	+ \$425
27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$856	\$941	\$1,027	+ \$374	+ \$411	+ \$449
27 ¾"	15 1/4"	27 %"	SWSPEDFF30(J/B/R)	\$828	\$910	\$993	+ \$331	+ \$446	+ \$562
27 ¾"	15 1/4"	27 %"	SWSPEDBBF30(J/B/R)	\$911	\$1,002	\$1,093	+ \$364	+ \$491	+ \$618



Mobile	Slim					PAINT		LAMINAT	E FRONT (UPCHAI	RGE)
DRAWER ACCESS	н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	20"	12"	18 %"	SMPEDSLM19L(J/B/R)	\$1,523	\$1,675	\$1,827	+ \$388	+ \$426	+ \$466
R	20"	12"	18 %"	SMPEDSLM19R(J/B/R)	\$1,523	\$1,675	\$1,827	+ \$388	+ \$426	+ \$466
Both	20"	12"	18 %"	SMPEDSLM19B(J/B/R)	\$1,593	\$1,752	\$1,911	+ \$388	+ \$426	+ \$466



Mobile	Slim	Cushio	n	•	•••••••••••	•••••••••••••	FABR	IC	•••••••••	•••••••••••••••••••••••••••••••••••••••		
Н	W	D	MODEL#	1	2	3	4	5	6	7	8	
1"	12"	10 74"	DC\$10	\$240	\$270	\$200	\$220	\$400	\$460	\$520	\$610	\$690

Specify
1. Model #
2. Case finish
3. Front finish
Laminate not
available on J Pull

								Options	
	Lateral		V	N		Pull			
SPED	Freestanding Pedestal	FF File F	ile <b>1</b>	9	J	J Pull	DL	Digital Lock	\$495
SMPED	Mobile Pedestal	BBF Box E	Box File		В	Bar Pull			
SCMPED	Mobile Pedestal w/Cushion	BF Box F	ile	- :	R	Radiused Pull			
SSPED	Suspended Pedestal			:					
SWSPED	Worksurface Supporting Pedestal								
SWSLKR	Worksurface Supporting Locker		:	- :					
SFC	File Center		•						
	÷					:		T.	
SPED		BBF	1	9	В		DL		
	•••	••••••	•••••	••••••	•••••	•••		_	

Step 2 - Case Finish

Paints	
301	Champagne
201	•
301	

Step 3 – Front Finish

Not Available w/J Pull  Laminate		
•		
•		
•	:	
PW-STK		

### **FEATURES**

#### **COUNTER WEIGHTS**

- Freestanding file centers include factory installed counterweights.
- · Counterweights are not necessary for worksurface supporting file centers.

#### LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 %" adjustment.

#### **CASTERS – MOBILE PEDS**

• 4 Black casters, 2 of which are locking

### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

#### DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

### **DRAWER INNER DIMENSIONS**

Height

Box drawer	4 1/2"
File drawer	9 1/2"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
30" Deep pedestal	26 1/4"

### **PULL STYLES**

### **Available with Laminate Front**







### **SURFACE MATERIALS**

#### **PEDESTAL**

Paint

### **FRONTS**

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) **Paint** 

#### **DRAWER PULL**

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J ( <b>J</b> )	Paint


#### **LOCK**

Satin nickel

#### **CUSHION TOP**

Upholstery

# **FILE CENTERS**





Worksu	Worksurface Supporting File Center				PAINT		LAMINATE FRONT (UPCHARGE)			
Н	w	D	MODEL#	P1	P2	Р3	L1	L2	L3	
27 ¾"	30 ½"	18 1/4"	SFCFFLAT(J/B/R)	\$1,634	\$1,797	\$1,960	+ \$722	+ \$794	+ \$866	
27 ¾"	30 ½"	18 1/4"	SFCBBFLAT(J/B/R)	\$1,650	\$1,815	\$1,980	+ \$750	+ \$825	+ \$900	
27 ¾"	30 ½"	18 1/4"	SFCFBBLAT(J/B/R)	\$1,650	\$1,815	\$1,980	+ \$750	+ \$825	+ \$900	



#### **Mobile File Center w/Cushion**


24 1/8"	30 ½"	18 3/8"	SCMFCBBLAT(J/B/R)	:	\$2,789	\$3,067	\$3,346	+ \$972	+ \$1,348	+ \$1,723
27/0	30 /2	10 /8	SCIVIL CODERT (S/D/IT)	•	72,700	75,007	₹ <b>5,5</b> ∓0	1 77/2	1 71,570	1 71,723

#### **Mobile Cushion Fabric Upcharges**

mobile cusinon rubite openarges					
SEATING GRADES	UPCHARGE				
1	+ \$225				
2	+ \$300				
3	+ \$400				
4	+ \$500				
5	+ \$600				
6	+ \$700				
7	+ \$800				
8	+ \$900				

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



R – Radiused

#### **Ordered Separately**

• Pencil tray

#### Freestanding File Center

#### Included

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

#### Mobile File Center

#### Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)
- 1" cushion in black Other fabrics available for an upcharge.

## **File Centers**



Mobile	Mobile File Center w/Cupboard Door			•	PAINT		LAMINATE FRONT (UPCHARGE)			
HINGE	Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
L	22 ¾"	30 ½"	18 1/4"	SMFCFBCUBL(J/B/R)	\$1,732	\$1,870	\$2,009	+ \$750	+ \$825	+ \$900
R	22 3/8"	30 ½"	18 1/4"	SMFCFBCUBR(J/B/R)	\$1,732	\$1,870	\$2,009	+ \$750	+ \$825	+ \$900



# Mobile File Center w/Open Shelf

L	22 %"	30 ½"	18 1/4"	SMFCFBSHFL(J/B/R)	\$1,593	\$1,870	\$2,009	+ \$735	+ \$808	+ \$882
R	22 3/8"	30 ½"	18 1/4"	SMFCFBSHFR(J/B/R)	\$1,593	\$1,870	\$2,009	+ \$735	+ \$808	+ \$882



Mobi	le File	Center	Cushion				FABR	IC			
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30 ½"	18 1/4"	MFCC30	\$454	\$554	\$604	\$654	\$704	\$754	\$804	\$874

Specify						
1.	Model #					
2.	Case finish					
3.	Front finish					
	Laminate not					

available on J Pull

					Options
	Lateral		W	Pull	
SFC	File Center	FF File File	19	J J Pull	DL Digital Lock \$495
SCMFC	Mobile File Center w/Cushion	BBF Box Box File		B Bar Pull	
		BF Box File		R Radiused Pull	
:					
SFC	:	BBF	19	В	DL
•	•••	•••••	•••••	••••••	

# **Linea Dock & Aeris Caddy**

Step 1 – Model #

Pedestal	Drawers	D	Pull
SLNDK Linea Dock SARSCDY Aeris Caddy	L Left Hinged <b>R Right Hinged</b>	19	no Lock KL Keyed Lock   <b>EL Electric Lock</b>
SPED	BBF	19	В

Step 2 – Case Finish

I	Do los
301	Paint Champagne
•	
301	:
301	

Step 3 – Front Finish

Not	Not Available w/J Pull					
	Laminate					
PW-STK	PW-STK Studio Teak					
PW-STK						

#### **FEATURES**

#### **LINEA DOCK - LOCK OPTIONS**

- Non-locking
- Keyed lock
- E-lock mini
- Keyed alike available upon request.
- · Master and change key available upon request. See (page 9).

#### **AERIS CADDY - LOCK OPTIONS**

- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

#### **AERIS CADDY**

- Open front bin for backpacks and bags
- Rear bin storage includes file bars to accommodate letter or legal hanging files
- · Ergonomic footrest with nonskid protective strip
- Soft closing lid

#### **CONSTRUCTION**

#### **LINEA DOCK**

Steel Frame 14 Gauge Steel Door 12 Gauge

#### **AERIS CADDY**

Steel Shell Laminate Interior Weight Limit

#### **SURFACE MATERIALS**

#### **LINEA DOCK**

Paint

12 Gauge

200 lbs


#### **AERIS CADDY**

Shell - Paint

Interior – Laminate (White, Black or Grey)

Cushion Top - Upholstery

# **LINEA DOCK & AERIS CADDY**





		<b>4</b>
Linea Dock		PAINT
DESCRIPTION	MODEL#	P1 P2 P3
Right Hinged	SLNDKR	\$ 1,050 \$1,155 \$1,260
Right Hinged w/Keyed Lock	SLNDKR-KL	\$ 1,218 \$ 1,339 \$ 1,461
Right Hinged w/Electric Lock	SLNDKR-EL	\$ 1,518 \$ 1,669 \$ 1,821
Left Hinged	SLNDKL	\$ 1,050 \$ 1,155 \$ 1,260
Left Hinged w/Keyed Lock	SLNDKL-KL	\$ 1,218 \$ 1,339 \$ 1,461
Left Hinged w/Electric Lock	SLNDKR-EL	\$ 1,518 \$ 1,669 \$ 1,821

			Locking Options
Specify	Lateral		
1. Model # 2. Case finish	SLNDK Linea Dock	L Left Hinged <b>R Right Hinged</b>	No Lock KL Keyed Lock EL Electric Lock
	SLNDK	R	DL



Aeris Caddy		PAINT			
DESCRIPTION	MODEL#	P1	P2	Р3	
18" Wide	SARCDY18	\$ 2,010	\$2,211	\$2,412	
24" Wide	SARCDY24	\$ 2,105	\$2,315	\$2,526	

Aeris Caddy Cushio	y Cushion Fabric grades									
DESCRIPTION	MODEL#	GR A	GR B	GR C	GR D	GR E	GR F	GR G	GR H	GRI
18" Wide	SARCDYCS18	\$ 273	\$ 303	\$ 333	\$ 363	\$ 433	\$ 493	\$ 553	\$ 643	\$ 713
24" Wide	SARCDYCS24	\$ 332	\$ 362	\$ 392	\$ 422	\$ 492	\$ 552	\$ 612	\$ 702	\$ 772

Specify						

- Model #
   Case finish
- Interior Laminate
   Optional Cushion
   Upholstery

	Lateral	w
SARCDY	Aeris Caddy	18
SARCDYCS	Aeris Caddy Cushion	24
SARCDY		18

# Laterals General Info

Step 1 - Model #

Lateral	# of Drawers	W	Pull
SLAT Lateral SWSLAT Worksurface Supporting	3	36	J J Pull <b>B Bar Pull</b>
SLAT	3	36	В

Step 2 - Case Finish

	'				
Paint					
301	Champagne				
301 <b>301</b>					
201	:				
301					

Step 3 - Front Finish

Not Available w/J Pull						
Laminate						
PW-STK	Studio Teak					
PW-STK						

#### **FEATURES**

#### **COUNTER WEIGHTS**

- Counterweights are not included with laterals.
- Counterweights are not necessary for worksurface supporting laterals.

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation.
- Drawer fronts include rubber bumpers for quiet operation.
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage.
- Drawer includes full-height side panels.
- 2 file bars are included in each drawer, for side-to-side filing.
- Conversion bars for front to back filing are sold separately.
- All lateral drawer bins will accommodate A4, letter and legal size filing.

#### **LEVELING GLIDES**

4 leveling glides allow for 1 1/4" adjustment.

#### **COUNTERWEIGHTS**

 Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	20 Gauge

#### **DRAWER LOAD CAPACITY**

30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

#### **DRAWER INNER DIMENSIONS**

Height	
Top flipper door	13 ¼"
Drawer immediately below lock strip	9
All other drawers	10 ¾"
Width	
30" Wide lateral	26 1/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 1/10"
Depth	
18 ¼" Deep lateral	16"

#### **PULL STYLES**







#### **SURFACE MATERIALS**

#### LATERAL

Paint

#### **FRONTS**

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### LOCK

Satin nickel

#### TOP

Paint or Laminate

# **LATERALS**







2 Draw	er			PAINT LAMINATE FRONT (UPCHARG			RGE)		
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
28 %"	30"	18 1/4"	SLAT230(J/B)	\$1,246	\$1,370	\$1,495	+ \$555	+ \$610	+ \$732
28 %"	36"	18 1/4"	SLAT236(J/B)	\$1,523	\$1,675	\$1,827	+ \$611	+ \$672	+ \$806
28 %"	42"	18 1/4"	SLAT242(J/B)	\$1,593	\$1,752	\$1,911	+ \$666	+ \$732	+ \$879

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$ 



#### 3 Drawer

39 %	" 30"	18 1/4"	SLAT330(J/B)	\$1,732	\$1,905	\$2,078	+ \$763	+ \$839	+ \$1,007
39 1/8	" 36"	18 1/4"	SLAT336(J/B)	\$1,940	\$2,134	\$2,328	+ \$819	+ \$900	+ \$1,081
39 %	" 42"	18 1/4"	SLAT342(J/B)	\$2,080	\$2,288	\$2,496	+ \$874	+ \$961	+ \$1,153


Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 4 Drawer

51 %"	30"	18 1/4"	SLAT430(J/B)	\$2,150	\$2,365	\$2,580	+ \$930	+ \$1,023	+ \$1,227
51 %"	36"	18 1/4"	SLAT436(J/B)	\$2,358	\$2,593	\$2,829	+ \$972	+ \$1,069	+ \$1,283
51 %"	42"	18 1/4"	SLAT442(J/B)	\$2,497	\$2,746	\$2,996	+ \$1,014	+ \$1,115	+ \$1,338

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### 4 Drawer — w/fixed top shelf

65 %"	30"	18 1/4"	SLAT530(J/B)	\$2,567	\$2,823	\$3,080	+ \$1,028	+ \$1,130	+ \$1,356
65 %"	36"	18 1/4"	SLAT536(J/B)	\$2,775	\$3,052	\$3,330	+ \$1,056	+ \$1,161	+ \$1,393
65 %"	42"	18 1/4"	SLAT542(J/B)	\$3,053	\$3,358	\$3,663	+ \$1,083	+ \$1,191	+ \$1,429

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### 4 Drawer — w/roll-out shelf

65 %"	30"	18 1/4"	SLAT5R30(J/B)	\$3,859	\$4,244	\$4,630	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	36"	18 1/4"	SLAT5R36(J/B)	\$4,415	\$4,856	\$5,298	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	42"	18 1/4"	SLAT5R42(J/B)	\$4,693	\$5,162	\$5,631	+ \$2,779	+ \$3,056	+ \$3,334

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

Specify	ecify	Sp

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

# B – Bar Pull J – J Pull

Pulls

							Options	
	Lateral	# Drawers	w		Pull			
SLAT	Lateral	2	36	J	J Pull	CW	Counterweights	\$243
SWSLAT	Worksurface Supporting	3		В	Bar Pull	DL	Digital Lock	\$495
		4	:					
		5	:					
			:					
		•	:					
			:					
		•	:					
SLAT		3	36	1		CW		
JLAI	•				•	~ AA		

#### **Application Notes**

#### Included

• Leveling glides for 1 1 1 adjustment





BF				PAINT			LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
22 5/8"	30"	18 1/4"	SLAT130(J/B)	\$1,399	\$1,538	\$1,678	+ \$485	+ \$673	+ \$860
22 %"	36"	18 1/4"	SLAT136(J/B)	\$1,538	\$1,691	\$1,845	+ \$485	+ \$687	+ \$888
22 5/8"	42"	18 1/4"	SLAT142(J/B)	\$1,677	\$1,844	\$2,012	+ \$485	+ \$701	+ \$915

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### **BF Shelf**

22 %"	30"	18 1/4"	SLATS130	\$1,120	\$1,232	\$1,344	N/A	N/A	N/A
22 %"	36"	18 1/4"	SLATS136	\$1,260	\$1,386	\$1,512	N/A	N/A	N/A
22 %"	42"	18 1/4"	SLATS142	\$1,399	\$1,538	\$1,678	N/A	N/A	N/A

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### **Worksurface Supporting**

27 ¾"	30"	18 1/4"	SWSLAT230(J/B)	\$1,246	\$1,370	\$1,495	+ \$555	+ \$610	+ \$732
27 ¾"	36"	18 1/4"	SWSLAT236(J/B)	\$1,384	\$1,522	\$1,660	+ \$611	+ \$672	+ \$806
27 ¾"	42"	18 1/4"	SWSLAT242(J/B)	\$1,523	\$1,675	\$1,827	+ \$666	+ \$732	+ \$879

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

#### Lateral – Accessories

DESCRIPTION	MODEL #	BLACK ONLY
Lateral Ganging Kit	SLATGK	\$203

				Options	
Specify	Lateral	W	Pull		
<ol> <li>Model #</li> <li>Case finish</li> <li>Front finish         Laminate not             available on J pull     </li> </ol>	SLAT1 BF Lateral w/Metal Top	36	<b>J J Pull</b> B Bar Pull	CW Counterweights DL Digital Lock	<b>\$243</b> \$495
	SLAT1	36	J	cw	






2 Draw	er/2 (	)pen Sl	nelves	PAINT			LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
51 %"	30"	18 1/4"	SLAT2S2F30(J/B)	\$3,067	\$3,373	\$3,680	+ \$2,779	+ \$3,056	+ \$3,334
52 3/8"	36"	18 1/4"	SLAT2S2F36(J/B)	\$3,484	\$3,832	\$4,180	+ \$2,779	+ \$3,056	+ \$3,334
53 %"	42"	18 1/4"	SLAT2S2F42(J/B)	\$4,109	\$4,519	\$4,930	+ \$2,779	+ \$3,056	+ \$3,334

Counterweights are included.



65 %"	30"	18 1/4"	SLAT3S2F30(J/B)	\$3,206	\$3,526	\$3,847	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	36"	18 1/4"	SLAT3S2F36(J/B)	\$3,623	\$3,985	\$4,347	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	42"	18 1/4"	SLAT3S2F42(J/B)	\$4,248	\$4,672	\$5,097	+ \$2,779	+ \$3,056	+ \$3,334

Counterweights are included.



#### 3 Drawer/2 High Shelves

65 %"	30"	18 ¼"	SLAT2S3F30(J/B)	\$3,093	\$3,402	\$3,711	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	36"	18 1/4"	SLAT2S3F36(J/B)	\$3,609	\$3,969	\$4,330	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	42"	18 1/4"	SLAT2S3F42(J/B)	\$4,166	\$4,582	\$4,999	+ \$2,779	+ \$3,056	+ \$3,334


Counterweights are included.



#### 3 Drawer/3 High Shelves

_	77 3/8"	30"	18 1/4"	SLAT3S3F30(J/B)	\$3,159	\$3,474	\$3,790	+ \$2,779	+ \$3,056	+ \$3,334
	77 3/8"	36"	18 1/4"	SLAT3S3F36(J/B)	\$3,668	\$4,034	\$4,401	+ \$2,779	+ \$3,056	+ \$3,334
	77 3/8"	42"	18 1/4"	SLAT3S3F42(J/B)	\$4,220	\$4,642	\$5,064	+ \$2,779	+ \$3,056	+ \$3,334

Counterweights are included.



#### 4 Drawer/2 High Shelves

77 3/8"	30"	18 ¼"	SLAT2S4F30(J/B)	\$3,249	\$3,573	\$3,898	+ \$2,779	+ \$3,056	+ \$3,334
77 3/8"	36"	18 1/4"	SLAT2S4F36(J/B)	\$3,753	\$4,128	\$4,503	+ \$2,779	+ \$3,056	+ \$3,334
77 3/8"	42"	18 ¼"	SLAT2S4F42(J/B)	\$4,310	\$4,741	\$5,172	+ \$2,779	+ \$3,056	+ \$3,334

Counterweights are included.



#### 1. Model#

2. Case finish

3. Front finish
Laminate not
available on J pull

Pulls	
B – Bar Pull	J – J Pull

					Options	
Lateral	# Drawers	w	Pull			
SLAT Lateral	2	36	J J Pull	CW	Counterweights	\$243
SWSLAT Worksurface Suppo	orting <b>3</b>	:	B Bar Pull	DL	Digital Lock	\$495
	4	:	:			
<u> </u>	5					
	:					
		:	•			
į		:	:			
į		<u>:</u> .			1	
SLAT	3	36	J	CW		

#### Application Notes


#### Included

• Leveling glides for 1 5%" adjustment



2 Draw	er/2 H	ligh Ca	binet	PAINT			LAMINATE FRONT (UPCHARGE)		
Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
51 %"	30"	18 ¼"	SLAT2C2F30(J/B)	\$3,081	\$3,389	\$3,697	+ \$2,527	+ \$2,779	+ \$3,032
51 %"	36"	18 1/4"	SLAT2C2F36(J/B)	\$3,663	\$4,029	\$4,395	+ \$2,653	+ \$2,918	+ \$3,183
51 %"	42"	18 1/4"	SLAT2C2F42(J/B)	\$4,214	\$4,635	\$5,056	+ \$2,786	+ \$3,064	+ \$3,343

Counterweights are included.



65 %"	30"	18 1/4"	SLAT3C2F30(J/B)	\$3,141	\$3,455	\$3,769	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	36"	18 1/4"	SLAT3C2F36(J/B)	\$3,687	\$4,055	\$4,424	+ \$2,653	+ \$2,918	+ \$3,183
65 %"	42"	18 1/4"	SLAT2C2F42(J/B)	\$4,262	\$4,688	\$5,114	+ \$2,786	+ \$3,064	+ \$3,343

Counterweights are included.



#### 3 Drawer/2 High Cabinet


65 %"	30"	18 ¼"	SLAT2C3F30(J/B)	\$3,219	\$3,540	\$3,862	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	36"	18 1/4"	SLAT2C3F36(J/B)	\$3,765	\$4,141	\$4,518	+ \$2,590	+ \$2,849	+ \$3,108
65 %"	42"	18 1/4"	SLAT2C3F42(J/B)	\$4,340	\$4,774	\$5,208	+ \$2,655	+ \$2,920	+ \$3,186

Counterweights are included.



-	77 3/8"	30"	18 ¼"	SLAT3C3F30(J/B)	\$3,602	\$3,962	\$4,322	+ \$2,860	+ \$3,146	+ \$3,432
	77 3/8"	36"	18 ¼"	SLAT3C3F36(J/B)	\$4,196	\$4,615	\$5,035	+ \$2,990	+ \$3,289	+ \$3,588
	77 3/8"	42"	18 1/4"	SLAT3C3F42(J/B)	\$4,825	\$5,307	\$5,790	+ \$3,250	+ \$3,575	+ \$3,900

Counterweights are included.



#### 4 Drawer/2 High Cabinet


77 3/8"	30"	18 1/4"	SLAT2C4F30(J/B)	\$3,704	\$4,074	\$4,444	+ \$3,510	+ \$3,861	+ \$4,212
77 3/8"	36"	18 1/4"	SLAT2C4F36(J/B)	\$4,298	\$4,727	\$5,157	+ \$3,640	+ \$4,004	+ \$4,368
77 3/8"	42"	18 1/4"	SLAT2C4F42(J/B)	\$4,928	\$5,420	\$5,913	+ \$3,900	+ \$4,290	+ \$4,680

Counterweights are included.

Sp	ec	ify	1		
_					

- 1. Model #
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

				Options	
Lateral	W	Pull			
BF Lateral w/Metal Top	36	J J Pull	CW	Counterweights \$	243
		B Bar Pull	DL	Digital Lock	495
	:				
	:				
<u>:</u>		_		. [	
	:	J	CW		
	BF Lateral w/Metal Top	BF Lateral w/Metal Top 36	BF Lateral w/Metal Top 36 J J Pull B Bar Pull 36 J J Pull B Bar Pull	BF Lateral w/Metal Top 36 J J Pull B Bar Pull DL	BF Lateral w/Metal Top  36  B Bar Pull  CW Counterweights DL Digital Lock



6B Dra	wer			PAINT			
Н	W	D	MODEL#	P1	P2	P3	
39 %"	30"	18 1/4"	S6BLAT30(J/B)	\$2,608	\$2,868	\$3,129	
39 %"	36"	18 1/4"	S6BLAT36(J/B)	\$2,747	\$3,021	\$3,296	
39 %"	42"	18 1/4"	S6BLAT42(J/B)	\$2,997	\$3,296	\$3,596	

#### 6B Drawer, No Top

				:		
39 %"	30"	18 ¼"	S6BLAT30NT(J/B)	\$2,511	\$2,762	\$3,013
39 %"	36"	18 1/4"	S6BLAT36NT(J/B)	\$2,651	\$2,916	\$3,181
39 %"	42"	18 1/4"	S6BLAT42NT(J/B)	\$2,928	\$3,220	\$3,513

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$ 



#### **BBF Drawer**


28 %"	30"	18 ¼"	S2BFLAT30(J/B)	\$1,677	\$1,844	\$2,012
28 %"	36"	18 1/4"	S2BFLAT36(J/B)	\$1,816	\$1,997	\$2,179
28 %"	42"	18 ¼"	S2BFLAT <mark>42</mark> (J/B)	\$1,955	\$2,150	\$2,346

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

#### **BBF Drawer, No Top**

28 ¾"	30"	18 ¼"	S2BFLAT30NT(J/B)	\$1,677	\$1,844	\$2,012
28 ¾"	36"	18 1/4"	S2BFLAT36NT(J/B)	\$1,816	\$1,997	\$2,179
28 %"	42"	18 1/4"	S2BFLAT42NT(J/B)	\$1,955	\$2,150	\$2,346

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### **BBFF Drawer**

39 %"	30"	18 1/4"	S2B2FLAT30(J/B)	\$2,233	\$2,456	\$2,679
39 %"	36"	18 1/4"	S2B2FLAT36(J/B)	\$2,372	\$2,609	\$2,846
39 %"	42"	18 1/4"	S2B2FLAT42(J/B)	\$2.511	\$2,762	\$3.013

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 


#### **BBFF Drawer, No Top**

39 %	30	18 1/4	S2B2FLAT30NT(J/B)	\$2,233	\$2,456	\$2,679
39 %	36	18 1/4	S2B2FLAT36NT(J/B)	\$2,372	\$2,609	\$2,846
39 %	42	18 1/4	S2B2FLAT42NT(J/B)	\$2,511	\$2,762	\$3,013

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

Specify	
1. Model # 2. Case finish	

					Options	
	Lateral	W	Pull			
S6BLAT	6B Drawer Lat	36	J J Pull	CW	Counterweights	\$243
S2BFLAT	BBF Drawer Lat		B Bar Pull	DL	Digital Lock	\$495
S2B2FLAT	BBFF Drawer Lat	:				
<u>:</u>						
į			•			
į	:				1	
S6BLA1	Γ.	36	J	CW		
<b>i</b>	<b>:</b>	<b>::</b>	<b></b>			




Comn	non T	op – 18	" Deep		LAMINATE	
Н	W	D	MODEL#	L1	L2	L3
5/8"	30"	18 1/4"	LT30	\$485	\$533	\$582
5/8"	36"	18 1/4"	LT36	\$528	\$580	\$633
5/8"	42"	18 1/4"	LT42	\$541	\$595	\$649
5/8"	60"	18 1/4"	LT60	\$568	\$624	\$681
5/8"	66"	18 1/4"	LT66	\$644	\$708	\$772
5/8"	72"	18 ¼"	LT72	\$673	\$740	\$807
5/8"	84"	18 1/4"	LT84	\$679	\$746	\$814
5/8"	90"	18 1/4"	LT90	\$687	\$755	\$824
5/8"	108"	18 1/4"	LT108	\$735	\$808	\$882
5/8"	126"	18 1/4"	LT126	\$979	\$1,076	\$1,174

### Common Top – 36" Deep

#### Specify Lateral Common Top

- 1. Model # 2. Laminate
- 3. Edge band

5/8	" 30"	36 ½"	LT3037		\$694	\$763	\$832
5/8	" 36"	36 ½"	LT3637		\$763	\$839	\$915
5/8	" 42"	36 ½"	LT4237		\$867	\$953	\$1,040
5/8	" 60"	36 ½"	LT6037	5	\$1,006	\$1,106	\$1,207
5/8	" 66"	36 ½"	LT6637	\$	\$1,112	\$1,223	\$1,334
5/8	" 72"	36 ½"	LT7237	5	\$1,180	\$1,298	\$1,416
5/8	" 84"	36 ½"	LT8437	5	\$1,250	\$1,375	\$1,500
5/8	" 90"	36 ½"	LT9037	\$	\$1,320	\$1,452	\$1,584
5/8	" 108"	36 ½"	LT10837	5	\$1,597	\$1,756	\$1,916
5/8	" 126"	36 ½"	LT12637	\$	\$1,736	\$1,909	\$2,083



Cushi	on – 1	18" Dee	:p	FABRIC							•••••
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30"	18 1/4"	LC30	\$454	\$554	\$604	\$654	\$704	\$754	\$804	\$874
1"	36"	18 1/4"	LC36	\$487	\$587	\$642	\$692	\$752	\$817	\$882	\$972
1"	42"	18 1/4"	LC42	\$522	\$622	\$682	\$732	\$802	\$882	\$962	\$1,072
1"	60"	18 1/4"	LC60	\$606	\$706	\$776	\$836	\$926	\$1,026	\$1,126	\$1,276
1"	66"	18 1/4"	LC66	\$641	\$741	\$816	\$876	\$981	\$1,091	\$1,206	\$1,366
1"	72"	18 1/4"	LC72	\$676	\$776	\$856	\$916	\$1,036	\$1,156	\$1,286	\$1,456
1"	84"	18 1/4"	LC84	\$731	\$831	\$921	\$991	\$1,131	\$1,271	\$1,441	\$1,591
1"	90"	18 1/4"	LC90	\$773	\$873	\$963	\$1,033	\$1,193	\$1,343	\$1,533	\$1,683
1"	108"	18 1/4"	LC108	\$856	\$956	\$1,056	\$1,136	\$1,316	\$1,491	\$1,686	\$1,866
1"	126"	18 1/4"	LC126	\$940	\$1,040	\$1,150	\$1,240	\$1,440	\$1,640	\$1,840	\$2,050

#### Cushion – 36" Deep

#### Specify Lateral Cushion

- 1. Model#
- 2. Fabric

			-r								
1"	30"	36 ½"	LC3037	\$662	\$722	\$782	\$882	\$982	\$1,082	\$1,182	\$1,282
1"	36"	36 ½"	LC3637	\$704	\$774	\$839	\$954	\$1,069	\$1,189	\$1,309	\$1,454
1"	42"	36 ½"	LC4237	\$745	\$825	\$895	\$1,025	\$1,155	\$1,295	\$1,435	\$1,625
1"	60"	36 ½"	LC6037	\$843	\$943	\$1,033	\$1,173	\$1,343	\$1,533	\$1,733	\$2,043
1"	66"	36 ½"	LC6637	\$884	\$984	\$1,084	\$1,234	\$1,424	\$1,629	\$1,854	\$2,194
1"	72"	36 ½"	LC7237	\$926	\$1,026	\$1,136	\$1,296	\$1,506	\$1,726	\$1,976	\$2,346
1"	84"	36 ½"	LC8437	\$1,009	\$1,109	\$1,239	\$1,409	\$1,649	\$1,899	\$2,179	\$2,579
1"	90"	36 ½"	LC9037	\$1,051	\$1,151	\$1,291	\$1,471	\$1,731	\$2,011	\$2,311	\$2,731
1"	108"	36 ½"	LC10837	\$1,162	\$1,267	\$1,422	\$1,612	\$1,892	\$2,232	\$2,582	\$3,042
1"	126"	36 ½"	LC12637	\$1,273	\$1,383	\$1,553	\$1,753	\$2,053	\$2,453	\$2,853	\$3,353

Step 1 - Model

	н	W	Drawers	Coat Door	Pull
STWR Tower	56	22	<b>FF</b> BBF	<b>L Left</b> R Right	J J Pull <b>B Bar Pull</b> R Radiused Pull
STWR	56	22	FF	L	B Radiuseu ruii

Step 2 – Case Finish

301 Champagne
<b>:</b>
:

Step 3 – Front Finish

Not Available w/J Pull							
Laminate							
PW-STK	Studio Teak						
PW-STK							
•••••••••••••••••••••••••••••••••••••••							

#### **FEATURES**

#### **LOCK**

- Lock core is removable.
- 24" Side access tower includes 2 locks. All others include 1 lock.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.
- Slides include anti-rebound and quick disconnect features.
- File drawer dividers which allow sideto-side filing are sold separately.

#### **SHELVES**

• Shelves are adjustable in 1 1/2" increments.

#### **LEVELING GLIDES – TOWER**

 $\bullet$  Leveling glides allow for % " adjustment.

#### **LEVELING GLIDES – SIDE ACCESS TOWER**

• Leveling glides allow for 1 %" adjustment.

#### **DOORS**

• Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 Gauge
Bottom channel	18 Gauge
Side channels	18 Gauge
Outer top	21 Gauge
Outer back	21 Gauge
Outer sides	21 Gauge
Outer center	21 Gauge
Drawer & door fronts	21 Gauge
Shelves	18 Gauge
Drawer bins	22 Gauge
Drawer fronts	20 Gauge

#### **DRAWER LOAD CAPACITY**

6" Box drawers	50 lbs
12" File drawers	70 lbs


#### SHELF LOAD CAPACITY

Shelf 61 lbs

#### DRAWER INNER DIMENSIONS

Height	
Box drawer	4 1/2"
File drawer	9 1/2"
Width	
All drawers	12 ½"
Depth	
All drawers	18 ¼"

#### **PULL STYLES**



#### **SURFACE MATERIALS**

#### **CASE**

Paint

#### **FRONTS**

w/Bar Pull (B)	Paint or Laminate
w/Radiused Pull (R)	Paint or Laminate
w/J Pull (J)	Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.


#### **DRAWER PULL**

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J <b>(J)</b>	Paint

#### **LOCK**

Satin nickel

# **TOWERS**





					:·····································	· · · · · · · · · · · · · · · · · · ·	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	••••••••••	•••••
<b>40</b> "	High	— does	not inclu	ıde an adj. shelf		PAINT		LAMINATE FRONT (UPCHARGE)		
COAT										
DOOR	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	39 %"	23 ½"	23 ½"	STWR4024FFL(J/B/R)	\$2,706	\$2,976	\$3,247	+ \$1,250	+ \$1,375	+ \$1,500
R	39 %"	23 ½"	23 ½"	STWR4024FFR(J/B/R)	\$2,706	\$2,976	\$3,247	+ \$1,250	+ \$1,375	+ \$1,500
L	39 %"	23 ½"	23 ½"	STWR4024BBFL(J/B/R)	\$2,775	\$3,052	\$3,330	+ \$1,291	+ \$1,420	+ \$1,549
R	39 %"	23 ½"	23 ½"	STWR4024BBFR(J/B/R)	\$2,775	\$3,052	\$3,330	+ \$1,291	+ \$1,420	+ \$1,549
<b>46</b> "	High	— does	not inclu	ıde an adj. shelf						
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,913	\$3,204	\$3,495	+ \$1,278	+ \$1,405	+ \$1,533
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,913	\$3,204	\$3,495	+ \$1,278	+ \$1,405	+ \$1,533
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584
<b>51</b> "	High	— inclu	des 1 adj	. shelf						
L	51 ¾"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584
R	51 ¾"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584
L	51 %"	23 ½"	23 ½"	STWR5124BBFL(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616
R	51 %"	23 ½"	23 ½"	STWR5124BBFR(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616
<b>56</b> " l	High	— inclu	des 1 adj	. shelf						
L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616
L	56"	23 ½"	23 ½"	STWR5624BBFL(J/B/R)	\$3,192	\$3,511	\$3,830	+ \$1,389	+ \$1,527	+ \$1,666
R	56"	23 ½"	23 ½"	STWR5624BBFR(J/B/R)	\$3,192	\$3,511	\$3,830	+ \$1,389	+ \$1,527	+ \$1,666
<b>66</b> "	High	— inclu	des 2 adj	. shelves						
L	65 %"	23 ½"	23 ½"	STWR6624FFL(J/B/R)	\$3,330	\$3,663	\$3,996	+ \$1,667	+ \$1,833	+ \$2,000
R	65 %"	23 ½"	23 ½"	STWR6624FFR(J/B/R)	\$3,330	\$3,663	\$3,996	+ \$1,667	+ \$1,833	+ \$2,000
L	65 %"	23 ½"	23 ½"	STWR6624BBFL(J/B/R)	\$3,401	\$3,741	\$4,081	+ \$1,807	+ \$1,987	+ \$2,168
R	65 %"	23 ½"	23 ½"	STWR6624BBFR(J/B/R)	\$3,401	\$3,741	\$4,081	+ \$1,807	+ \$1,987	+ \$2,168

							Options	
	Н	W	Drawers	<b>Coat Door</b>	Pull			
STWR Tower	56	22	FF	L Left	J J Pull	DL	Digital Lock	\$495
1	•		BBF	R Right	B Bar Pull			
<u>:</u>		-			R Radiused Pull			
STWR	56	22	FF	L	J	DL		

#### Specify

- 1. Model #
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

# Pulls B - Bar Pull J - J Pull

R – Radiused

#### **Application Notes**

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod
- Leveling glides allow for %" adjustment





SSAT5624BBFRB



Available Laminate

46" High — does not include an adj. shelf					PAINT			LAMINATE FRONT (UPCHARGE)		
COAT DOOR	Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,886	\$3,174	\$3,463	+ \$1,278	+ \$1,405	+ \$1,533
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,886	\$3,174	\$3,463	+ \$1,278	+ \$1,405	+ \$1,533
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,956	\$3,251	\$3,547	+ \$1,320	+ \$1,452	+ \$1,584
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,956	\$3,251	\$3,547	+ \$1,320	+ \$1,452	+ \$1,584
51" F	liah	inelu	doc 1 adi	ا داده ا						

#### **TIGII** — includes 1 adj. shelf

L	51 ¾"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584
R	51 %"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584
L	51 %"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616
R	51 %"	23 ½"	23 ½"	SSAT5124BBFR(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616

### 56" High \_\_includes 1 adj. shelf

L	56"	23 ½" 23 ½"	SSAT5624FFL(J/B/R)	\$3,095	\$3,404	\$3,714	+ \$1,347	+ \$1,481	+ \$1,616
R	56"	23 ½" 23 ½"	SSAT5624FFR(J/B/R)	\$3,095	\$3,404	\$3,714	+ \$1,347	+ \$1,481	+ \$1,616
L	56"	23 ½" 23 ½"	SSAT5624BBFL(J/B/R)	\$3,234	\$3,557	\$3,880	+ \$1,389	+ \$1,527	+ \$1,666
R	56"	23 ½" 23 ½"	SSAT5624BBFR(J/B/R)	\$3,234	\$3,557	\$3,880	+ \$1,389	+ \$1,527	+ \$1,666

#### 66" **High** — includes 2 adj. shelves

L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$3,262	\$3,588	\$3,914	+ \$1,667	+ \$1,833	+ \$2,000
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$3,262	\$3,588	\$3,914	+ \$1,667	+ \$1,833	+ \$2,000
L	65 %"	23 ½"	23 ½"	SSAT6524BBFL(J/B/R)	\$3,330	\$3,663	\$3,996	+ \$1,807	+ \$1,987	+ \$2,168
R	65 %"	23 ½"	23 ½"	SSAT6524BBFR(J/B/R)	\$3,330	\$3,663	\$3,996	+ \$1,807	+ \$1,987	+ \$2,168



#### Worksurface Supporting Bracket—factory installed

BLACK ONLY


Add at the end of tower model number

SWSSB

\$133

											Options	
		Н	W	Drawers	C	oat Door			Pull			
SSAT	Side Access Tower	56	22	FF	L	Left	Ξ	J	J Pull	SWSSB		\$133
				BBF	R	Right	:	B R	Bar Pull Radiused Pull	DL	Digital Lock	\$495
SSAT	•	56	22	FF	L			J	<u>.</u>	SWSSB		

#### Specify 1. Model # 2. Case finish



#### **Application Notes**

- Includes 2 locks, keyed alike
- Coat closet includes two-pronged coat hook
- · Leveling glides allow for 1 %" adjustment

#### **Worksurface Supporting Bracket**

Must be ordered with a Side Access Tower. Factory installed.



16" H	$igh_{-1}$	does not i	nclude an a	dj. shelf		PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	Р
L	46"	15 1/4"	23 ½"	STWR4615FFL(J/B/R)	\$1,872	\$2,059	\$2,24
R	46"	15 1/4"	23 ½"	STWR4615FFR(J/B/R)	\$1,872	\$2,059	\$2,24
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$2,052	\$2,257	\$2,46
R	46"	15 1/4"	23 ½"	STWR <mark>4615</mark> BBFR(J/B/R)	\$2,052	\$2,257	\$2,46
51" H	igh_i	includes 1	adj. shelf				
L	51 ¾"	15 1/4"	23 ½"	STWR5115FFL(J/B/R)	\$2,052	\$2,257	\$2,462
R	51 %"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$2,052	\$2,257	\$2,462
L	51 ¾"	15 1/4"	23 ½"	STWR5115BBFL(J/B/R)	\$2,150	\$2,365	\$2,58
R	51 %"	15 1/4"	23 ½"	STWR5115BBFR(J/B/R)	\$2,150	\$2,365	\$2,580
6" H	igh_i	includes 1	adj. shelf				
L	56"	15 1/4"	23 ½"	STWR5615FFL(J/B/R)	\$2,150	\$2,365	\$2,580
R	56"	15 1/4"	23 ½"	STWR5615FFR(J/B/R)	\$2,150	\$2,365	\$2,58
L	56"	15 1/4"	23 ½"	STWR5615BBFL(J/B/R)	\$2,218	\$2,439	\$2,66
R	56"	15 1/4"	23 ½"	STWR <mark>5615</mark> BBFR(J/B/R)	\$2,218	\$2,439	\$2,66
66" H	igh_i	includes 2	adj. shelve	s			
L	65 %"	15 1/4"	23 ½"	STWR6615FFL(J/B/R)	\$2,218	\$2,439	\$2,66
R	65 %"	15 1/4"	23 ½"	STWR6615FFR(J/B/R)	\$2,218	\$2,439	\$2,66
L	65 %"	15 1/4"	23 ½"	STWR6615BBFL(J/B/R)	\$2,358	\$2,593	\$2,829

							Options	
	н	W	Drawers	<b>Coat Door</b>	Pull			
STWR Tower	56	15	FF	L Left	J J Pull	DL	Digital Lock	\$495
		:	BBF	R Right	B Bar Pull			
					R Radiused Pull			
	į ,			,	<u>,</u>		1	
STWR	56	15	FF	L	J	DL		

STWR6615BBFR(J/B/R)

#### Specify Pulls 1. Model# 2. Case finish B – Bar Pull J – J Pull

R – Radiused

R 65 1/8" 15 1/4" 23 1/2"

#### **Application Notes**

- Single lock for
- cupboard & drawers
   Leveling glides allow for %" adjustment

\$2,358

\$2,593

\$2,829

• Will not accommodate worksurface support bracket





					·	•••••••	• • • • • • • • • • • • • • • • • • • •
46" H	ligh_	does not i	nclude an adj. :	shelf		PAINT	
OPEN	Н	W	D	MODEL#	P1	P2	P3
L	46"	15 1/4"	23 ½"	SSAT4615FFL(J/B/R)	\$1,801	\$1,981	\$2,161
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,801	\$1,981	\$2,161
L	46"	15 1/4"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,940	\$2,134	\$2,328
R	46"	15 1/4"	23 ½"	SSAT <mark>4615</mark> BBFR(J/B/R)	\$1,940	\$2,134	\$2,328
-411.11							
51" H	igh_	includes 1	adj. shelf				
L	51 %"	15 1/4"	23 ½"	SSAT5115FFL(J/B/R)	\$1,940	\$2,134	\$2,328
R	51 %"	15 1/4"	23 ½"	SSAT5115FFR(J/B/R)	\$1,940	\$2,134	\$2,328
L	51 %"	15 1/4"	23 ½"	SSAT5115BBFL(J/B/R)	\$2,080	\$2,288	\$2,496
R	51 %"	15 1/4"	23 ½"	SSAT5115BBFR(J/B/R)	\$2,080	\$2,288	\$2,496
56" H			adj. shelf		: +2.000	42.000	40.406
L	56"	15 1/4"	23 ½"	SSAT5615FFL(J/B/R)	\$2,080	\$2,288	\$2,496
R L	56" 56"	15 1/4"	23 ½"	SSAT5615FFR(J/B/R)	\$2,080	\$2,288	\$2,496
R	56"	15 ¼" 15 ¼"	23 ½"	SSAT5615BBFL(J/B/R) SSAT5615BBFR(J/B/R)	\$2,218 \$2,218	\$2,439 \$2,439	\$2,661 \$2,661
IX.	30	13 /4	25 /2	וועספוסטו אויסטוו אויסטוויסטווייסטווייסטווייסטווייסטווייסטווייסטווייסטווייסטווייסטווייסטוי	\$2,210	72,739	72,001
56" H	igh_	includes 2	adj. shelves				
L	65 %"	15 1/4"	23 ½"	SSAT6515FFL(J/B/R)	\$2,150	\$2,365	\$2,580
R	65 %"	15 1/4"	23 ½"	SSAT6515FFR(J/B/R)	\$2,150	\$2,365	\$2,580
L	65 %"	15 1/4"	23 ½"	SSAT6515BBFL(J/B/R)	\$2,289	\$2,517	\$2,746
R	65 %"	15 1/4"	23 ½"	SSAT6515BBFR(J/B/R)	\$2,289	\$2,517	\$2,746



#### Worksurface Supporting Bracket—factory installed

BLACK ONLY

Add at the end of tower model number

SWSSB

\$133


# WORKSURFACES & 15" SIDE ACCESSS TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" – 84".

							Options	
		Н	W	Drawers	<b>Coat Door</b>	Pull		
SSAT	Side Access Tower	56	15	FF	L Left	J J Pull	SWSSB	\$133
		:		BBF	R Right	B Bar Pull R Radiused Pull	DL Digital Lock	\$495
SSAT	;	56		FF	L	J	SWSSB	

# Specify 1. Model # 2. Case finish



R – Radiused

#### **Application Notes**

- Single lock for all drawers
- Leveling glides allow for 1 %" adjustment

#### **Worksurface Supporting Bracket**

Must be ordered with a Side Access Tower. Factory installed.

#### Step 1 - Model #

	Drav	ver Width	Shel	f Width	Тор	Pull
SCR Credenza	30	D Drawer	20	S Shelf	MT Metal Top	J J Pull
				:	NT No Top	B Bar Pull
			:	:		:
SCR	30	D	20	ς	МТ	R
JCI	: :	: - :	20			

Step 2 – Case Finish

	Paint
301	Champagne
į	
	:
301	

**Step 3** – Front Finish

Not Available w/J Pull							
	Laminate						
PW-STK	Studio Teak						
PW-STK							

#### **FEATURES**

#### COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

#### LOCK

- Available on credenza products which feature drawers
- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request. See (page 9).

#### **DRAWERS**

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

#### **SHELF**

• ¾" High adjustable shelf

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1/2" adjustment

#### **TOP**

• Available in metal, cushion and laminate

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 Gauge
Top channels	18 Gauge
Shelves	18 Gauge
Side channels	20 Gauge
Side panels	20 Gauge
Тор	20 Gauge
Fronts	20 Gauge
Drawer bins	22 Gauge

#### **DRAWER INNER DIMENSIONS**

Height

6" Drawer	4 ½"
12" Drawer	10 %"
Width	
30" Wide drawer	26 1/10"
36" Wide drawer	32 1/10"
42" Wide drawer	38 7/10"
Depth	
All drawers	15 %10"

#### **SHELF INNER DIMENSIONS**

16 %"
28 ½"
34 ½"
40 ½"
19"

#### **PULL STYLES**



B – Bar Pull



#### **SURFACE MATERIALS**

#### CASE

Paint

#### **FRONTS**

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### **LOCK**

Satin nickel

#### **CUSHION TOP**

Upholstery

# **CREDENZAS**





Credenzas						PAINT		LAMINATE FRONT (UPCHARGE)		
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$3,867	\$4,253	\$4,640	+ \$735	+ \$808	+ \$882
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$3,986	\$4,384	\$4,783	+ \$735	+ \$808	+ \$882
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$4,070	\$4,477	\$4,884	+ \$763	+ \$839	+ \$915



#### Credenza – Drawers

30" Drawers, metal top	22 1/4"	30"	20"	SCRD3020MT(J/B)	\$1,593	\$1,752	\$1,911	+ \$735	+ \$808	+ \$882
36" Drawers, metal top	22 1/4"	36"	20"	SCRD3620MT(J/B)	\$1,663	\$1,829	\$1,995	+ \$763	+ \$839	+ \$915
42" Drawers, metal top	22 1/4"	42"	20"	SCRD4220MT(J/B)	\$1,801	\$1,981	\$2,161	+ \$819	+ \$900	+ \$982



#### Credenza — Shelves — includes 1 adj. shelf

30" Shelf, metal top	22 1/4"	30"	20"	SCRS3020MT	\$1,273	\$1,400	\$1,527	N/A	N/A	N/A
36" Shelf, metal top	22 1/4"	36"	20"	SCRS3620MT	\$1,357	\$1,492	\$1,628	N/A	N/A	N/A
42" Shelf, metal top	22 1/4"	42"	20"	SCRS4220MT	\$1,468	\$1,614	\$1,761	N/A	N/A	N/A

#### Credenza – Accessories

Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$343	\$377	\$411	N/A	N/A	N/A
Credenza center leg support				SCRCLS	\$272	N/A	N/A	N/A	N/A	N/A
Credenza ganging kit				SCRGK	\$203	N/A	N/A	N/A	N/A	N/A


				Options
	Drawer Width	Shelf Width	Top Pull	
SCR Credenza	30 D Drawer	20 S Shelf	MT Metal Top J J Pull B Bar Pull	DL Digital Lock \$495
SCR	30 D	20 S	MT J	DL

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

#### Credenza Includes

- 2 low storage cabinets
- 1 laminate top & ganging kit
- 1 credenza center support leg



#### **Application Notes**

- Credenzas must be assembled in the field
- When ganging 2 units together, order ganging kit
- Leveling glides allow for 1 5%" adjustment

# Drawer units include 1 6" drawer & 1 – 12" file drawer & counterweight

#### Center Leg

- Helps to gang 2 credenza pieces together side by side
- Eliminate the 4 legs in the center and replace with this single support leg

#### **Ganging Kit**

 Ganging kit for use when specifying laminate top separately, does not include center leg

#### Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate




Credenza – Common Tops	LAMINATE						
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	CT30	\$506	\$556	\$607
Single 36" W credenza top	5/8"	36"	20"	СТ36	\$541	\$595	\$649
Single 42" W credenza top	5/8"	42"	20"	CT42	\$583	\$641	\$699
Double 30" W credenza top	5/8"	60"	20"	CT60	\$660	\$726	\$792
Double 30"/36" W credenza top	5/8"	66"	20"	CT66	\$694	\$763	\$832
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	CT72	\$708	\$778	\$849
Double 36"/42" W credenza top	5/8"	78"	20"	CT78	\$735	\$808	\$882
Double 42" W credenza top	5/8"	84"	20"	CT84	\$777	\$854	\$932
Triple 30" W credenza top	5/8"	90"	20"	CT <mark>90</mark>	\$819	\$900	\$982



Crede	redenza Cushion Tops					FABRIC							
Н	W	D	MODEL#	A/1	A/1 B/2 C/3 D/4 E/5 F/6 G/7								
1"	12"	20"	SCRC2012	\$287	\$512	\$587	\$687	\$787	\$887	\$987	\$1,087		
1"	18"	20"	SCRC2018	\$343	\$568	\$643	\$743	\$843	\$943	\$1,043	\$1,143		
1"	30"	20"	SCRC2030	\$454	\$679	\$754	\$854	\$954	\$1,054	\$1,154	\$1,254		
1"	36"	20"	SCRC2036	\$551	\$776	\$851	\$951	\$1,051	\$1,151	\$1,251	\$1,351		
1"	42"	20"	SCRC2042	\$606	\$831	\$906	\$1,006	\$1,106	\$1,206	\$1,306	\$1,406		
1"	60"	20"	SCRC2060	\$731	\$956	\$1,031	\$1,131	\$1,231	\$1,331	\$1,431	\$1,531		
1"	66"	20"	SCRC2066	\$787	\$1,012	\$1,087	\$1,187	\$1,287	\$1,387	\$1,487	\$1,587		
1"	72"	20"	SCRC2072	\$828	\$1,053	\$1,128	\$1,228	\$1,328	\$1,428	\$1,528	\$1,628		

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



#### **Application Notes**

#### Center Leg

 Helps to gang 2 credenza pieces together side by side

#### **Ganging Kit**

 When ganging 2 units together, order ganging kit, does not include center leg

#### Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

Step 1 – Model #

	Н	W	D		Pull
SCAB Cabinet	77	30	18	<b>J</b> B	<b>J Pull</b> Bar Pull
SCAB	77	30	18	J	

#### **FEATURES**

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

#### **DOORS**

 Concealed hinges allow for 110° degrees opening.

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1/4" adjustment.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

20 – 22 Gauge
20 – 22 Gauge
18 Gauge
18 Gauge
18 Gauge

Step 2 – Case Finish

Paint Champagne

301

#### **SHELF LOAD CAPACITY**

Shelf 140 lbs

#### **TOP LOAD CAPACITY**

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

#### INNER DIMENSIONS

Depth 18" Deep

24" Deep

Height	
2 High	23 ½"
3 High	35"
4 High	46 1/2"
5 High	61"
6 High	72 ½"
Width	
30" Wide cabinet	26 ¾"
36" Wide cabinet	32 ¾"
42" Wide cabinet	38 ¾"

#### **PULL STYLES**





#### **SURFACE MATERIALS**

#### CASE

**Paint** 

#### **FRONTS**

w/Bar Pull (B) Paint w/J Pull (J) Paint

#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### LOCK

17 ¾10"

22 3/5"

Satin nickel

# **CABINETS**







2 High	<b>1</b> —1A	djustable S	Shelf		PAINT	
Н	W	D	MODEL#	P1	P2	P3
28 ¾"	30"	18 1/4"	SCAB293018(J/B)	\$1,384	\$1,522	\$1,660
28 ¾"	36"	18 1/4"	SCAB293618(J/B)	\$1,523	\$1,675	\$1,827
28 ¾"	42"	18 1/4"	SCAB294218(J/B)	\$1,663	\$1,829	\$1,995



#### 3 High — 2 Adjustable Shelves

39 %"	30"	18 ¼"	SCAB403018(J/B)	\$1,663	\$1,829	\$1,995
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,801	\$1,981	\$2,161
39 %"	42"	18 1/4"	SCAB <mark>404218</mark> (J/B)	\$1,940	\$2,134	\$2,328



#### 4 High — 3 Adjustable Shelves

51 ¾"	30"	18 1/4"	SCAB523018(J/B)	\$2,010	\$2,211	\$2,412
51 ¾"	36"	18 1/4"	SCAB <mark>523618</mark> (J/B)	\$2,150	\$2,365	\$2,580
51 %"	42"	18 1/4"	SCAB <mark>524218</mark> (J/B)	\$2,289	\$2,517	\$2,746

Specify	Application Notes
1. Model #	<ul> <li>Leveling glides allow</li></ul>
2. Case finish	for ¼" adjustment

					Options
	Н	W	D	Pull	
SCAB Cabinet	77	30	18	<b>J J Pull</b> B Bar Pull	DL Digital Lock \$495
SCAB	77	30	18	J	DL

# **Cabinets**



5 High	<b>1</b> — 4 A	djustable :	Shelves		PAINT	
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	18 1/4"	SCAB663018(J/B)	\$2,289	\$2,517	\$2,746
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$2,427	\$2,669	\$2,912
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,984	\$3,282	\$3,580
65 %"	42"	18 1/4"	SCAB <mark>664218(J/B)</mark>	\$2,567	\$2,823	\$3,080



#### 6 High — 5 Adjustable Shelves

<u>•g.</u>	O TIT 911 — 5 Augustable Sileives							
77 3/8"	30"	18 1/4"	SCAB773018(J/B)	\$2,635	\$2,898	\$3,162		
77 3/8"	36"	18 1/4"	SCAB773618(J/B)	\$2,775	\$3,052	\$3,330		
77 3/8"	36"	23 ½"	SCAB773624(J/B)	\$3,122	\$3,434	\$3,746		
77 3/8"	42"	18 1/4"	SCAB <mark>774218</mark> (J/B)	\$2,913	\$3,204	\$3,495		

Specify	
1. Model # 2. Case finish	

Application Notes

· Leveling glides allow
for ¼" adjustment

					Options
	Н	W	D	Pull	
SCAB Cabinet	77	30	18	J J Pull	DL Digital Lock \$495
:		:		B Bar Pull	
		:			
	:				
SCAB	77	30	18	1	DI
i scho	ii			<u>.</u>	

# torage

#### Step 1 – Model #

Н	D	Hinge		Pull
51	18	L	J	J Pull
<u>:</u>		R	В	Bar Pull
!		. :		:
: - :		L	J	
	51 <b>51</b>	51 18 51 18	51 18 L R	51 18 L J R B

Step 2 - Case Finish

	Paint
301	Champagne
301	:
301	

#### **FEATURES**

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Digital lock available upon request.
- Keyless available upon request.

#### **BUDA**

 $\bullet$  Available in 2 depths: 18 ½" and 23 ½".

#### **DOORS**

- All lockers come standard with metal doors.
- Concealed hinges allow for 100 degree opening.

#### **SHELF**

- Includes one fixed shelf on top w/ 12" clear height above.
- Additional shelves may be ordered separately.

#### **COAT ROD**

• Includes side-to-side coat rod beneath shelf.

#### **LEVELING GLIDES**

- 4 leveling glides allow for %" adjustment.
- Glides are accessible from the inside of the locker.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 Gauge
Side panels	21 Gauge
Back panel	21 Gauge
Center panel	21 Gauge
Inner top channel	18 Gauge
Inner bottom channel	18 Gauge
Inner side channels	18 Gauge
Bottom panel	16 Gauge
Door fronts	20 – 22 Gauge
Shelves	18 Gauge

#### **DRAWER INNER DIMENSIONS**

Height

Above shelf	12"				
Below coat rod – 51" High	31 1/10"				
Below coat rod – 66" High	46 1/5"				
Width					
All lockers	9 1/5"				
Depth					
18 ½" Deep locker	17 %"				
23 ½" Deep locker	22 ¾"				

#### **PULL STYLES**





#### **SURFACE MATERIALS**

#### **LOCKER**

Paint


#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint

#### LOCK

Satin nickel


# **LOCKERS**



Single –	ingle — 51" High				PAINT			LAMINATE FRONT (UPCHARGE)			
TYPE	HINGE	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
1 Door	L	51 %"	12"	18"	SLKR5118L(J/B)	\$1,940	\$2,134	\$2,328	+ \$884	+ \$972	+ \$1,060
1 Door	R	51 %"	12"	18"	SLKR5118R(J/B)	\$1,940	\$2,134	\$2,328	+ \$884	+ \$972	+ \$1,060
1 Door	L	51 %"	12"	24"	SLKR5124L(J/B)	\$1,983	\$2,181	\$2,379	+ \$884	+ \$972	+ \$1,060
1 Door	R	51 %"	12"	24"	SLKR5124R(J/B)	\$1,983	\$2,181	\$2,379	+ \$884	+ \$972	+ \$1,060


#### Single — 66" High

1 Door	L	65 %"	12"	18"	SLKR6618L(J/B)	\$2,052	\$2,257	\$2,462	+ \$980	+ \$1,078	+ \$1,176
1 Door	R	65 %"	12"	18"	SLKR6618R(J/B)	\$2,052	\$2,257	\$2,462	+ \$980	+ \$1,078	+ \$1,176
1 Door	L	65 %"	12"	24"	SLKR6624L(J/B)	\$2,123	\$2,335	\$2,547	+ \$980	+ \$1,078	+ \$1,176
1 Door	R	65 %"	12"	24"	SLKR6624R(J/B)	\$2,123	\$2,335	\$2,547	+ \$980	+ \$1,078	+ \$1,176



#### **Double**

2 Door	L	65 %"	12"	18"	SLKR2D6612L(J/B)	\$2,233	\$2,456	\$2,679	+ \$1,482	+ \$1,630	+ \$1,778
2 Door	R	65 %"	12"	18"	SLKR2D6612R(J/B)	\$2,233	\$2,456	\$2,679	+ \$1,482	+ \$1,630	+ \$1,778
2 Door	L	65 %"	18"	18"	SLKR2D6618L(J/B)	\$2,372	\$2,609	\$2,846	+ \$1,866	+ \$2,052	+ \$2,239
2 Door	R	65 %"	18"	18"	SLKR2D6618R(J/B)	\$2,372	\$2,609	\$2,846	+ \$1,866	+ \$2,052	+ \$2,239



#### Quad

4 Door	L	65 %"	24"	18"	SLKR4D6624L(J/B)	\$3,763	\$4,139	\$4,515 + \$1,495	+ \$1,644	+ \$1,794
4 Door	R	65 %"	24"	18"	SLKR4D6624R(J/B)	\$3,763	\$4,139	\$4,515 + \$1,495	+ \$1,644	+ \$1,794



#### Cubby

4 Door	L	34 ¾"	24"	18"	SLKR4D3524L(J/B)	\$2,651	\$2,916	\$3,181 + \$2,028	+ \$2,230	+ \$2,433
4 Door	R	34 ¾"	24"	18"	SLKR4D3524R(J/B)	\$2,651	\$2,916	\$3,181 + \$2,028	+ \$2,230	+ \$2,433
8 Door	L	65 %"	24"	18"	SLKR8D6624L(J/B)	\$4,596	\$5,055	\$5,515 + \$2,535	+ \$2,788	+ \$3,042
8 Door	R	65 %"	24"	18"	SLKR8D6624R(J/B)	\$4,596	\$5,055	\$5,515 + \$2,535	+ \$2,788	+ \$3,042

#### **Shelves**

Qty 2	12"	SLKRS122	\$356	\$391	\$427	N/A	N/A	N/A
Qty 2	18"	SLKRS182	\$411	\$452	\$493	N/A	N/A	N/A
Otv 4	24"	SLKRS244	\$495	\$544	\$594	N/A	N/A	N/A

Specify
---------

- 1. Model#
- 2. Case finish

#### Application Notes

- Includes 1 fixed shelf on top with 12" clear height above
- Leveling glides allow for %" adjustment

#### 18" Deep


 Include (2) twopronged coat hooks

#### 24" Deep

Include (1) side-to-side coat rod

					Options	
	н	D	Hinge	Pull		
SLKR Locker	51	18	<b>L</b> R	<b>J J Pull</b> B Bar Pull	DL Digital Lock	\$450
SLKR	51	18	L	J	DL	

## Lockers




Locke	er Com	mon T	op – 18" Deep	LAMINATE			
Н	W	D	MODEL#	L1	L2	L3	
5/8"	24"	18"	LKRT2418	\$404	\$444	\$484	
5/8"	36"	18"	LKRT3618	\$480	\$528	\$576	
5/8"	42"	18"	LKRT4218	\$493	\$542	\$591	
5/8"	48"	18"	LKRT4818	\$502	\$552	\$602	
5/8"	54"	18"	LKRT5418	\$511	\$562	\$613	
5/8"	60"	18"	LKRT6018	\$518	\$569	\$621	
5/8"	72"	18"	LKRT7218	\$613	\$674	\$735	
5/8"	84"	18"	LKRT8418	\$619	\$680	\$742	
5/8"	90"	18"	LKRT9018	\$625	\$687	\$750	
5/8"	96"	18"	LKRT9618	\$647	\$711	\$776	
5/8"	108"	18"	LKRT10818	\$670	\$737	\$804	

Specify				
1. Model#				
2. Laminate finish				

		W	D
SLKR	Locker Common Top	48	18
[			:
:			:
	_		
SLKF	RT .	66	18
	:		ii

Step 1 – Model #



Step 2 – Case Finish

	Paint	
301	Champagne	
301		

#### **FEATURES**

#### **SHELVES**

- 1" thick.
- Adjustable in 1/2" increments.
- 2-high bookcases will accommodate binder-height storage on both shelves.
- All other bookcases, binder-height storage is available on all but 1 shelf.

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 %" adjustment.

#### **SAFETY:**

- To ensure stability, do not install a 4, 5 or 6 high bookcase in the center of a room.
- Bookcases should be installed backto back or against a wall.

#### NOTE

- 2 high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets.
- 2 high bookcases are designed to fit under a worksurface.

#### **CONSTRUCTION**

#### OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Side channels	22 Gauge
Side panels	22 Gauge
Bottom panel	18 Gauge
Shelves	18 Gauge

#### SHELF LOAD CAPACITY

All bookcases 140 lbs

#### **INNER DIMENSIONS**

Height	
2 High	25 1/5"
3 High	37 ³⁄10"
4 High	48 1/5"
5 High	63 ¾₀"
6 High	74 1/5"
Width	
30" Wide bookcase	27 1/10"
36" Wide bookcase	33 1/10"
42" Wide bookcase	39 7/10"
Depth	
All cabinets	13 1/10"

#### **SURFACE MATERIALS**


#### CASE

Paint

#### TOP

Paint

# **BOOKCASES**





2 High				PAINT		
Н	W	D	MODEL #	P1	P2	P3
27 ¾"	30"	13 %"	SBC2830	\$1,149	\$1,263	\$1,378
27 ¾"	36"	13 %"	SBC2836	\$1,217	\$1,338	\$1,460
27 ¾"	42"	13 %"	SBC2842	\$1,357	\$1,492	\$1,628



#### 3 High 39 %" \$1,495 30" 13 %" SBC4030 \$1,246 \$1,370 36" SBC4036 39 %" 13 %" \$1,357 \$1,492 \$1,628 39 %" 42" 13 %" SBC4042 \$1,645 \$1,795 \$1,496



4	4 High						
-	51 3/8"	30"	13 %"	SBC5230	\$1,384	\$1,522	\$1,660
	51 %"	36"	13 %"	SBC5236	\$1,496	\$1,645	\$1,795
	51 3/8"	42"	13 %"	SBC5242	\$1.634	\$1,797	\$1,960

Specify	
1. Model #	

2. Case finish

**Application Notes** 

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		Н	W
SBC	Bookcase	66	42
:			
•			:
			:
SBC		66	42
350	<b>:</b>		

# **Bookcases**



5 Higl	h				PAINT	
Н	W	D	MODEL#	P1	P2	Р3
65 %"	30"	13 %"	SBC6630	\$1,523	\$1,675	\$1,827
65 %"	36"	13 ¾"	SBC6636	\$1,634	\$1,797	\$1,960
65 %"	42"	13 ¾"	SBC6642	\$1,774	\$1,951	\$2,128



#### 6 High

Ulligii						
77 3/8"	30"	13 %"	SBC7730	\$1,663	\$1,829	\$1,995
77 3/8"	36"	13 %"	SBC7736	\$1,774	\$1,951	\$2,128
77 3/8"	42"	13 ¾"	SBC7742	\$1,912	\$2,103	\$2,294

S	pe	cify

- 1. Model#
- 2. Case finish

#### Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in 1/2" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		п	VV
SBC	Bookcase	66	42
SBC		66	42

# Workplace Accessories


#### **WORKPLACE ACCESSORIES**

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

#### **CUSTOMIZE YOUR SPACE WITH:**

Keyboard mechanisms Keyboard trays Monitor arms Footrests CPU holders Forearm supports Patented ergonomic products


# **WORKPLACE ACCESSORIES**



# **Keyboard Trays & Arms**

	KEYBOARD ARMS		
	Leverless	Sit/Stand	
Code	A	С	
Leverless Height	✓	✓	
Height	-6" – 2.5"	-6" – 8"	
Tilt	-15° – 0°	-15° – 0°	
Spring Assist	✓	✓	
360° Rear Swivel	✓	✓	
Track Length	23"	21"	
(OPTIONAL) Short Track	18"	18"	
Glide Track	✓	✓	
Quick Ship	<b>©S</b>	<b>OS</b>	
List	\$254	\$278	

#### **KEYBOARD TRAYS**




11



 Anti-skid neoprene pads hold keyboard securely in place

\$187


List



86 — ELEMENTAL®

- Straights, corners and natural keyboards
- Made from 100% recycled aluminum
- Polished surface

**List** \$356



#### 43 — SOFTOUCH™


- Straight
- Urethane over steel plate
- Includes mouse surface

List

\$278



#### **EASY COMBOS**




General

S Short Track – 18" \$0
Only Available on (A) or (C) Arm

#### **MONITOR ARMS**

#### **GLOBAL MONITOR ARM**



- Multi-screen setups: Effortless adjustment for different monitor position that meets your need.
- Cable management: Enjoy an organized desktop.
- Premium gas spring: Raise your monitor at an ergonomic height with a high-quality gas lift to save up more valuable space.
- Ergonomic benefits: Boost efficiency at work and reduce the pressure on your neck, back, and eye strain.



Material Aluminum, steel

and plastic

**Weight Capacity** 2~9 kg (4.4~19.8

lbs) / each arm

Lift Max. 508mm (20"),

Min. 225mm (8.86")

Tilt  $-35^{\circ}$  to  $+90^{\circ}$ tion  $\pm 128^{\circ}$ 

**Rotation**  $\pm 128^{\circ}$  **Swivel**  $360^{\circ}$ 


**Extension** Max. 1163.8mm(45.82")

Mounting Option Clamp

Fits Desk Thickness 10~65mm (0.4"~2.55")

**VESA** 75/100m

MODEL#		LIST
MAMS2M2NBLK	Black	\$695
MAMS2M2NSLVR	Silver	\$759



#### SIT/STAND

- Sturdy aluminum construction with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

Model #	Description	List
KCG-SSB	Black	\$695
KCG-SSS	Silver	\$695

#### SIT/STAND



#### **STANDUP®**

- Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to worksurface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo

MODEL#	LIST
SUP04	\$508

# **Workplace Accessories**

#### **ACCESSORIES**



#### **FOREARM SUPPORTS**

- Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- Reduces pressure on ulnar nerve
- Reduces upper body fatigue
- Lightweight & portable

1 — 1	
1 / 1	1 ( )
$\cup$	

Model 1	Model 2	
160241 \$290	160243 \$290	w/Hooks
160242 \$290	160244 \$290	w/Screw



#### **ANTI-FATIGUE FLOOR MATS**

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavy-duty polyurethane
- Matte texture provides optimum traction
- Beveled edge reduces tripping potential
- Available in black

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$344
3/4"	48"	20"	EAM4820B	\$525
3/4"	72"	20"	EAM7220B	\$783
3/4"	36"	24"	EAM3624B	\$435
3/4"	60"	36"	EAM6036B	\$1,001

#### **CPU HOLDERS**

#### **CPU HOLDER**

- 360 swivel
- Black powder coat
- Fits CPU's
- 3.75" 8.25" wide
- 12.25" 20.5" tall
- 17 ¾" track

• Steel

Model # List VCPU \$235

#### **GRADED-IN AND COM UPHOLSTERY**

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact Customer Servicet.

Please note: The finish codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts COM for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service in order for a quotation to be provided. The customer is responsible for shipping COM to Customer Service.

CARNEGIE				
Manufacturer	Pattern	Grade		
Carnegie	Abacus Embroider	Н		
Carnegie	Arrow X	G		
Carnegie	Bardot	F		
Carnegie	Buff	E		
Carnegie	Cane Embroider X	Call		
Carnegie	Channel	E		
Carnegie	Chelsea	E		
Carnegie	Cirque Couture	Call		
Carnegie	Covet	D		
Carnegie	Crossing	F		
Carnegie	Dazzle	Н		
Carnegie	Departure	E		
Carnegie	Edge	F		
Carnegie	Elite	C		
Carnegie	Groove	E		
Carnegie	Hashtag	E		
Carnegie	Haze X	G		
Carnegie	Hepburn	F		
Carnegie	Hide	E		
Carnegie	Impress	E		
Carnegie	Index	D		
Carnegie	Keystone	E		
Carnegie	Kid	E		
Carnegie	Merge	F		
Carnegie	Monocle Embroider	I		
Carnegie	0la	Call		
Carnegie	Reverie	E		
Carnegie	Rise	C		
Carnegie	Roxy	E		
Carnegie	Tangle	F		
Carnegie	Theory	E		
Carnegie	Touch	C		
Carnegie	Trace X	G		
Carnegie	Twine	F		
Carnegie	Verse	D		

Manufacturer	Pattern	Grade
C. F. Stinson	Aerie	D
C. F. Stinson	Ally	C
C. F. Stinson	Aperture	c
C. F. Stinson	Array	D
C. F. Stinson	Axis Too!	C
C. F. Stinson	Backdrop	C
C. F. Stinson	Binary	E
C. F. Stinson	Code	c
C. F. Stinson	Dapple	D
C. F. Stinson	Del Mar	D
C. F. Stinson	Focus	C
C. F. Stinson	Galaxy	E
C. F. Stinson	Genesis	C
C. F. Stinson	Imprint	C
C. F. Stinson	Intermix	C
C. F. Stinson	Linea	E
C. F. Stinson	Lulu	C
C. F. Stinson	Luther II	D
C. F. Stinson	Mason	C
C. F. Stinson	Mira	C
C. F. Stinson	Nikko	D
C. F. Stinson	Prime	В
C. F. Stinson	Repetition	D
C. F. Stinson	Ringer	C
C. F. Stinson	Sight Line	D
C. F. Stinson	Spree	C
C. F. Stinson	Surf	C
C. F. Stinson	Tally	E
C. F. Stinson	Tussah	D
C. F. Stinson	Venture	C

DECICNTEY		
DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Appleseed	G
Designtex	Arne	F
Designtex	Billiard Panel	F
Designtex	Birdseye	E
Designtex	Blur	F
Designtex	Brushed Flannel	E
Designtex	Cesta	E
Designtex	Check	Н
Designtex	Chiyogami	Н
Designtex	Clew	E
Designtex	Cloud Velvet	F
Designtex	Crossweave	E
Designtex	Decibel	E
Designtex	Dovetail	E
Designtex	Everywhere Texture	G
Designtex	Gamut	E
Designtex	Gravity	E
Designtex	Hem Stitch	G
Designtex	In The Cloud	F
Designtex	Kabuto	Н
Designtex	Lounge	E
Designtex	Mackintosh	F
Designtex	Melange	F
Designtex	<b>Ori</b>	Н
Designtex	Overtone	E
Designtex	Pepper	E
Designtex	Reppweave	F
Designtex	Rocket	E
Designtex	Sidetrack	F
Designtex	Tweedy Twill	E
Designtex	Ulster	E
Designtex	Velocity	E
Designtex	Wend	F
Designtex	Woolish	E
-		

GUILFORD O	F MAINE	
Manufacturer	Pattern	Grade
<b>Guilford of Maine</b>	Amaze	В
<b>Guilford of Maine</b>	Anchorage	C
<b>Guilford of Maine</b>	Auster	C
<b>Guilford of Maine</b>	Axiom	В
<b>Guilford of Maine</b>	Bailey	C
<b>Guilford of Maine</b>	BeeHave	C
<b>Guilford of Maine</b>	Broadcast	В
<b>Guilford of Maine</b>	Cape Cod	C
<b>Guilford of Maine</b>	Chase	В
<b>Guilford of Maine</b>	Couture	C
<b>Guilford of Maine</b>	Crosstown	C
<b>Guilford of Maine</b>	Dashing	C
<b>Guilford of Maine</b>	Dune	В
<b>Guilford of Maine</b>	Essence	A
<b>Guilford of Maine</b>	Felt	D
<b>Guilford of Maine</b>	FR701° Standard	C
<b>Guilford of Maine</b>	Framework	В
<b>Guilford of Maine</b>	Groove	D
<b>Guilford of Maine</b>	Intermix	В
<b>Guilford of Maine</b>	Intuition	C
<b>Guilford of Maine</b>	Jane	C
<b>Guilford of Maine</b>	Lido	C
<b>Guilford of Maine</b>	Marin	C
<b>Guilford of Maine</b>	Meander	В
<b>Guilford of Maine</b>	Metallation	C
<b>Guilford of Maine</b>	Metro	C
<b>Guilford of Maine</b>	Mingle	В
<b>Guilford of Maine</b>	Napa	E
<b>Guilford of Maine</b>	Netiquette	В
<b>Guilford of Maine</b>	Off the Grid	В
<b>Guilford of Maine</b>	Open House	C
<b>Guilford of Maine</b>	Palette	C
<b>Guilford of Maine</b>	Paradise	В
<b>Guilford of Maine</b>	Purpose	C
<b>Guilford of Maine</b>	Pursuit	Α
<b>Guilford of Maine</b>	Quadrille	C
<b>Guilford of Maine</b>	Rattan	C
<b>Guilford of Maine</b>	Reeds	C
<b>Guilford of Maine</b>	Resolve	c
<b>Guilford of Maine</b>	Sand Dollar	E
<b>Guilford of Maine</b>	Sedona	E
<b>Guilford of Maine</b>	Spinel	c
<b>Guilford of Maine</b>	Sprite	В
<b>Guilford of Maine</b>	Strata	C
<b>Guilford of Maine</b>	Studio 54	D
<b>Guilford of Maine</b>	Surf	E
<b>Guilford of Maine</b>	Synopsis	В
Guilford of Maine	Tempest	(
<b>Guilford of Maine</b>	Theory	В
Guilford of Maine	Trellis	E
<b>Guilford of Maine</b>	Tweed	В
Guilford of Maine	Whisper	В
	•	

LUNA		
Manufacturer	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Facet	G
Luna	ldyll	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Luminescente	E
Luna	Radar	E
Luna	Signal	E
Luna	Stitch	E
Luna	Transmission	E
Luna	Twiggy	Н
Luna	Twist	E

**Call** – Call for pricing 979.778.0502

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp	E
Maharam	Field	E
Maharam	Flock	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	E
Maharam	Parallel	E
Maharam	Reply	E
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Spiral	E
Maharam	Unit	E

MAYER		
Manufacturer	Pattern	Grade
Mayer	Basic	Α
Mayer	Blueprint	Α
Mayer	Cipher	Α
Mayer	Code	Α
Mayer	Сора	C
Mayer	Cross Check	C
Mayer	Divert	C
Mayer	Echo	E
Mayer	Equal	C
Mayer	Fedora	D
Mayer	Flair	C
Mayer	Forte	Α
Mayer	Fresco	C
Mayer	Furrow	Α
Mayer	Interlude	C
Mayer	Mimic	C
Mayer	Nexus	C
Mayer	Paragon	D
Mayer	Pebble Beach	C
Mayer	Quattro	C
Mayer	Strata	C

MOMENTUM		
Manufacturer		Grade
Momentum	Aloft	G
Momentum	Bevy	G
Momentum	Cameo	E
Momentum	Charette	F
Momentum	Curtain Call	E
Momentum	Elon	E
Momentum	Encore	E
Momentum	Essence PC	F
Momentum	Glint	E
Momentum	Gradient Grid	F
Momentum	Gradual	F
Momentum	Haiku	F
Momentum	Infinity C-Zero	C
Momentum	Kinect	E
Momentum	Liven	F
Momentum	Marathon C-Zero	C
Momentum	Meander	E
Momentum	Midlands	F
Momentum	Millennium C-Zero	C
Momentum	Mood	G
Momentum	Odyssey C-Zero	C
Momentum	Pact	E
Momentum	Privet	F
Momentum	Proverb	E
Momentum	Respite	F
Momentum	Rosetta	F
Momentum	Script	E
Momentum	Serendipity II	F
Momentum	Solaris	F
Momentum	Streamers	F
Momentum	Tenor	E
Momentum	Tradition C-Zero	C
Momentum	Universe	E
Momentum	Vinea	F
Momentum	Waypoint	F
Momentum	Zento	G

**Call** – Call for pricing 979.778.0502

# **LEGACY TABLE OF CONTENTS**

LEGACY FINISHES Laminate Edge Band Paint	
Plexiglass	
Fabric	189
GEN 1 & 2 PANELS	190
Fabric Panels	190
Fabric Panels	191
Insert Panels	192
Insert Panels	
Wall Starter & Wall Mount Chanel	194
POST ASSEMBLIES	195
Straight	
Corner (90°)	
End	195
3-way (T)	196
3-way (Y)	
4-way (X)	196
Dual Height Posts	197
Triple Height Posts	198
Single Height Posts	199
Panel Connectors	200
Shrouds	201

GEN 3	
Fabric Panels	202
Insert Panels	203
POST ASSEMBLIES	204
Straight	204
2-way (120)	
3-way (T)	
3-way (120)	
4-way (X)	
Single Height	
Dual Height	
Triple Height	
End Kits	
Wall Starter/Wall Mounted Channel	207
PANEL ACCESSORIES	208
Vertical Wire Manager	
Metal Ceiling Module	
3	
Coat Hook.	
Carpet Gripper	209
COUNTER CAPS	210
Straights	

FREESTANDING Flat Brackets Column Base Tackable Privacy	212 212
WALL MOUNTING Wall Mounting Suggestions	
KEY LOCK PROGRAM  General Information  How to Specify Key Alike  Key-alike ordered prior to 6/12/00	216 216

Legacy
finishes
are only
available
for existing
customers
to match
existing
installs

LAMINATES		EDGE BANDS	
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS & PLASTICS	
P1	
Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	Н
Light Tan Metallic	W
Р3	
Bright White	118
Silver	613

PLEXIGLASS	
Clear	CL
lce	IC
Smoked	SM
Translucent	TR

FABRICS		
F		
Circle Line	KnollTextiles	W1146
Growth Spurt	KnollTextiles	W692
Reflect	KnollTextiles	W884
Versatility	KnollTextiles	W432
G		
Hard Rock	KnollTextiles	W1007
Micro	KnollTextiles	W465
Relay	KnollTextiles	W1020

NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.

# NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

# **Generation 1 Fabric Panel**

28" thru 48" High



								į		
28" H									PAIN	IT
W	MODEL#	A	В	C	D	E	F	G	P2	P3
12"	EP1FA1228R	\$869	\$937	\$959	\$980	\$997	\$1,015	\$1,040	N/A	+ \$62
18"	EP1FA1828R	\$904	\$975	\$994	\$1,018	\$1,034	\$1,058	\$1,082	N/A	+ \$62
24"	EP1FA2428R	\$936	\$1,013	\$1,030	\$1,059	\$1,076	\$1,094	\$1,127	N/A	+ \$62
30"	EP1FA3028R	\$963	\$1,036	\$1,059	\$1,086	\$1,108	\$1,128	\$1,157	N/A	+ \$62
36"	EP1FA3628R	\$1,007	\$1,085	\$1,107	\$1,135	\$1,158	\$1,175	\$1,207	N/A	+ \$62
42"	EP1FA4228R	\$1,051	\$1,131	\$1,157	\$1,186	\$1,210	\$1,227	\$1,257	N/A	+ \$62
48"	EP1FA4828R	\$1,089	\$1,178	\$1,196	\$1,230	\$1,252	\$1,276	\$1,309	N/A	+ \$62
60"	EP1FA6028R	\$1,160	\$1,249	\$1,274	\$1,312	\$1,333	\$1,353	\$1,390	N/A	+ \$62
40" H										
12"	EP1FA1240R	\$913	\$983	\$1,003	\$1,030	\$1,047	\$1,067	\$1,090	N/A	+ \$62
18"	EP1FA1840R	\$955	\$1,030	\$1,051	\$1,076	\$1,094	\$1,115	\$1,141	N/A	+ \$62
24"	EP1FA2440R	\$997	\$1,076	\$1,098	\$1,129	\$1,148	\$1,170	\$1,196	N/A	+ \$62
30"	EP1FA3040R	\$1,029	\$1,112	\$1,130	\$1,163	\$1,183	\$1,204	\$1,233	N/A	+ \$62
36"	EP1FA3640R	\$1,062	\$1,148	\$1,170	\$1,200	\$1,224	\$1,243	\$1,276	N/A	+ \$62
42"	EP1FA4240R	\$1,184	\$1,277	\$1,303	\$1,337	\$1,364	\$1,384	\$1,424	N/A	+ \$62
48"	EP1FA4840R	\$1,223	\$1,321	\$1,340	\$1,379	\$1,402	\$1,428	\$1,461	N/A	+ \$62
60"	EP1FA6040R	\$1,372	\$1,482	\$1,508	\$1,551	\$1,578	\$1,603	\$1,648	N/A	+ \$62
401111										
48" H										
12"	EP1FA1248R	\$937	\$1,014	\$1,031	\$1,060	\$1,078	\$1,098	\$1,128	N/A	+ \$62
18"	EP1FA1848R	\$984	\$1,063	\$1,082	\$1,113	\$1,131	\$1,157	\$1,183	N/A	+ \$62
24"	EP1FA2448R	\$1,078	\$1,167	\$1,188	\$1,210	\$1,241	\$1,265	\$1,291	N/A	+ \$62
30"	EP1FA3048R	\$1,109	\$1,196	\$1,223	\$1,252	\$1,276	\$1,298	\$1,333	N/A	+ \$62
36"	EP1FA3648R	\$1,126	\$1,215	\$1,234	\$1,269	\$1,288	\$1,313	\$1,346	N/A	+ \$62
42"	EP1FA4248R	\$1,249	\$1,348	\$1,377	\$1,411	\$1,437	\$1,461	\$1,500	N/A	+ \$62
48"	EP1FA4848R	\$1,333	\$1,437	\$1,461	\$1,503	\$1,532	\$1,556	\$1,598	N/A	+ \$62

Order Code					
e.g.	EP1FA3648R, W3513, 117				
EP1FA	Fabric panel				
36	Width				
48	Height				
R	Raceway				
W351-3	Foundation, Corn Silk				
117	Soft Grey trim				

60"

EP1FA6048R

#### **Specification Information**

\$1,515

\$1,640

\$1,667

\$1,710

\$1,741

Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power. Electrical components must be ordered separately.

\$1,773

\$1,819

N/A

NOTE: P2 trim colors are not available on EP1 panels and panel components.

#### **Application Notes**

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.



E2   II									••••••••••••••••••	:
53" H									PAIN	г
W	MODEL#	А	В	C	D	E	F	G	P2	P3
12"	EP1FA1253R	\$961	\$1,032	\$1,057	\$1,081	\$1,101	\$1,120	\$1,152	N/A	+ \$62
18"	EP1FA1853R	\$1,009	\$1,086	\$1,108	\$1,136	\$1,160	\$1,178	\$1,210	N/A	+ \$62
24"	EP1FA2453R	\$1,063	\$1,152	\$1,173	\$1,204	\$1,225	\$1,244	\$1,277	N/A	+ \$62
30"	EP1FA3053R	\$1,090	\$1,180	\$1,200	\$1,234	\$1,255	\$1,277	\$1,312	N/A	+ \$62
36"	EP1FA3653R	\$1,255	\$1,356	\$1,383	\$1,424	\$1,445	\$1,472	\$1,508	N/A	+ \$62
42"	EP1FA4253R	\$1,313	\$1,419	\$1,445	\$1,483	\$1,508	\$1,537	\$1,576	N/A	+ \$62
48"	EP1FA4853R	\$1,387	\$1,499	\$1,526	\$1,569	\$1,596	\$1,622	\$1,665	N/A	+ \$62
60"	EP1FA6053R	\$1,576	\$1,702	\$1,732	\$1,779	\$1,811	\$1,844	\$1,890	N/A	+ \$62
60" H										
12"	EP1FA1260R	\$983	\$1,062	\$1,081	\$1,112	\$1,130	\$1,152	\$1,180	N/A	+ \$62
18"	EP1FA1860R	\$1,040	\$1,127	\$1,146	\$1,175	\$1,193	\$1,218	\$1,249	N/A	+ \$62
24"	EP1FA2460R	\$1,062	\$1,148	\$1,170	\$1,200	\$1,224	\$1,243	\$1,276	N/A	+ \$62
30"	EP1FA3060R	\$1,174	\$1,269	\$1,288	\$1,331	\$1,348	\$1,376	\$1,404	N/A	+ \$62
36"	EP1FA3660R	\$1,282	\$1,384	\$1,409	\$1,448	\$1,477	\$1,500	\$1,541	N/A	+ \$62
42"	EP1FA4260R	\$1,398	\$1,508	\$1,541	\$1,579	\$1,606	\$1,634	\$1,677	N/A	+ \$62
48"	EP1FA4860R	\$1,509	\$1,633	\$1,661	\$1,706	\$1,736	\$1,765	\$1,817	N/A	+ \$62
60"	EP1FA6060R	\$1,735	\$1,875	\$1,909	\$1,961	\$1,995	\$2,030	\$2,083	N/A	+ \$62
65" H										
12"	EP1FA1265R	\$1,034	\$1,120	\$1,138	\$1,173	\$1,191	\$1,216	\$1,243	N/A	+ \$62
18"	EP1FA1865R	\$1,060	\$1,145	\$1,169	\$1,196	\$1,223	\$1,238	\$1,272	N/A	+ \$62
24"	EP1FA2465R	\$1,188	\$1,284	\$1,309	\$1,340	\$1,369	\$1,390	\$1,427	N/A	+ \$62
30"	EP1FA3065R	\$1,257	\$1,359	\$1,384	\$1,426	\$1,448	\$1,474	\$1,509	N/A	+ \$62
36"	EP1FA3665R	\$1,337	\$1,445	\$1,474	\$1,510	\$1,541	\$1,565	\$1,603	N/A	+ \$62
42"	EP1FA4265R	\$1,457	\$1,578	\$1,603	\$1,650	\$1,678	\$1,706	\$1,754	N/A	+ \$62
48"	EP1FA4865R	\$1,579	\$1,705	\$1,736	\$1,783	\$1,818	\$1,849	\$1,896	N/A	+ \$62
60"	EP1FA6065R	\$1,824	\$1,969	\$2,008	\$2,063	\$2,096	\$2,135	\$2,191	N/A	+ \$62
80" H										
12"	EP1FA1280R	\$1,056	\$1,135	\$1,158	\$1,188	\$1,211	\$1,230	\$1,265	N/A	+ \$62
18"	EP1FA1880R	\$1,120	\$1,211	\$1,233	\$1,268	\$1,287	\$1,312	\$1,343	N/A	+ \$62
24"	EP1FA2480R	\$1,193	\$1,289	\$1,316	\$1,351	\$1,377	\$1,400	\$1,434	N/A	+ \$62
30"	EP1FA3080R	\$1,340	\$1,448	\$1,480	\$1,518	\$1,544	\$1,570	\$1,609	N/A	+ \$62
36"	EP1FA3680R	\$1,498	\$1,613	\$1,646	\$1,694	\$1,722	\$1,751	\$1,795	N/A	+ \$62
42"	EP1FA4280R	\$1,648	\$1,779	\$1,811	\$1,861	\$1,896	\$1,927	\$1,976	N/A	+ \$62
48"	EP1FA4880R	\$1,795	\$1,939	\$1,972	\$2,029	\$2,064	\$2,099	\$2,152	N/A	+ \$62
60"	EP1FA6080R	\$2,094	\$2,259	\$2,303	\$2,366	\$2,409	\$2,448	\$2,513	N/A	+ \$62

Order Code				
e.g.	EP1FA2460R, W3513, 117			
EP1FA	Fabric panel			
24	Width			
60	Height			
W351-3	Foundation,Corn Silk			
117	Soft Grey trim			

#### Specification Information

Specify fabric and trim color.

Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

#### Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

# **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



28" H			•		
				PAINT	
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P:
12"	EP2()1228R	\$925	\$1,243	N/A	+ \$66
18"	EP2()1828R	\$943	\$1,333	N/A	+ \$66
24"	EP2()2428R	\$962	\$1,404	N/A	+ \$66
30"	EP2()3028R	\$983	\$1,488	N/A	+ \$66
36"	EP2()3628R	\$1,007	\$1,559	N/A	+ \$66
42"	EP2( )4228R	\$1,032	\$1,685	N/A	+ \$66
48"	EP2()4828R	\$1,058	\$1,716	N/A	+ \$66
60"	EP2()6028R	\$1,107	\$1,870	N/A	+ \$66
0" H					
2"	EP2()1240R	\$976	\$1,365	N/A	+ \$66
8"	EP2()1840R	\$996	\$1,447	N/A	+ \$66
4"	EP2()2440R	\$1,013	\$1,532	N/A	+ \$66
0"	EP2()3040R	\$1,034	\$1,686	N/A	+ \$66
6"	EP2()3640R	\$1,058	\$1,898	N/A	+ \$66
2"	EP2()4240R	\$1,085	\$1,939	N/A	+ \$66
-2	(,				
8"	EP2()4840R	\$1,109	\$1,966	N/A	+ \$66
8"		\$1,109 \$1,160	\$1,966 \$2,167	N/A N/A	+ \$66 + \$66
8" 8 <b>" H</b>	EP2( )4 <mark>840</mark> R EP2( )6040R	\$1,160	\$2,167	N/A	+ \$66
8" H 12"	EP2()4840R EP2()6040R EP2()1248R	\$1,160 \$996	\$2,167	N/A	+ \$66
8" H 12" 18"	EP2()4840R EP2()6040R EP2()1248R EP2()1848R	\$1,160 \$996 \$1,016	\$2,167 \$1,403 \$1,546	N/A N/A	+ \$66 + \$66
8" H  12" 18" 24"	EP2()4840R EP2()6040R EP2()1248R EP2()1848R EP2()2448R	\$1,160 \$996 \$1,016 \$1,031	\$2,167 \$1,403 \$1,546 \$1,657	N/A N/A N/A	+ \$66 + \$66 + \$66
8" H  12" 18" 24" 30"	EP2()4840R EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R	\$1,160 \$996 \$1,016 \$1,031 \$1,058	\$2,167 \$1,403 \$1,546 \$1,657 \$1,804	N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66
8" <b>H</b> 12" 18" 24" 30" 36"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076	\$2,167 \$1,403 \$1,546 \$1,657 \$1,804 \$1,834	N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66
8" <b>H</b> 12" 18" 24" 30" 36" 42"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R	\$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107	\$2,167 \$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021	N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H  12" 18" 24" 30" 36" 42"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R	\$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" <b>H</b> 12" 18" 24" 30" 36" 42"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R	\$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107	\$2,167 \$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021	N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H  12" 18" 24" 30" 36" 42"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R	\$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H  12" 18" 24" 30" 36" 42" 48" 60"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R	\$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H  12" 18" 24" 30" 36" 42" 48" 60"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()6048R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418	N/A	+ \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666
8" H  12" 18" 24" 30" 36" 42" 48" 60"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4248R EP2()6048R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418	N/A	+ \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666
8" H  12" 18" 24" 30" 36" 42" 48" 600"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4248R EP2()4248R EP2()4248R EP2()1253R EP2()11253R EP2()11853R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418	N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H  12" 18" 24" 30" 36" 42" 48" 60"  12" 18" 24"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()1853R EP2()1853R EP2()1853R EP2()2453R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418 \$1,589 \$1,698	N/A	+ \$66 + \$66
8" H  12" 18" 24" 30" 36" 42" 48" 60"  12" 18" 24" 30"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4248R EP2()1853R EP2()1853R EP2()1853R EP2()2453R EP2()3053R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418 \$1,589 \$1,698 \$1,698	N/A	+ \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666 + \$666
8" H  12" 18" 24" 30" 36" 42" 48" 60"  3" H  12" 18" 24" 30" 36"	EP2()4840R EP2()6040R  EP2()1248R EP2()1848R EP2()2448R EP2()3648R EP2()4248R EP2()4248R EP2()4248R EP2()1853R EP2()1853R EP2()1853R EP2()2453R EP2()3053R EP2()3053R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178 \$1,030 \$1,051 \$1,062 \$1,089 \$1,109	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418 \$1,448 \$1,589 \$1,698 \$1,698 \$1,970	N/A	+ \$66

<sup>\*</sup> All Colors

Order Code					
e.g.	EP2PG3648R, PC, 613				
EP2PG	Plexiglass Insert Panel				
36	Width				
48	Height				
R	Raceway				
PC	Clear				
613	Silver trim				

#### Specification Information

Specify insert type, insert color and trim color.

#### **Application Notes**


Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

#### **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



<sup>\*</sup> All Colors

Order Code				
e.g.	EP2PG2460R, 613			
EP2PG	Plexiglass Insert Panel			
24	Width			
60	Height			
R	Raceway			
613	Silver trim			

#### **Specification Information**

Specify insert type, insert color and trim color.

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

#### **Application Notes**

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

# (S.E.)

#### **Panel Wall Starter**

W	D	Н	ACTUAL HEIGHT	MODEL#	P1	P2	Р3
11/2"	1/2"	28"	23"	EP1PWS28	\$58	N/A	\$63
11/2"	1/2"	40"	35"	EP1PWS40	\$58	N/A	\$63
1½"	1/2"	48"	43"	EP1PWS48	\$63	N/A	\$68
1½"	1/2"	53"	48"	EP1PWS53	\$66	N/A	\$73
11/2"	1/2"	60"	55"	EP1PWS60	\$66	N/A	\$73
1½"	1/2"	65"	60"	EP1PWS65	\$68	N/A	\$77
11/2"	1/2"	80"	75"	EP1PWS80	\$77	N/A	\$91

#### **Wall Mounted Channel**

vvali ivid	Juliteu C	liaiiiiei					
21/8"	3/4"	28"	23"	EP1WMC28	\$147	N/A	\$161
21/8"	3/4"	40"	35"	EP1WMC40	\$147	N/A	\$161
21/8"	3/4"	48"	43"	EP1WMC48	\$151	N/A	\$163
21/8"	3/4"	53"	48"	EP1WMC53	\$154	N/A	\$169
21/8"	3/4"	60"	55"	EP1WMC60	\$171	N/A	\$191
21/8"	3/4"	65"	60"	EP1WMC65	\$176	N/A	\$199
21/8"	3/4"	80"	75"	EP1WMC80	\$214	N/A	\$235
21/8"	3/4"	120"	120"	EP1WMC120	\$330	N/A	\$366

Order Code				
e.g.	EP1PWS60, 117			
EP1PWS	Panel wall starter			
60	Height			
117	Soft Grey trim			

#### Specification Information

Specify trim color.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

#### **Application Notes**

#### Wall starter:

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 11/4" space from face of wall to centerline of post. Constructed of steel.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

be ordered separately.

#### Wall mount channel:

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic inset which snaps in place, covering mounting screws.



# **Straight**

W	D	Н	MODEL#	P1	P2	Р3
-	-	28"	EP1P28S	\$196	N/A	\$216
-	-	40"	EP1P40S	\$199	N/A	\$217
-	-	48"	EP1P48S	\$201	N/A	\$220
-	-	53"	EP1P53S	\$204	N/A	\$223
-	-	60"	EP1P60S	\$206	N/A	\$225
-	-	65"	EP1P65S	\$207	N/A	\$227
-	-	80"	EP1P80S	\$213	N/A	\$234



# 2-way L

_	*						
	-	-	28"	EP1P28L	\$190	N/A	\$206
	-	-	40"	EP1P40L	\$191	N/A	\$207
	-	-	48"	EP1P48L	\$192	N/A	\$213
	-	-	53"	EP1P53L	\$196	N/A	\$216
	-	-	60"	EP1P60L	\$199	N/A	\$217
	-	-	65"	EP1P65L	\$201	N/A	\$220
	-	-	80"	EP1P80L	\$206	N/A	\$225



#### **End**

LIIU						
-	-	28"	EP1P28E	\$207	N/A	\$227
-	-	40"	EP1P40E	\$210	N/A	\$231
-	-	48"	EP1P48E	\$213	N/A	\$234
-	-	53"	EP1P53E	\$214	N/A	\$235
-	-	60"	EP1P60E	\$216	N/A	\$236
-	-	65"	EP1P65E	\$217	N/A	\$243
-	-	80"	EP1P80E	\$222	N/A	\$248

Order Code					
e.g.	EP1P48S, 117				
EP1P	Post				
48	Height				
s	Straight assembly				
117	Soft Grey trim				

#### Specification Information

Specify trim color.

#### **Application Notes**

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified. NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

# **Generation 1**

single height post assemblies three and four way



# 3-way (T)

w	D	Н	MODEL#	P1	P2	Р3
-	-	28"	EP1P28T	\$190	N/A	\$206
-	-	40"	EP1P40T	\$191	N/A	\$207
-	-	48"	EP1P48T	\$192	N/A	\$213
-	-	53"	EP1P53T	\$196	N/A	\$216
-	-	60"	EP1P60T	\$199	N/A	\$217
-	-	65"	EP1P65T	\$201	N/A	\$220
_	_	80"	EP1P80T	\$206	N/A	\$225



#### 3-way (Y)

JWW	, ( ' /					
	-	28"	EP1P28Y	\$236	N/A	\$267
_	-	40"	EP1P40Y	\$243	N/A	\$268
-	-	48"	EP1P48Y	\$245	N/A	\$269
-	-	53"	EP1P53Y	\$246	N/A	\$271
-	-	60"	EP1P60Y	\$248	N/A	\$272
_	-	65"	EP1P65Y	\$251	N/A	\$276
-	-	80"	EP1P80Y	\$254	N/A	\$276



#### 4-way (X)

- way	(/\/					
-		28"	EP1P28X	\$163	N/A	\$180
-	-	40"	EP1P40X	\$169	N/A	\$187
-	-	48"	EP1P48X	\$170	N/A	\$190
-	-	53"	EP1P53X	\$171	N/A	\$191
-	_	60"	EP1P60X	\$173	N/A	\$192
-	-	65"	EP1P65X	\$174	N/A	\$194
-	-	80"	EP1P80X	\$179	N/A	\$199

Order Code					
e.g.	EP1P80T, 117				
EP1P	Post				
80	Height				
T	"T" assembly				
117	Soft Grey trim				

#### Specification Information

Specify trim color

#### Application Notes

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.



# **Dual Height Post**

W	D	Н	MODEL#	P1	P2	Р3
-	-	28"/40"	EP1DP2840	\$204	N/A	\$223
-	-	28"/48"	EP1DP2848	\$216	N/A	\$236
-	-	28"/53"	EP1DP2853	\$222	N/A	\$248
-	-	28"/60"	EP1DP2860	\$225	N/A	\$251
-	_	28"/65"	EP1DP2865	\$234	N/A	\$255
-	-	28"/80"	EP1DP2880	\$255	N/A	\$284
-	-	40"/48"	EP1DP4048	\$216	N/A	\$236
-	-	40"/53"	EP1DP4053	\$222	N/A	\$248
-	-	40"/60"	EP1DP4060	\$225	N/A	\$251
-	-	40"/65"	EP1DP4065	\$234	N/A	\$255
-	-	40"/80"	EP1DP4080	\$255	N/A	\$284
-	-	48"/53"	EP1DP4853	\$222	N/A	\$248
-	-	48"/60"	EP1DP4860	\$225	N/A	\$251
-	-	48"/65"	EP1DP4865	\$234	N/A	\$255
-	-	48"/80"	EP1DP4880	\$255	N/A	\$284
-	-	53"/60"	EP1DP5360	\$225	N/A	\$251
-	-	53"/65"	EP1DP5365	\$234	N/A	\$255
-	-	53"/80"	EP1DP5380	\$262	N/A	\$290
-	-	60"/65"	EP1DP6065	\$234	N/A	\$255
-	-	60"/80"	EP1DP6080	\$255	N/A	\$284
-	-	65"/80"	EP1DP6580	\$255	N/A	\$284

Order Code				
e.g.	EP1DP4860, 613			
EP1DP	Dual height post			
48	Height one			
60	Height two			
613	Silver			

#### Specification Information

Specify trim color.

#### **Application Notes**

Dual height posts are used where panels of two different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

# J J

# **Triple Height Post**

w	D	н	MODEL#	P1	P2	P3
W						
_	_	28"/40"/48"	EP1TP284048	\$255	N/A	\$284
-	-	28"/40"/53"	EP1TP284053	\$255	N/A	\$284
-	-	28"/40"/60"	EP1TP284060	\$255	N/A	\$284
-	-	28"/40"/65"	EP1TP284065	\$272	N/A	\$303
-	-	28"/40"/80"	EP1TP284080	\$304	N/A	\$335
-	-	28"/48"/53"	EP1TP284853	\$255	N/A	\$284
-	-	28"/48"/60"	EP1TP284860	\$255	N/A	\$284
-	-	28"/48"/65"	EP1TP284865	\$272	N/A	\$303
-	-	28"/48"/80"	EP1TP284880	\$304	N/A	\$335
-	-	28"/53"/60"	EP1TP285360	\$255	N/A	\$284
-	-	28"/53"/65"	EP1TP285365	\$271	N/A	\$301
-	-	28"/53"/80"	EP1TP285380	\$303	N/A	\$330
-	-	28"/60"/65"	EP1TP286065	\$272	N/A	\$303
-	-	28"/60"/80"	EP1TP286080	\$304	N/A	\$335
-	-	28"/65"/80"	EP1TP286580	\$304	N/A	\$335
-	-	40"/48"/53"	EP1TP404853	\$255	N/A	\$284
-	-	40"/48"/60"	EP1TP404860	\$255	N/A	\$284
-	-	40"/48"/65"	EP1TP404865	\$272	N/A	\$303
-	-	40"/48"/80"	EP1TP404880	\$304	N/A	\$335
-	-	40"/53"/60"	EP1TP405360	\$255	N/A	\$284
-	-	40"/53"/65"	EP1TP405365	\$271	N/A	\$301
-	-	40"/53"/80"	EP1TP405380	\$303	N/A	\$330
-	-	40"/60"/65"	EP1TP406065	\$272	N/A	\$303
_	_	40"/60"/80"	EP1TP406080	\$304	N/A	\$335
_	_	40"/65"/80"	EP1TP406580	\$304	N/A	\$335
_	_	48"/53"/60"	EP1TP485360	\$255	N/A	\$284
_	_	48"/53"/65"	EP1TP485365	\$271	N/A	\$301
_	_	48"/53"/80"	EP1TP485380	\$276	N/A	\$305
_	_	48"/60"/65"	EP1TP486065	\$272	N/A	\$303
_	_	48"/60"/80"	EP1TP486080	\$304	N/A	\$335
_	_	48"/65"/80"	EP1TP486580	\$304	N/A	\$335
_	_	53"/60"/65"	EP1TP536065	\$271	N/A	\$301
_	_	53"/60"/80"	EP1TP536080	\$275	N/A	\$304
_	_	53"/65"/80"	EP1TP536580	\$304	N/A	\$335
		60"/65"/80"	EP1TP606580	\$304	N/A	\$335
-	-	00 /03 /60	EFITFUUDOOU	<i>3</i> 304	IN/ A	\$333

Order Co	Order Code					
e.g.	EP1TP406080, 113					
EP1TP	Triple height post					
40	Height one					
60	Height two					
80	Height three					
113	Dark Grey trim					

#### Specification Information

Specify trim color.

#### **Application Notes**

Triple height posts are used where 3 or 4 panels of three different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

# **Single Height Post**

W	D	Н	MODEL#	P1	P2	Р3
-	-	28"	EP1P28	\$94	N/A	\$102
-	-	40"	EP1P40	\$95	N/A	\$106
-	-	48"	EP1P48	\$97	N/A	\$110
-	-	53"	EP1P53	\$100	N/A	\$111
-	-	60"	EP1P60	\$101	N/A	\$113
-	-	65"	EP1P65	\$102	N/A	\$115
-	-	80"	EP1P80	\$110	N/A	\$117

Order C	Order Code					
e.g.	EP1P48, 177	_				
EP1P	Post	_				
48	Height					
117	Soft Grey trim					
		_				

Specification	


Specify trim color.
Panel connectors
and shrouds must be
order separately.

#### **Application Notes**

Bottom leveler on posts allow for up to 1½" of vertical adjustment.

#### **Generation 1**

**Panel connectors and shrouds** 



#### **Panel Connectors**

ТҮРЕ	MODEL#	P1	P2	Р3
Straight	EP1PCS	\$40	\$42	\$46
2-way L	EP1PCL	\$50	\$52	\$53
2-way L (for post covers)	EP1PCLK	\$50	\$52	\$53
2-way Adjustable	EP1PCA	\$64	\$73	\$73
3-way T	EP1PCT	\$62	\$64	\$68
3-way Y 120	EP1PCY	\$62	\$64	\$68
4-way X	EP1PCX	\$68	\$73	\$82
End	EP1PCEP	\$47	\$49	\$50
End (for post covers)	EP1PCEPK	\$47	\$49	\$50
Multi-height filler	EP1PCMF	\$33	\$37	\$38
Trim filler	EP1PCTF	\$33	\$37	\$38
Post plug (pkg. of 25)	EP1PLUG	\$22	\$29	\$30

# e.g. EP1PCEP EP1PC Post connector EP End with post

#### Specification Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

#### **Application Notes**

Panel connectors stabilize panel to panel connections.


Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.



<b>Raceway Shrouds</b>		P1	P2	P3
Straight	EP1SS	\$33	N/A	\$38
L outside	EP1SL	\$47	N/A	\$50
L outside (for post covers)	EP1SLK	\$47	N/A	\$50
120 outside	EP1SO120	\$37	N/A	\$40
120 inside	EP1SI120	\$22	N/A	\$30
135 outside	EP1SO135	\$37	N/A	\$40
End	EP1SEP	\$64	N/A	\$73
End (for post covers)	EP1SEPK	\$64	N/A	\$73

Order Code					
e.g.	EP1SEP				
EP1S	Post shroud				
EP	End with post				

	Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

#### **Application Notes**

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.


The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.


#### **Generation 3**

**Fahric Pane** 



64" I	H								PAIN	т	
W	MODEL#	А	В	С	D	E	F	G	P2	Р3	
12"	EP3FA1264(K/N)	\$876	\$926	\$986	\$1,066	\$1,186	\$1,316	\$1,466	\$1,646	+ \$31	+ \$63
18"	EP3FA1864(K/N)	\$942	\$992	\$1,052	\$1,132	\$1,252	\$1,382	\$1,532	\$1,712	+ \$31	+ \$63
24"	EP3FA2464(K/N)	\$1,009	\$1,059	\$1,119	\$1,199	\$1,319	\$1,449	\$1,599	\$1,779	+ \$31	+ \$63
30"	EP3FA3064(K/N)	\$1,075	\$1,125	\$1,185	\$1,265	\$1,385	\$1,515	\$1,665	\$1,845	+ \$31	+ \$63
36"	EP3FA3664(K/N)	\$1,181	\$1,291	\$1,421	\$1,581	\$1,831	\$2,111	\$2,431	\$2,821	+ \$31	+ \$63
42"	EP3FA4264(K/N)	\$1,248	\$1,358	\$1,488	\$1,648	\$1,898	\$2,178	\$2,498	\$2,888	+ \$31	+ \$63
48"	EP3FA4864(K/N)	\$1,314	\$1,424	\$1,554	\$1,714	\$1,964	\$2,244	\$2,564	\$2,954	+ \$31	+ \$63
60"	EP3FA6064(K/N)	\$1,434	\$1,544	\$1,674	\$1,834	\$2,084	\$2,364	\$2,684	\$3,074	+ \$31	+ \$63

	Тор	Cap Panel Type	w	Н	Raceway	
EP Equity par	nel 3 Bev	eled FA Fabric panel	36	29	K With knock	
EP	3	FA	36		К	



4" H			e			1.0		PAINT		
וו דט				ILASS INSERT		LA	MINATE INSE	KI .	PAII	N I
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP3()1264(K/N)	\$1,058	\$1,323	\$1,482	\$1,749	\$1,430	\$1,573	\$1,716	+ \$33	+ \$66
18"	EP3()1864(K/N)	\$1,071	\$1,403	\$1,563	\$1,921	\$1,509	\$1,659	\$1,810	+ \$33	+ \$66
24"	EP3()2464(K/N)	\$1,084	\$1,497	\$1,668	\$2,134	\$1,615	\$1,776	\$1,938	+ \$33	+ \$66
30"	EP3()3064(K/N)	\$1,111	\$1,602	\$1,788	\$2,385	\$1,735	\$1,908	\$2,082	+ \$33	+ \$66
36"	EP3()3646(K/N)	\$1,137	\$1,722	\$1,908	\$2,638	\$1,854	\$2,039	\$2,224	+ \$33	+ \$66
42"	EP3()4264(K/N)	\$1,163	\$1,854	\$2,054	\$2,917	\$2,002	\$2,202	\$2,402	+ \$33	+ \$66
48"	EP3()4864(K/N)	\$1,191	\$2,002	\$2,214	\$3,209	\$2,161	\$2,377	\$2,593	+ \$33	+ \$66
60"	EP3()6064(K/N)	\$1,257	\$2,161	\$2,373	\$3,634	\$2,319	\$2,550	\$2,782	+ \$33	+ \$66

	Panel Type	w	Н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
EP	PG	36	29	K

**Post Assemblies** 



Straight		PAINT			
Н	MODEL#		P1	P2	Р3
64"	EP3P64S		\$207	\$215	\$223



3-wa	ay T		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64T	\$ 201	\$209	\$217



2-way L			PAINT				
Н	MODEL#		P1	P2	P3		
64"	ED2D64I	¢ο	Λ1	\$200	¢217		



3-w	ay 120		PAINT	
Н	MODEL#	ı	71 P2	P3
64"	EP3P64Y	\$25	1 \$261	\$271



2-way 120		PAINT				
Н	ł	MODEL#		P1	P2	P3
64	1"	EP3P64120		\$207	\$215	\$223



4-way X			PAINT			
Н	MODEL#	P1	P2	P3		
64"	EP3P64X	\$174	\$182	\$190		

#### Specify

- 1. Model #
- 2. Paint trim color

#### **Application Notes**

Used to connect panels of the same height

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

#### Assembly

#### Included

- Single height postPanel connector
- Appropriate metal shroud

#### Top Cap Style

3 – Beveled



Single Height					
ı	Н	MODEL#	P1	P2	P3
	64"	EP3P64	\$140	\$143	\$146

# **Dual Height**

Duai neight							
29"/64"	EP3DP2964	\$234	\$245	\$256			
41"/64"	EP3DP4164	\$234	\$245	\$256			
49"/64"	EP3DP4964	\$234	\$245	\$256			
54"/64"	EP3DP5464	\$234	\$245	\$256			
61"/64"	EP3DP6164	\$234	\$245	\$256			
64"/81"	EP3DP6481	\$255	\$266	\$277			

		<b>,</b>		
<b>Triple Heig</b>	ht		PAINT	
Н	MODEL#	P1	P2	P3
29"/41"/64"	EP3TP294164	\$276	\$287	\$298
29"/49"/64"	EP3TP294964	\$276	\$287	\$298
29"/54"/64"	EP3TP295464	\$276	\$287	\$298
29"/61"/64"	EP3TP296164	\$276	\$287	\$298
29"/64"/81"	EP3TP296481	\$304	\$315	\$326
41"/49"/64"	EP3TP414964	\$276	\$287	\$298
41"/54"/64"	EP3TP415464	\$276	\$287	\$298
41"/61"/64"	EP3TP416164	\$276	\$287	\$298
41"/64"/81"	EP3TP416481	\$304	\$315	\$326
49"/54"/64"	EP3TP495464	\$276	\$287	\$298
49"/61"/64"	EP3TP496164	\$276	\$287	\$298
49"/64"/81"	EP3TP496481	\$304	\$315	\$326
54"/61"/64"	EP3TP546164	\$276	\$287	\$298
54"/64"/81"	EP3TP546481	\$304	\$315	\$326
61"/64"/81"	EP3TP616481	\$304	\$315	\$326

				Companies Tona
ED2 Faulty namel	. D. Doot	H	120	Connection Type
EP3 Equity panel	P Post	64	120 E	2-way 120 End w/post
		•	ETK	Postless end
		•	EIK	
		•	_ _	2-way L 3-way T
		:	S	Straight
•	•		X	4-way
<u> </u>	<u> </u>		\ V	3-way 120
:	•		'	3-way 120
:	1 _ :		_	:
EP3	Р	64	S	
ii	ii			i

**End Kits** 



End	w/Post	<b>st</b> Paint		
Н	MODEL#	P1	P2	P3
64"	EP3P64E	\$246	\$254	\$262



Postless End			PAINT	•
Н	MODEL#	P1	P2	P3
29"	EP3ETK29	\$207	\$212	\$215
41"	EP3ETK41	\$210	\$214	\$217
49"	EP3ETK49	\$213	\$216	\$222
54"	EP3ETK54	\$215	\$220	\$224
61"	EP3ETK61	\$217	\$223	\$226
64"	EP3ETK64	\$222	\$225	\$228
66"	EP3ETK66	\$222	\$225	\$228
81"	EP3ETK81	\$233	\$236	\$240

#### **End w/Post**

# Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Used to finish a panel end that is not being connected to another panel.

# **Postless End**

#### Specify

- 1. Model #
- 2. Paint trim color

#### **Application Notes**

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately 3/4" beyond the panel end.

#### Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

#### **Top Cap Styles**

3 – Beveled



#### Assembly

#### Included

- Panel connector
- Appropriate metal shroud

#### **Top Cap Styles**

3 – Beveled



P	anel '	Wall St	tarter		PAINT			
	W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	Р3
	1 ½"	1/2"	64"	60"	EP3PWS64	\$68	\$73	\$82

#### **Wall Mounted Channel**

2 %"	3/4"	64"	60"	EP3WMC64	\$176	\$190	\$196
2 /0	/-	01	00	EI STITICO I	7170	7170	7170

#### **Panel Wall Starter**

#### Specify

- 1. Model#
- 2. Paint trim color

#### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

**Top Cap Styles** 

3 - Beveled

#### Assembly

#### Included

- Panel top & bottom hook
- Panel connector

#### **Not Included**

• Fasteners to attach to wall

#### **Ordered Separately**

- Post
- Shrouds

# **Wall Mounted Channel**

#### Specify

- 1. Model#
- 2. Paint trim color

#### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

#### Assembly

#### Included

- Extruded aluminum
- Insert which snaps

- channel
- into place

### **Panel accessories**

**Cable and Wire Managers** 

#### **Vertical Wire Manager**

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	80"	EC1VWM80	\$38	\$40	\$42



#### **Metal Ceiling Module**

4"	1½"	120"	EE1CM40M	\$829	N/A	\$915
4"	1½"	120"	EE1CM48M	\$829	N/A	\$915
4"	1½"	120"	EE1CM53M	\$829	N/A	\$915
4"	1½"	120"	EE1CM60M	\$829	N/A	\$915
4"	1½"	120"	EE1CM65M	\$829	N/A	\$915
4"	1½"	120"	EE1CM80M	\$829	N/A	\$915

#### Ceiling Infeeds – Generation 3

4"	1 ½"	120"	EE3CM64M	\$718	\$754	\$792

Order Code				
e.g.	EC1VWM80, 177			
EC1VWM	Vertical Wire Manager			
80	Length			
117	Soft Grey trim			

#### **Specification Information**

Specify trim color.

#### Vertical Wire Manager:

A plastic strip designed to hide a cord running down the edge of the panel. Cut to desired length in field.

#### Ceiling Infeed Modules:

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 35 CAT 5 cables.

Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion by separating the front edge of the pliable tube. Infeed module is attached to an available post location of the appropriate height. The module can not be used for panel support and there are no "hang on" capabilities. Includes escutcheon plate. Plate and plastic tube are white to integrate with standard ceiling color.

No "hang on" capabilities. Module cannot be used for panel support. Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable angle connector or adjustable angle connector with a multi-height panel connector.



#### **EP1 Coat Hook (6/carton)**

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	5"	EP1CH	\$159	N/A	N/A



#### **Carpet Gripper (12 pack)**

 	<u> </u>	 <u>-</u>			
		ED1CG12	\$40	NI/A	N/A



#### **EP3 Coat Hook Straight (5 pack)**

_	1/6"	13/8"	23%"	FP3MMCH (R/P)	\$187	N/A N/A	Δ



#### **EP3 Coat Hook Postless End (5 pack)**

13/8"	3/8"	23/8"	EP3MMCHPE (R/L)(B/P)	\$187	N/A	N/A

order Co	oue
e.g.	EP1CH, 117
	Coat hook
117	Soft Grev trim

0...1..........................

#### Specification Information

Specify trim color.

Coat Hook and Coat Hanger available only in Dark Neutral, Medium Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

#### Application Notes

#### **Coat Hanger**

A plastic coat hanger available to hang on coat hook. EP1 Coat hook: Molded plastic hook hangs over EP1 panels to hold coats and hangers.

Coat hook must hang over straight post location if being used w/EP3 panels.


Carpet gripper:12 per package.

#### EP3 Coat hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

# Counter Caps, Straight Generation 1 and Generation 2 profiles

#### **Straight**



NOMINAL W	ACTUAL W	D	Н	MODEL#	P1	P2	Р3
12"	10.5"	15.25"	-	EW(1/2)1215	\$355	\$368	\$376
24"	22.5"	15.25"	-	EW(1/2)2415	\$393	\$401	\$412
30"	28.5"	15.25"	-	EW(1/2)3015	\$429	\$440	\$448
36"	34.5"	15.25"	-	EW(1/2)3615	\$429	\$440	\$448
42"	40.5"	15.25"	-	EW(1/2)4215	\$437	\$445	\$456
48"	46.5"	15.25"	-	EW(1/2)4815	\$441	\$453	\$462
60"	58.5"	15.25"	-	EW(1/2)6015	\$487	\$497	\$507
72"	70.5"	15.25"	-	EW(1/2)7215	\$513	\$520	\$533
84"	82.5"	15.25"	-	EW(1/2)8415	\$555	\$567	\$577
96"	94.5"	15.25"	-	EW(1/2)9615	\$577	\$589	\$598
108"	106.5"	15.25"	-	EW(1/2)10815	\$596	\$605	\$616
120"	118.5"	15.25"	-	EW(1/2)12015	\$664	\$671	\$679

#### Straight – Extended One End



	g							
Ī	12"	12"	15.25"	-	EW(1/2)1215E	\$369	\$378	\$392
	24"	24"	15.25"	-	EW(1/2)2415E	\$404	\$416	\$427
	30"	30"	15.25"	-	EW(1/2)3015E	\$436	\$443	\$454
	36"	36"	15.25"	-	EW(1/2)3615E	\$436	\$443	\$454
	42"	42"	15.25"	-	EW(1/2)4215E	\$445	\$456	\$465
	48"	48"	15.25"	-	EW(1/2)4815E	\$460	\$467	\$479
	60"	60"	15.25"	-	EW(1/2)6015E	\$493	\$504	\$514
	72"	72"	15.25"	-	EW(1/2)7215E	\$536	\$544	\$554
	84"	84"	15.25"	-	EW(1/2)8415E	\$559	\$570	\$580
	96"	96"	15.25"	-	EW(1/2)9615E	\$585	\$595	\$603
	108"	108"	15.25"	-	EW(1/2)10815E	\$627	\$639	\$649

#### Straight – Extended Both Ends



12"	13.5"	15.25"	-	EW(1/2)1215EE	\$378	\$392	\$400
24"	25.5"	15.25"	-	EW(1/2)2415EE	\$422	\$431	\$441
30"	31.5"	15.25"	-	EW(1/2)3015EE	\$443	\$454	\$464
36"	37.5"	15.25"	-	EW(1/2)3615EE	\$443	\$454	\$464
42"	43.5"	15.25"	-	EW(1/2)4215EE	\$460	\$467	\$479
48"	49.5"	15.25"	-	EW(1/2)4815EE	\$513	\$520	\$533
60"	61.5"	15.25"	-	EW(1/2)6015EE	\$508	\$517	\$526
72"	73.5"	15.25"	-	EW(1/2)7215EE	\$547	\$557	\$568
84"	85.5"	15.25"	-	EW(1/2)8415EE	\$578	\$590	\$599
96"	97.5"	15.25"	-	EW(1/2)9615EE	\$596	\$605	\$616
108"	109.5"	15.25"	-	EW(1/2)10815EE	\$646	\$655	\$666

e.g.	EW16015,117, 117, 117
EW1	Worksurface
60	Width
15	Depth
117	Soft Grey laminate
117	Soft Grey edge

Soft Grey

cantilever trim

Order Code

#### Specification Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.

117



#### Corner

W	D	Н	MODEL#	P1	P2	P3
24"	15.25"	-	EW(1/2)CC2415	\$501	\$520	\$543
30"	15.25"	-	EW(1/2)CC3015	\$537	\$555	\$577
36"	15.25"	-	EW(1/2)CC3615	\$547	\$568	\$590




#### Corner – Extended Left

24"	15.25"	-	EW(1/2)CC2415LHE	\$513	\$533	\$552
30"	15.25"	-	EW(1/2)CC3015LHE	\$547	\$568	\$590
36"	15.25"	-	EW(1/2)CC3615LHE	\$559	\$580	\$600



# Corner – Extended Right

24"	15.25"	-	EW(1/2)CC2415RHE	\$513	\$533	\$552
30"	15.25"	-	EW(1/2)CC3015RHE	\$547	\$568	\$590
36"	15 25"	_	EW(1/2)CC3615RHE	\$559	\$580	\$600



#### Corner – Extended Both Ends

24"	15.25"	-	EW(1/2)CC2415EE	\$533	\$552	\$573
30"	15.25"	-	EW(1/2)CC3015EE	\$578	\$599	\$618
36"	15.25"	-	EW(1/2)CC3615EE	\$590	\$612	\$629

Order Code					
e.g.	EW1CC3015, 117, 117, 117				
EW1	Worksurface				
cc	Curved corner				
30	Width				
15	Depth				
117	Soft Grey laminate				
117	Soft Grey edge				
117	Soft Grey				

#### Specification Information

Specify surface, trim and cantilever trim color.

EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only.

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other. They are non-handed and screw holes for the mounting brackets must be field-drilled.

Steel mounting brackets are supplied.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

# Freestanding support components



# Flat Brackets (black only)

W	D	Н	TOP SIZE	MODEL#.	P1	P2	P3
	15"			EB1F24	\$59	N/A	N/A
	21"			EB1F30	\$68	N/A	N/A



# **Column Base**

27 <sup>3</sup> / <sub>4</sub> " <b>EB1FCOL</b> \$424 \$462 \$4		EB1FCOL	\$424	3402	\$480
---	--	---------	-------	------	-------

# **Tackable Privacy Screens**



# **Tackable Privacy**

		-								
W	D	Н	MODEL#.	A	В	C	D	E	F	G
36"	3/4"	21"	EF2PS36	\$520	\$564	\$572	\$587	\$598	\$607	\$625
42"	3/4"	21"	EF2PS42	\$545	\$587	\$599	\$620	\$627	\$641	\$656
48"	3/4"	21"	EF2PS48	\$568	\$612	\$625	\$643	\$651	\$662	\$679
60"	3/4"	21"	EF2PS60	\$608	\$660	\$673	\$688	\$701	\$711	\$733
72"	3/4"	21"	EF2PS72	\$651	\$705	\$718	\$738	\$749	\$762	\$785

Order Code					
e.g.	EF2OS60, 117				
EF20S	Equity freestanding privacy screen				
60	Length in inches				
117	Soft Grey trim				

#### Specification Information

Specify shelf and stanchion trim color where required.

NOTE: Fabric on 72" privacy screens and will be railroaded (turned 90°).

# **Wall Mounting**

#### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

#### **New Construction**

# **Existing Construction**

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element fo each wall stud,	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud.  #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

# **Key Lock Program**

#### **GENERAL INFORMATION**

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### **KEYS**

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

#### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$23
NAKC	Change Key	\$23
NKM	Master Key	\$23

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### STEP 1

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

#### STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### STEP 4

Then enter the pattern number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

#### **EQUITY**

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly\* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

#### **EQUITY LOCKING COMPONENTS**

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

#### **MULTIPLE KEY-ALIKE PACKAGES**

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

#### **LOCK CORES**

Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

#### **MASTER KEY**

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$28
Change Key	AKC	\$23
Master Key	AKM	\$23

#### **SHIPMENT**

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

<sup>\*</sup>Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.



NeutralPosture.com 3904 N. Texas Ave. Bryan, TX 77803

**T** 979.778.0502

**F** 979.778.0408

GSA SCS Indoor Advantage BIFMA e3/LEVEL ISO 9001:2008 Approved



